




REAL*16, PARAMETER :: PI = $4 * ATAN(1.0_16)$

								100				-	-							-		-	-		-				100										-		-		-				· ~ .			-			-	-	-	0		
1 2	3	4	5 6	1	8	9 10	11	12	13 1	15	16	17 1	19	20 2	23 2	2 23	24 1	25 2	8 27	28	29 3	31	32 3	3 34	35	38	37 31	39	40 4	11 43	43	44.4	5 46	47	48 4	3 50	51	52 5	13 54	55	56 5	7 58	59	10, 61	62 (63 64	65	66 6	7 68	69	70 7	1 72	73	74	5 76	17.	18 75	9 60
1 1	1	1	11	1	1	1 1		1	1	1	1	1 1		1	1	1	1	1 1	1	S.con	1 1	1	1	1 1	1	·	1 1	1		9	1	1	District	1	1	1000	1	1	1 1	1	1 1	1	1	1 1	The state of	1 1	1	1 1	1 1	1	1 1	- Seemen	1	1	1 1	1	1 100	1
2 2	2	2	2 2	2	2	2 2	2	2	2 2	2	2	2 2	2	2	2. 2	2 2	2	2 2	2		2	2	2 2	2 2	2	2	2 2	2	2	2 2	2	2	2 2	2	2 2	2	2	2	2 2	2	2 2	2	2	2 2	2	2 2	2	2 2	2 2	2	2 2	2	2	2	2 2	2	2 2	2
3 3	33	3	3 3	Con	3 :	3 3	3		3 3	3		3	3	3	3 3	3		3 3	3	Con	3 3	3	3 :	3 3	3	3	3 3	3	3	3	3	3	3	Cas	643	3	3	3	3 3	3	3 3	6.63	3	3 3	3	3 3	3	3 3	3 3	3	3 3	3	3	3	3 3	3	3 3	3
4 4	4	Ą	44	4	Ą	4 4	4	4	4	4	4	4 4	4	4	4	Ą	4	4 4	1 4	Ą	4 4	4	Ą	1 4	4	ı	4	4	4	4 4	4	4	4	4	4 4	8	4.76	4	4.4	4	4 4	Ą	4	4 4	Ą	A A	4	4	1 4	4	4 4	4	Ą	4	4 4	4	4 4	4
5 5	5	5	5 5	5	5	ō	5	5	5 5	5	5	5 5	5	6.33	5 5	9	623	E	i 5	5	5	5	5 (5	5	.5	5 5	5	5 :	5 5			5	5	6.31	5		5	5 5	5	5 5	5	5	5 5	5	5 5	5	5	5	5	5	5	5	5	5	5	5 5	5
6 6	6	6	6 6	6	6 1	6	6	5	6 6		6	6 6	6	G	6 (6	S	5 6	6	6	6 6	6	6 (ŝ	6	6	6 6	6	6	6 6	6	6	6	6	6 6		6	6	6 6	6	6 6	6	6	6 6	6	6 6	6	6 6	6	6	6 6	6	6	6	6	6	6 6	6
7 7	7	7	7 7	7	7	1 7	7	7	7 7	7	7	7	7	7	1 1	7	7	1 7	7	7	7 7		7 7	1 7	7	7.	7 7	7	7	7 7	7	7	1 1	7	7 7	7	7	7	1 7	7	7 7	7	7	7 7	7	7	7	7 7	1 7	7	7 7	1	7	7	1 7	7	1 7	7
8 8	8	8	3 8	8	00	8 8	8	8	8	0		8 8	60	8	0 8	8	8	B 4	8			8	6	3	8	8	8	8	8	8 8	80			8	8	8	ı	8	8 8	000	8 8	8	8	8 8	8	8 8	8	8 8	8	8	8 8	8	CCC	8	8	8	8 8	8
1 2	3	4		1																																																				9 9		



REAL :: r = PICDC 5081





PRINT "(i4)", CDC 5081

PRINT *, r CDC 5081

CDC 5081

PRINT *. s

```
CDC 5081
```

PRINT *. t

222222222222222222222222

END PROGRAM TEST

CDC 5081