

Mainboard Fabrication Document

	Material	Layer	Thickness	Dielectric	Type	Gerber
	F,Paste				Paste Mask	
	F,Silkscreen				Legend	GBR
	F,Mask		0,01mm		Solder Mask	GBR
	Copper	F,Cu	0,035mm (1,00oz)		Signal	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	Inner1 (GND)	0,035mm (1,00oz)		Plane	GBR
	Prepreg		1,03mm	FR4	Dielectric	
	Copper	Inner2	0,035mm (1,00oz)		Plane	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	B,Cu	0,035mm (1,00oz)		Signal	GBR
		B,Mask	0,01mm		Solder Mask	GBR
		B,Silkscreen			Legend	GBR
		B,Paste			Paste Mask	
	Total thickness: 1,582mm Note: external layer thicknesses are specified after plating					

Impedance Table						
Transmission Line	Impedance [ohms]	Tolerance [%]	Layer	Trace Width [mm]	Gap [mm]	Ref. Layers

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

- FABRICATE PER IPC-6012A CLASS 2.
- OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SURFACE FINISH: HAL SNPB
- SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR GREEN.
- SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING WHITE NON-CONDUCTIVE EPOXY INK.
- ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- PCB MATERIAL REQUIREMENTS:

A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
B. Tg 150 C OR EQUIVALENT.
C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY PYROVISION.
- DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE 106,000 × 80,000 mm
BOARD THICKNESS 1,582 mm
TRACE WIDTH 0,200 mm
TRACE TO TRACE -0,000 mm
MIN. HOLE (PTH) 0,250 mm
MIN. HOLE (NPTH) 0,650 mm
ANNULAR RING 0,100 mm
COPPER TO HOLE 0,125 mm
COPPER TO EDGE 0,125 mm
HOLE TO HOLE 0,250 mm

All dimensions are in millimeters unless otherwise specified.

	Comments:		Company:		Variant:	Git Hash:
	PyroVision		PyroVision		CHECKED	216c73c
			Board Name:		Project Name:	
			Mainboard		PyroVision	
Sheet Title:	Top Fabrication (Scale 1:1)		File Name:	Mainboard.kicad_pcb	Designer:	Daniel Kampert
			Date:	2025-05-12	Revision:	1.0.1 + (Unreleased)
Sheet Path:			Reviewer:		Size:	A3
					Sheet:	1 of 10

Mainboard Fabrication Document

	Material	Layer	Thickness	Dielectric	Type	Gerber
	F,Paste				Paste Mask	
	F,Silkscreen				Legend	GBR
	F,Mask		0,01mm		Solder Mask	GBR
	Copper	F,Cu	0,035mm (1,00oz)		Signal	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	Inner1 (GND)	0,035mm (1,00oz)		Plane	GBR
	Prepreg		1,03mm	FR4	Dielectric	
	Copper	Inner2	0,035mm (1,00oz)		Plane	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	B,Cu	0,035mm (1,00oz)		Signal	GBR
		B,Mask	0,01mm		Solder Mask	GBR
		B,Silkscreen			Legend	GBR
		B,Paste			Paste Mask	
Total thickness: 1,582mm						
Note: external layer thicknesses are specified after plating						

Impedance Table						
Transmission Line	Impedance [ohms]	Tolerance [%]	Layer	Trace Width [mm]	Gap [mm]	Ref. Layers

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

- FABRICATE PER IPC-6012A CLASS 2.
- OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SURFACE FINISH: HAL SNPB
- SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR GREEN.
- SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING WHITE NON-CONDUCTIVE EPOXY INK.
- ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- PCB MATERIAL REQUIREMENTS:

A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
B. Tg 150 C OR EQUIVALENT.
C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY PYROVISION.
- DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE 106,000 × 80,000 mm
BOARD THICKNESS 1,582 mm
TRACE WIDTH 0,200 mm
TRACE TO TRACE -0,000 mm
MIN. HOLE (PTH) 0,250 mm
MIN. HOLE (NPTH) 0,650 mm
ANNULAR RING 0,100 mm
COPPER TO HOLE 0,125 mm
COPPER TO EDGE 0,125 mm
HOLE TO HOLE 0,250 mm

All dimensions are in millimeters unless otherwise specified.

	Comments:		Company:		Variant:	Git Hash:
	PyroVision		PyroVision		CHECKED	216c73c
			Board Name:		Project Name:	
			Mainboard		PyroVision	
Sheet Title:	Top Fabrication (Scale 1:1)		File Name:	Mainboard.kicad_pcb	Designer:	Daniel Kampert
			Date:	2025-05-12	Revision:	1.0.1 + (Unreleased)
Sheet Path:			Reviewer:		Size:	A3
					Sheet:	1 of 10

- # Mainboard Fabrication Document
- | | Material | Layer | Thickness | Dielectric | Type | Gerber |
|--|--------------|--------------|------------------|------------|-------------|--------|
| | F,Paste | | | | Paste Mask | |
| | F,Silkscreen | | | | Legend | GBR |
| | F,Mask | | 0,01mm | | Solder Mask | GBR |
| | Copper | F,Cu | 0,035mm (1,00oz) | | Signal | GBR |
| | Core | | 0,196mm | FR4 | Dielectric | |
| | Copper | Inner1 (GND) | 0,035mm (1,00oz) | | Plane | GBR |
| | Prepreg | | 1,03mm | FR4 | Dielectric | |
| | Copper | Inner2 | 0,035mm (1,00oz) | | Plane | GBR |
| | Core | | 0,196mm | FR4 | Dielectric | |
| | Copper | B,Cu | 0,035mm (1,00oz) | | Signal | GBR |
| | | B,Mask | 0,01mm | | Solder Mask | GBR |
| | | B,Silkscreen | | | Legend | GBR |
| | | B,Paste | | | Paste Mask | |
| Total thickness: 1,582mm | | | | | | |
| Note: external layer thicknesses are specified after plating | | | | | | |
- | Impedance Table | | | | | | |
|-------------------|------------------|---------------|-------|------------------|----------|-------------|
| Transmission Line | Impedance [ohms] | Tolerance [%] | Layer | Trace Width [mm] | Gap [mm] | Ref. Layers |
-
- FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

 - FABRICATE PER IPC-6012A CLASS 2.
 - OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
 - SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
 - SURFACE FINISH: HAL SNPB
 - SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR GREEN.
 - SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING WHITE NON-CONDUCTIVE EPOXY INK.
 - ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
 - VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
 - PCB MATERIAL REQUIREMENTS:

A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
B. Tg 150 C OR EQUIVALENT.
C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY PYROVISION.
 - DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE 106,000 × 80,000 mm
BOARD THICKNESS 1,582 mm
TRACE WIDTH 0,200 mm
TRACE TO TRACE -0,000 mm
MIN. HOLE (PTH) 0,250 mm
MIN. HOLE (NPTH) 0,650 mm
ANNULAR RING 0,100 mm
COPPER TO HOLE 0,125 mm
COPPER TO EDGE 0,125 mm
HOLE TO HOLE 0,250 mm
- All dimensions are in millimeters unless otherwise specified.
- | | | | | | | |
|--|--|--|--|------------------------------------|------------------------------------|--|
| | Comments:
PyroVision | | Company:
PyroVision | | Variant:
CHECKED | Git Hash:
216c73c |
| | | | Board Name:
Mainboard | | Project Name:
PyroVision | |
| | Sheet Title:
Top Fabrication (Scale 1:1) | | File Name:
Mainboard.kicad_pcb | Designer:
Daniel Kampert | Date:
2025-05-12 | Revision:
1.0.1 + (Unreleased) |
| | Sheet Path: | | | Reviewer: | Size:
A3 | Sheet:
1 of 10 |

Mainboard Fabrication Document

	Material	Layer	Thickness	Dielectric	Type	Gerber
	F,Paste				Paste Mask	
	F,Silkscreen				Legend	GBR
	F,Mask		0,01mm		Solder Mask	GBR
	Copper	F,Cu	0,035mm (1,00oz)		Signal	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	Inner1 (GND)	0,035mm (1,00oz)		Plane	GBR
	Prepreg		1,03mm	FR4	Dielectric	
	Copper	Inner2	0,035mm (1,00oz)		Plane	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	B,Cu	0,035mm (1,00oz)		Signal	GBR
		B,Mask	0,01mm		Solder Mask	GBR
		B,Silkscreen			Legend	GBR
		B,Paste			Paste Mask	
Total thickness: 1,582mm						
Note: external layer thicknesses are specified after plating						

Impedance Table						
Transmission Line	Impedance [ohms]	Tolerance [%]	Layer	Trace Width [mm]	Gap [mm]	Ref. Layers

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

- FABRICATE PER IPC-6012A CLASS 2.
- OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SURFACE FINISH: HAL SNPB
- SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR GREEN.
- SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING WHITE NON-CONDUCTIVE EPOXY INK.
- ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- PCB MATERIAL REQUIREMENTS:

A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
B. Tg 150 C OR EQUIVALENT.
C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY PYROVISION.
- DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE 106,000 × 80,000 mm
BOARD THICKNESS 1,582 mm
TRACE WIDTH 0,200 mm
TRACE TO TRACE -0,000 mm
MIN. HOLE (PTH) 0,250 mm
MIN. HOLE (NPTH) 0,650 mm
ANNULAR RING 0,100 mm
COPPER TO HOLE 0,125 mm
COPPER TO EDGE 0,125 mm
HOLE TO HOLE 0,250 mm

All dimensions are in millimeters unless otherwise specified.

	Comments:		Company:		Variant:	Git Hash:
	PyroVision		PyroVision		CHECKED	216c73c
			Board Name:		Project Name:	
			Mainboard		PyroVision	
Sheet Title:	Top Fabrication (Scale 1:1)		File Name:	Mainboard.kicad_pcb	Designer:	Daniel Kampert
			Date:	2025-05-12	Revision:	1.0.1 + (Unreleased)
Sheet Path:			Reviewer:		Size:	A3
					Sheet:	1 of 10

Mainboard Fabrication Document

	Material	Layer	Thickness	Dielectric	Type	Gerber
	F,Paste				Paste Mask	
	F,Silkscreen				Legend	GBR
	F,Mask		0,01mm		Solder Mask	GBR
	Copper	F,Cu	0,035mm (1,00oz)		Signal	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	Inner1 (GND)	0,035mm (1,00oz)		Plane	GBR
	Prepreg		1,03mm	FR4	Dielectric	
	Copper	Inner2	0,035mm (1,00oz)		Plane	GBR
	Core		0,196mm	FR4	Dielectric	
	Copper	B,Cu	0,035mm (1,00oz)		Signal	GBR
		B,Mask	0,01mm		Solder Mask	GBR
		B,Silkscreen			Legend	GBR
		B,Paste			Paste Mask	
Total thickness: 1,582mm						
Note: external layer thicknesses are specified after plating						

Impedance Table						
Transmission Line	Impedance [ohms]	Tolerance [%]	Layer	Trace Width [mm]	Gap [mm]	Ref. Layers

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)

- FABRICATE PER IPC-6012A CLASS 2.
- OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS OF CIRCUMSIZED RECTANGLE SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.


SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING FOR REFERENCE ONLY.
- SURFACE FINISH: HAL SNPB
- SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR GREEN.
- SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING WHITE NON-CONDUCTIVE EPOXY INK.
- ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- PCB MATERIAL REQUIREMENTS:

A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
B. Tg 150 C OR EQUIVALENT.
C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY PYROVISION.
- DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE 106,000 × 80,000 mm
BOARD THICKNESS 1,582 mm
TRACE WIDTH 0,200 mm
TRACE TO TRACE -0,000 mm
MIN. HOLE (PTH) 0,250 mm
MIN. HOLE (NPTH) 0,650 mm
ANNULAR RING 0,100 mm
COPPER TO HOLE 0,125 mm
COPPER TO EDGE 0,125 mm
HOLE TO HOLE 0,250 mm

All dimensions are in millimeters unless otherwise specified.

	Comments: PyroVision		Company: PyroVision		Variant: CHECKED	Git Hash: 216c73c
			Board Name: Mainboard		Project Name: PyroVision	
	Sheet Title: Top Fabrication (Scale 1:1)		File Name: Mainboard.kicad_pcb	Designer: Daniel Kampert	Date: 2025-05-12	Revision: 1.0.1 + (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 1 of 10

[illegible][illegible]


Mainboard Fabrication Document										
Bottom Fabrication (Scale 1:1)										
	Comments: PyroVision		Company: PyroVision		Variant: CHECKED		Git Hash: 216c73c			
			Board Name: Mainboard			Project Name: PyroVision				
	Sheet Title: Bottom Fabrication (Scale 1:1)		File Name: Mainboard.kicad_pcb		Designer: Daniel Kampert		Date: 2025-05-12		Revision: 1.0.1 + (Unreleased)	
	Sheet Path:				Reviewer:		Size: A3		Sheet: 2 of 10	
All dimensions are in millimeters unless otherwise specified.										

Mainboard Fabrication Document																																																			
Drill Drawing L1 - L4 (Scale 1:1)																																																			
Drill Table <table><tr><th>Symbol</th><th>Count</th><th>Hole Size</th><th>Plated</th><th>Hole Shape</th><th>Drill Layer Pair</th><th>Hole Type</th></tr><tr><td>×</td><td>2</td><td>0,65mm (25,59mils)</td><td>NPTH</td><td>Round</td><td>F,Cu - B,Cu</td><td>Mechanical</td></tr><tr><td>○</td><td>2</td><td>1,00mm (39,37mils)</td><td>NPTH</td><td>Round</td><td>F,Cu - B,Cu</td><td>Mechanical</td></tr><tr><td>+</td><td>1</td><td>2,20mm (86,61mils)</td><td>NPTH</td><td>Round</td><td>F,Cu - B,Cu</td><td>Mechanical</td></tr><tr><td>□</td><td>1</td><td>2,60mm (102,36mils)</td><td>NPTH</td><td>Round</td><td>F,Cu - B,Cu</td><td>Mechanical</td></tr><tr><td colspan="2">Total 6</td><td></td><td></td><td></td><td></td><td></td></tr></table>										Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type	×	2	0,65mm (25,59mils)	NPTH	Round	F,Cu - B,Cu	Mechanical	○	2	1,00mm (39,37mils)	NPTH	Round	F,Cu - B,Cu	Mechanical	+	1	2,20mm (86,61mils)	NPTH	Round	F,Cu - B,Cu	Mechanical	□	1	2,60mm (102,36mils)	NPTH	Round	F,Cu - B,Cu	Mechanical	Total 6						
Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type																																													
×	2	0,65mm (25,59mils)	NPTH	Round	F,Cu - B,Cu	Mechanical																																													
○	2	1,00mm (39,37mils)	NPTH	Round	F,Cu - B,Cu	Mechanical																																													
+	1	2,20mm (86,61mils)	NPTH	Round	F,Cu - B,Cu	Mechanical																																													
□	1	2,60mm (102,36mils)	NPTH	Round	F,Cu - B,Cu	Mechanical																																													
Total 6																																																			
					Comments:		Company:		Variant:	Git Hash:																																									
					PyroVision		PyroVision		CHECKED	216e73c																																									
									Board Name:		Project Name:																																								
					Sheet Title:		File Name:		Designer:	Date:	Revision:																																								
Drill Drawing (L1 - L4)		Mainboard.kicad_pcb		Daniel Kampert	2025-05-12	1.0.1 + (Unreleased)																																													
Sheet Path:				Reviewer:		Size:	Sheet:																																												
						A3	4 of 10																																												

	Comments: PyroVision	Company: PyroVision		Variant: CHECKED	Git Hash: 216c73c
		Board Name: Mainboard		Project Name: PyroVision	
	Sheet Title: Drill Drawing (L1 - L4)	File Name: Mainboard.kicad_pcb	Designer: Daniel Kampert	Date: 2025-05-12	Revision: 1.0.1 + (Unreleased)
	Sheet Path:		Reviewer:	Size: A3	Sheet: 4 of 10

Mainboard Fabrication Document


Top Test Points (Scale 1:1)





Ref.	Net	X [mm]	Y [mm]
TP701	VBat	42.10	-68.62
TP702	Battery-Alert	36.30	-77.00
TP801	Camera-2V8	66.80	-35.73
TP802	Camera-1V5	42.40	-29.16
TP803	+3V3	47.60	-61.12
TP804	Lepton-3V0	57.90	-63.92
TP805	Lepton-2V8	58.90	-54.07
TP806	Lepton-1V2	49.57	-56.02
TP1101	I2C-SDA	60.90	-35.73
TP1102	I2C-SCL	60.10	-39.82
TP1103	Camera-PWR	81.00	-41.02
TP1104	Camera-Reset	82.75	-38.82
TP1105	Lepton-PWR	48.20	-43.62
TP1106	Lepton-Reset	84.60	-44.12
TP1107	SD-CD	89.67	-47.85
TP1108	RTC-INT	68.30	-69.33
TP1109	Battery-Charge	80.10	-57.42
TP1110	LED-Flash	87.80	-51.96

Ref.	Net	X [mm]	Y [mm]
------	-----	--------	--------

	Comments: PyroVision	Company: PyroVision		Variant: CHECKED	Git Hash: 216c73c
		Board Name: Mainboard		Project Name: PyroVision	
	Sheet Title: Top Test Points (Scale 1:1)	File Name: Mainboard.kicad_pcb	Designer: Daniel Kampert	Date: 2025-05-12	Revision: 1.0.1 + (Unreleased)
	Sheet Path:		Reviewer:	Size: A3	Sheet: 5 of 10

Mainboard Fabrication Document								
Bottom Test Points (Scale 1:1)								
								
			Comments: PyroVision		Company: PyroVision		Variant: CHECKED	Git Hash: 216c73c
					Board Name: Mainboard		Project Name: PyroVision	
			Sheet Title: Bottom Test Points (Scale 1:1)		File Name: Mainboard.kicad_pcb	Designer: Daniel Kampert	Date: 2025-05-12	Revision: 1.0.1 + (Unreleased)
			Sheet Path:		Reviewer:	Size: A3	Sheet: 6 of 10	

Mainboard Fabrication Document					
F.Cu (Scale 1:1)					
					
	Comments:	Company:		Variant:	Git Hash:
	PyroVision	PyroVision		CHECKED	216c73c
		Board Name:		Project Name:	
		Mainboard		PyroVision	
Sheet Title:	File Name:	Designer:	Date:	Revision:	
F.Cu (Scale 1:1)	Mainboard.kicad_pcb	Daniel Kampert	2025-05-12	1.0.1 + (Unreleased)	
Sheet Path:		Reviewer:	Size:	Sheet:	
			A3	7 of 10	

Mainboard Fabrication Document											
Inner1 (GND) (Scale 1:1)											
											
					Comments:		Company:		Variant:	Git Hash:	
					PyroVision		PyroVision		CHECKED	216e73c	
							Board Name:		Project Name:		
							Mainboard				
Sheet Title:		File Name:		Designer:	Date:	Revision:					
Inner1 (GND) (Scale 1:1)		Mainboard.kicad_pcb		Daniel Kampert	2025-05-12	1.0.1 + (Unreleased)					
Sheet Path:				Reviewer:		Size:	Sheet:				
						A3	8 of 10				


	Comments:	Company:		Variant:	Git Hash:
	PyroVision	PyroVision		CHECKED	216c73c
		Board Name:		Project Name:	
		Mainboard		PyroVision	
	Sheet Title:	File Name:	Designer:	Date:	Revision:
	Inner1 (GND) (Scale 1:1)	Mainboard.kicad_pcb	Daniel Kampert	2025-05-12	1.0.1 + (Unreleased)
	Sheet Path:		Reviewer:	Size:	Sheet:
				A3	8 of 10


12345678


A

<

[illegible]

	1	2	3	4	5	6	7	8
A	Mainboard Fabrication Document							
B	B.Cu (Scale 1:1)							
C								
D								
E								
F						Comments: PyroVision	Company: PyroVision Board Name: Mainboard	Variant: CHECKED Project Name: PyroVision
						Sheet Title: B.Cu (Scale 1:1)	File Name: Mainboard.kicad_pcb Designer: Daniel Kampert	Date: 2025-05-12 Revision: 1.0.1 + (Unreleased)
						Sheet Path:	Reviewer:	Size: A3 Sheet: 10 of 10
	1	2	3	4	5	6	7	8



	1	2	3	4	5	6	7	8
A	Mainboard Fabrication Document							
B	B.Cu (Scale 1:1)							
C								
D								
E								
F						Comments: PyroVision	Company: PyroVision Board Name: Mainboard	Variant: CHECKED Project Name: PyroVision
						Sheet Title: B.Cu (Scale 1:1)	File Name: Mainboard.kicad_pcb Designer: Daniel Kampert	Date: 2025-05-12 Revision: 1.0.1 + (Unreleased)
						Sheet Path:	Reviewer:	Size: A3 Sheet: 10 of 10
	1	2	3	4	5	6	7	8