

Take the ground. Then make it **yours**.

An opinionated, reproducible offensive security distribution for people who do this for a living. Not a toolkit you assemble over a weekend and patch by hand for a year – a territory you annex. Every tool, every browser profile, every egress rule and every pixel of the desktop is declared in code and deployed in one command.

The discipline of an engineer, the temperament of a privateer: rigorous underneath, unapologetic on the surface. The name comes from *annexion* – to take full control of a territory, absorb it completely, make it yours.



Red teamers

Assessing someone else's estate, under written authorisation, with a proxy in front of everything.



Intelligence analysts

Working sources and archives at scale, where the collection must never be attributable to the collector.



Persona operators

Running identities that have to stay separate, stay consistent, and stay alive for months.

INDEPENDENT OF NIX

AnNIXion is built on NixOS and proud of that lineage – the name says so out loud. It is **not made by, affiliated with, endorsed by, sponsored by or connected to** the NixOS Foundation, the Nix project, or anyone who works on them. Nix and NixOS are the work of their own community and owe this project nothing. AnNIXion is an independent downstream distribution and speaks only for itself; every opinion here is ours, and none of it should be read as theirs.



AN N I X I O N

— OFFENSIVE SECURITY DISTRIBUTION —

"The environment for operators who refuse to wing it"

01 Mission

Why this exists, and what it refuses to do.

AnNIXion exists to give the operator a machine that is **entirely theirs** and **entirely known**.

The trade runs on trust in your own environment. You cannot assess somebody else's estate from a box you are not sure of – one whose proxy might be leaking, whose profile might be bleeding cookies into the next engagement, whose last three fixes exist only in a shell history nobody kept. Every hour spent wondering about your own machine is an hour not spent on the target, and every unrecorded fix is a finding you will not be able to defend.

So the whole machine is declared, not just the tools: the egress policy, the browser isolation, the menu, the prompt, the wall behind it. One artifact, one command, one known state.

What that buys is not convenience. It is the ability to say exactly what your machine was doing at the moment it mattered, and to put it back byte for byte – on a new disk, on somebody else's hardware, a year later.

And it buys the right to be strict. A system that can be rebuilt in one command can afford to refuse. It never has to degrade quietly to keep working, because nothing about it is precious and nothing about it is improvised.

02 The five pillars

Everything below the fold in this document is downstream of these.



Annexion

TAKE THE TERRITORY.

The name is *annexion* – to take full control of a territory, absorb it completely, make it yours. A machine is not a tool you rent for the engagement. It is ground you take and hold, and everything on it is declared, owned and accounted for – down to the wallpaper.



Refuse to wing it

DISCIPLINE OVER IMPROVISATION.

Nothing set up by hand. Nothing that drifts. Nothing that exists only in a shell history. If a thing matters enough to configure, it matters enough to declare – and once declared it survives the reinstall, the rollback and the handover.



Opinionated

BUILT FOR PEOPLE WHO ALREADY KNOW WHY.

Not a first distribution, and not pretending to be. It makes the choices so you do not spend your morning making them again, and assumes you can tell when a default is wrong for you. Every one can be overridden in a line – but you have to mean it.



Reproducible

OR IT DID NOT HAPPEN.

The whole machine is one declared artifact: packages, egress policy, browser isolation, desktop, shell. Deploy and redeploy are the same command, and a bad change is undone by booting the previous generation. You can say what the machine was doing when it mattered, and put it back.



Privacy first

ADAPT OR DIE.

Confinement is not a preference the user can lose. Where a profile is meant to leave only through a tunnel, it leaves only through a tunnel – and if the tunnel is gone, it does not leave at all. If we cannot deliver the service to standard, we do not deliver a lesser one.

03 Adapt or die

The one place the project is genuinely inflexible, and the reason it can afford to be.

If we cannot deliver the service to standard,
we do not deliver a **lesser one**.

Most software, told it cannot do the safe thing, does the unsafe thing and mentions it. The tunnel drops and the browser keeps loading. The proxy is not listening and the request goes direct. There is a dialog, and the dialog has a “continue anyway”, and at three in the morning everybody presses it.

Here the confinement is not a setting inside the application that the application can lose. A profile that is meant to leave only through the tunnel is held to that below the application entirely – so it is not a promise the browser makes, and not one it can break. Tunnel down, nothing leaves. No dialog. No fallback. No continue anyway.



That is what **privacy first** costs, and it is the whole reason the standard is worth having. A killswitch with an override is a preference. A killswitch without one is a property of the machine.

Adapt or die points at us before it points at anyone else. When the standard and the convenience collide, the convenience goes. If a feature cannot be built to the standard, it does not ship until it can.

04 Name and mark

One word, capital A, capital NIX. Never *Annixion*, never *ANNIXION*.

A N N I X I O N

OFFENSIVE SECURITY DISTRIBUTION

The lockup sets AN and ION as small capitals at roughly six tenths the height of NIX, which stays full size in the signature red. No lowercase anywhere: the three letters of the lineage carry the colour, the rest carries the word, and the eye reads NIX without anyone having to point at it. Letterspacing is wide at 0.30em and the weight is light – it is a wordmark, not a headline. In running text the name is simply written AnNIXion.

THE X – THE RECURRING DEVICE



in the mark



as the eyes on the wall



over a finished target

Three places that were never talking to each other. The X is the crossed-out letter in the wordmark, the eyes on the graffiti smiley, and the shape an operator draws over a target that is done. Making it the system cost nothing – it was already there.

TWO FORMS, TWO JOBS

The **datamosh logo** is a hero image: light artwork on transparency, drawn large on the boot splash, the banner and the repository header. It is not an icon – at launcher size the glitch collapses into a smear. The **launcher mark** is the same snowflake reduced to its six arms, four of which are the X, drawn to the mark rules and legible down to sixteen pixels.

05 Palette

A sober red-on-Nord chrome runs the interface; a neon graffiti wall runs behind it.

CHROME — THE INTERFACE

#0E0F13 Deepest ground	#1A1D24 Raised surface	#2E323D Segment, divider	#FF0033 The signature accent	#DFE4EA Primary text	#301212 Root ground

GRAFFITI — SAMPLED OFF THE WALL ITSELF

#000000 Wall ground — 62% of the wallpaper	#0F5AE6 Cobalt — the figure	#F213A0 Magenta — spray tags, smiley, jester	#33E62B Acid green — the throw-up tag

The mark colours are lifted off the wallpaper, so the menu speaks the wall's language the moment it opens. Motifs live on pure black and nowhere else. They drip downward, never upward, and carry one spray colour each — never two in the same mark.

06 Semantic classes

Colour encodes what running the tool does to the target – not which phase of the job it sits in. The menu already tells you the phase.

 Passive #33E62B	 Probe #FFD000	 Offensive #FF0033
Sends nothing to the target theHarvester · Whois · SecLists contrast 10.7:1 against the menu ground	Touches the target and shows in their logs, no access attempted Nmap · dig · WhatWeb · Gobuster · ffuf · Gqrx contrast 12.2:1 against the menu ground	Attempts access, execution or credential compromise Metasploit · sqlmap · Hydra · Hashcat · Aircrack-ng contrast 4.5:1 against the menu ground
 Forensic #4A90FF	 Reverse #F213A0	 Utility #7A8494
Reads evidence after the fact, never reaches the network Volatility 3 · Autopsy · Wireshark contrast 5.8:1 against the menu ground	Pulls a compiled artifact apart Ghidra · Binwalk contrast 4.6:1 against the menu ground	Not a tool of the trade Kate · Ark · KCalc · Dolphin · Konsole contrast 4.8:1 against the menu ground

Red means the tool needs written authorisation behind it. That is the one class where the mark is a check on muscle memory rather than decoration. The middle of the kill chain lands on red end to end, giving the menu an unbroken red band down its centre – the stretch where you are inside somebody else's estate.

07 Session colours

The six classes say what a tool does to a target. A terminal does nothing to a target, so it is coloured by the session you are standing in instead.



Operator

#7A8494 · your own shell



Root

#FF0033 · elevated, on the red ground




Build shell

#7EBAE4 · the throwaway environment

Elevated repeats the signature red rather than introducing a seventh value. Root is the one session that is dangerous to miss, and it should read as the same red the root terminal background and the prompt already use. These two colours belong to the terminal family alone – no tool mark may take them.

This is the elevation law reaching one surface earlier. The root terminal already changes the ground you are standing on once the window is open. Colouring the launcher says it while the pointer is still over the menu, which is the moment it is useful.

These are not new values invented for the icons. The prompt already flips its session segment to accent red as root and to the cool blue inside a throwaway build shell – the launcher simply says the same thing one surface earlier, before you have typed anything.



08 Typography

One face does everything. Things you type should look typed.

DISPLAY · -0.03EM

Take the ground

SECTION · -0.02EM

The mark system

LABEL · UPPERCASE · 0.12EM

SEMANTIC CLASSES

BODY · 1.6 LEADING

Say the consequence before the mechanism.

WORDMARK · LIGHT · 0.30EM — THE ONE PLACE TRACKING GOES WIDE

A N **N I X** I O N

ABCDEFGHIJKLM

NOPQRSTUVWXYZ

abcdefghijklm

nopqrstuvwxyz

0123456789

! ? @ # \$ % & * / \ < > { } []

JetBrains Mono is the display and interface face, with Fira Code behind it. A monospace was not chosen for flavour: category strings, hostnames and paths are the substance of this interface, and they should look like the things you type rather than like prose about them.

The wordmark is the single exception to everything above — light weight, wide tracking, small capitals. It is allowed to behave differently because it appears once per surface and never inside a sentence. This board is set in the same face the system is.

09 The mark system

Every application and every menu directory gets a single-colour line drawing filling its whole canvas. No container, no plate.



One mark at poster size on its own grid. A round cap reaches half a stroke past the line that draws it, so the canvas is the grid plus a margin for the ink the stroke throws beyond it – otherwise a drip ending on the bottom edge is sliced flat and reads as a cut, not a tip.

WHERE ONE SYMBOL CROSSES ANOTHER



flat – the bolt fuses with the arcs



knocked out – a gap in the ground colour



flat




knocked out

RULE	VALUE	WHY
Grid	24 units, edge to edge	The drawing may use all of it
Canvas	The grid, padded 1.3 all round	Where the round cap goes, so nothing is sliced
Stroke	2.33, round cap and join	Lands just under 2px at menu size
Colour	One class colour, whole mark	Colour classifies, silhouette identifies
Fills	Dots under 2.5 units only	Anything larger becomes a blob when small
Detail	Five strokes or fewer	Spend the sixth on silhouette, never texture
Silhouette	Differs from its classmates	Inside a class the colour is identical
Subject	What it does, never its logo	Borrowed logos break the set

A mark is finished when you can pick it out of its own class colour at menu size, beside its classmates. Not alone, and not at poster size. If you cannot, change the shape – adding detail will make it worse.

10 The hand

Adding a drip to a machine-perfect rectangle does not make it graffiti – it makes it a rectangle with a drip. The hand has to be in the geometry itself.



1 No straight lines UNIVERSAL

Every straight run bows by about half a unit, and no two are parallel. A hand cannot draw a true horizontal, and the eye reads the difference before it can name it. This does the most work.

3 The drip EARNED

One run of wet paint from the lowest edge that has room, 3-4.5 units, same stroke weight, rounded tip. The signature move.

2 No closed circles UNIVERSAL

Radii vary by up to half a unit around the turn, and the shape never quite meets itself – one gap where the marker lifted. Always on a curve, never on a straight run, never more than one per mark.

4 The X EARNED

Struck across anything the tool defeats, overshooting the shape it crosses. If the tool does not break the thing, it does not get the X.

Devices one and two are universal and apply to every mark in the set. Three and four are semantic and have to be earned. Corners and crossings overshoot their joins by up to a unit throughout – the marker keeps moving after the shape has ended.

11 Families

Where one application appears several times in different colours, every copy shares a single drawing and the colour carries the whole difference.

THE BROWSER PROFILES – ONE DRAWING, FOUR CLASSES



Unsafe

utility · #7A8494



Red Team

offensive · #FF0033



OSINT

probe · #FFD000



Puppet Master

passive · #33E62B

Drawn once, referenced by name. A redraw cannot drift between the variants, reclassifying a profile is a change of one word, and a fifth profile costs no artwork at all – the two colours below are already waiting for one.

A globe was the obvious drawing, and it lost. At menu size it is indistinguishable from the Internet directory's own globe, which sits directly above it in the same list – and both are grey. The window and tab is one degree less obvious and unmistakably not that.



forensic – held



reverse – held



Internet – directory



Unsafe Browser



Red Team



OSINT



Puppet Master

OSINT is amber rather than green deliberately. The profile drives a real browser at a real target, fetching their pages and landing in their logs. That is a probe, not passive collection.

12 The set – reconnaissance to exploitation

Every mark in the place it is actually used. A directory takes the colour of what it holds; a tool takes the colour of what running it does to the target.

01. Reconnaissance

Passive OSINT



Active Scanning



RF / Signal Intel



02. Weaponization

Disassembly



Firmware Analysis



03. Delivery

Web Proxy



Web Injection




04. Exploitation

Frameworks



Credential Attacks



Wireless



13 The set – installation to the wire

The middle of the chain runs red end to end. That is deliberate: it is the stretch where you are inside somebody else's estate, and it should not look like the rest. Once the work is over the set cools to forensic blue and reverse magenta – neither of which touches the network.

05. Installation

 Tunneling & Shells



Netcat

06. C2

 Frameworks



Metasploit

07. Post-Exploitation

 Lateral Movement



Impacket

08. Forensics

 Memory Analysis



Volatility
3

 Disk Analysis



Autopsy

09. Reverse Engineering

 Disassemblers



Ghidra

 Firmware



Binwalk

10. Sniffing & Analysis




Netcat



Wireshark

14 The set – off the kill chain

The parts of the menu that are not the kill chain: the browsers, the editors, the terminals, and the two marks that belong to no category at all.



15 Motif vocabulary

The wall carries a fixed cast. Reuse it rather than inventing new ones.



X-EYED SMILEY




SKULL



404



THROW-UP TAG



THE X

Where they are allowed. The wallpaper, the lock screen, the boot splash, the system banner, the repository header and release art. Motifs live on pure black and nowhere else. They drip downward, never upward, and take one spray colour each.

Not the panel, and not the menu – with one exception. The X-eyed smiley is the post-exploitation mark, because there it states something true rather than decorating. Motifs are drawn looser than tool marks: lighter stroke, hand-weighted curves, and allowed to overshoot much further.

16 Surfaces

A rule for every surface the system puts in front of you, from power-on to the desktop.

SURFACE	HOW THE IDENTITY LANDS
Boot loader	The first thing the mark says, before anything else has loaded
Login	The greeter, rebranded to the palette – signature red on the void ground
Lock screen	The wall, uninterrupted
Desktop	The wall, on pure black, aspect preserved
Panel	32px, the launcher mark at the left edge
Application menu	Forty-six entries across thirty-three categories, every one carrying its own mark
Terminal	85% opacity with blur, so the wall reads through the work
Prompt	The chrome palette, red accent diamonds, and the session colour on the left
System banner	The mark at width thirty, keys and title in red
Browser profiles	One mark in four class colours
Repository	Glitch banner, wordmark lockup, badge row
Install image	The banner on black, and the same splash the installed system uses

The splash can always be interrupted. A boot screen you cannot escape is a machine with no way back to a working state. Three seconds, every time, however good the animation is.

Elevation changes the ground. The root terminal swaps its entire background rather than adding a warning icon in a corner. Privilege is a floor you are standing on, never a decoration bolted onto the furniture.

17 Design laws

Ten rules the whole system runs on. They are not style preferences – each one was paid for, and breaking one shows up on screen within a day.

01 Colour classifies. Silhouette identifies.

A mark never says two things with one device. The colour tells you what running the tool does to a target; the drawing tells you which tool it is. Read the colour first and you already know whether you need authorisation before you have read the name.

03 Privilege changes the ground you stand on.

Elevation is never a badge bolted onto a corner. The root terminal changes its entire background; the root launcher changes its entire colour. A warning you can learn to ignore is not a warning.

05 A cap is ink, and ink needs room.

A round cap reaches half a stroke past the point that draws it. A line ending on the edge of the canvas therefore loses its tip to the crop, and a sliced tip does not read as short – it reads as cut. The canvas is bigger than the grid for exactly this reason, and the build measures every mark rather than trusting the drawing.

07 One application, one drawing.

However many colours a thing wears, it is drawn once. Four browser profiles and three terminals share two drawings between them. A variant that needs new artwork is a variant that will drift.

09 Test at the size it will be seen.

A mark that only works at poster size is not a mark. Everything here is judged at menu size, in its own colour, beside the things it will actually sit next to. If it cannot be told apart there, the shape is wrong – adding detail will not save it.

02 The container is the enemy.

Every plate, badge and rounded tile is canvas spent on itself instead of on the drawing. The set draws edge to edge and lets the shape make the silhouette. Where a container was tried, it took four fifths of the area and gave nothing back.

04 When symbols cross, cut a gap.

Two shapes of the same colour at the same weight do not read as two shapes where they meet – they read as one blob, and the smaller the icon the sooner it happens. A crossing symbol is drawn twice: once wide in the ground colour to cut a gap, then normally on top. A symbol that merely sits inside another shape is not crossing it, and knocking that one out only eats the shape.

06 The hand lives in the geometry.

Looseness is not a filter applied at the end. It is in how the line was drawn: nothing truly straight, nothing truly parallel, nothing that quite closes. A perfect rectangle with a drip on it is a perfect rectangle with a drip on it.

08 Draw what it does, never its logo.

Borrowed logos break a set faster than bad drawing does – they arrive with someone else's grid, weight and intent. Most of these tools have no logo anyway. Draw the job.

10 Red is a check on muscle memory.

The signature colour is not decoration and is not spent freely. It means the thing behind it needs written authorisation, or root, or both. Used anywhere else it stops meaning anything, and the one place it must work is the place you are moving too fast to read.

18 Voice

Two registers, on purpose. The pitch is loud. The interface is quiet.

The first three pages of this document swagger, and nothing the system says at runtime is allowed to. That split is the point. Attitude belongs where somebody has chosen to read – a cover, a banner, a wall. It does not belong in an error at three in the morning, where the only thing anyone wants is what happened and what to do about it. A distribution that talks like its own marketing is a distribution you stop reading.

DO

- State what happened and what to do about it.
- Name things the way an operator does – *targets*, *hosts*, *captures*.
- Say the consequence before the mechanism.
- Keep the register dry: the wall is loud so the words do not have to be.

DON'T

- Reach for hacker-movie voice – no “pwned”, no leetspeak, no skull emoji in output.
- Apologise in errors or hedge with “something went wrong”.
- Use the graffiti vocabulary in UI copy; it belongs on the wall, not in a dialog.
- Explain what a tool is in a menu label – the menu is for finding, not teaching.

THE REGISTER, IN PRACTICE

```
$> osint-browser
the tunnel is down; the browser did not start
bring it up, then run this again

$> // not: “Oops! Something went wrong :( Please try again.”
$> // and not: “tunnel pwned – u r leaking bro”
```

The wall is loud so the words do not have to be.