CRISC Exam - Hard Concepts & Exam Traps

Deep Dive Tutorial Organized by the Four CRISC Domains

CRISC Mastery Series

October 25, 2026

Tutorial Outline

1. Domain 1: IT Risk Identification
2. Domain 2: IT Risk Assessment
3. Domain 3: Risk Response and Mitigation
4. Domain 4: Risk and Control Monitoring
5. Final Review & Exam Strategy

Domain 1 Overview: IT Risk Identification

What This Domain Covers

- Governance, risk culture, and accountability
- The three lines of defense and role confusion
- Risk appetite, tolerance, and capacity
- CIA triad and information security objectives
- Risk awareness and communication
- Enterprise and interdisciplinary risk views
- Legal, regulatory, and privacy obligations
- Enterprise architecture and frameworks

1.1.1 What is Governance?

Definition

Governance provides **direction, oversight, and accountability** to ensure enterprise objectives are achieved and aligned with stakeholder expectations.

Critical Insight

Governance **comes before** management activities. It is the foundation that aligns risk management with business objectives.

1.1.2 Governance vs Management

Governance

- Provides direction
- Establishes accountability
- Aligns with stakeholder expectations
- Oversees performance

Management

- Implements controls
- Performs risk assessments
- Executes procedures
- Runs day-to-day operations

Exam Rule

When the question emphasizes senior leadership, organizational objectives, and stakeholder expectations $\rightarrow$ choose **governance and accountability structures**.

1.1.3 Board Oversight and Direction

Who Provides Oversight?

Oversight and direction are the responsibility of the **Board of Directors**.

- **Management** executes, does not provide oversight
- **Senior staff** do not provide governance oversight
- **IT risk manager** executes risk activities

Exam Tip

Oversight = Board. Execution = Management. Assurance = Audit.

1.1.4 First Step in IT Risk Management

The Risk Lifecycle Starts Here

IT risk identification is the first step of IT risk management.

Key Saying

"You cannot protect what you do not know exists."

- Identification → Assessment → Response → Monitoring → Reporting
- Reporting is the final step

1.1.5 Policy Documentation Hierarchy

High-Level Intent

The high-level intent of an organization's security practices is best established by **policies**.

Document	**Purpose**
Policies	Express management intent at a high level
Procedures	Detailed steps for execution
Guidelines	Recommendations
Processes	Operational workflows

1.1.6 RACI Model

RACI Roles

Role	Meaning
Responsible	Does the work
Accountable	Provides resources; ultimately answerable
Consulted	Subject matter experts; provide guidance
Informed	Kept updated

Exam Tip

When you need **expert guidance**, reach out to the **Consulted** group.

1.2.1 Understanding Risk Culture

What is Risk Culture?

Risk culture represents the **shared values, attitudes, and behaviors** regarding risk management within an organization.

Critical Insight

Organizational behavior has a **greater impact** on risk management effectiveness than any framework, tool, or policy.

- **Healthy**: Open communication, learning from failure, proactive escalation
- **Toxic**: Blame, fear of reporting, hiding mistakes, finger-pointing

1.2.2 The Blame Culture Phenomenon

How Blame Culture Destroys Risk Management

- People **hide mistakes** rather than report them
- No one **speaks up** about emerging risks
- Issues escalate until they become **major incidents**
- **Accountability is destroyed** - no one takes ownership
- **Root causes** are never identified or addressed
- Business units **point fingers** at IT when projects fail

Hard Truth

A blame culture is the **MOST effective inhibitor** of relevant and efficient communication in any organization.

1.2.3 Why Blame Culture is Primary Concern

Consequences of Blame Culture

- **False sense of confidence** at top management
- **Perception of covering up** known risks
- **Misalignment** between risk appetite and policies
- **Inhibited communication** across all levels
- **Reduced risk awareness** among staff

Key Takeaway

Before implementing any framework, tools, or policies, the organization must establish **psychological safety**.

1.2.4 Overconfidence as a Culture Symptom

The Overconfidence Trap

When business units believe "our teams can handle any issue without additional controls," this is a **problematic risk culture** indicator.

- Overconfidence → dismissed risk findings
- Dismissed findings → inadequate controls
- Inadequate controls → underestimated exposure

Exam Clue

Dismissal of risk information or resistance to challenge points to a **weak risk culture**, not maturity.

1.2.5 New Risk Manager's First Focus

Joining an Organization with Past Incidents

The primary focus in the first few months should be to **understand the organization's culture toward risk**.

- **Wrong**: Cite individuals who caused incidents (counterproductive)
- **Wrong**: Draft strategy before understanding culture
- **Wrong**: Complete all training first (secondary)
- **Correct**: Understand the risk culture first

1.3.1 The Three Lines Model

Three Lines of Defense

Line	Who	Primary Responsibility
1st	Operational Management	Own and manage risk; implement controls
2nd	Risk Oversight Functions	Monitor, challenge, provide guidance
3rd	Internal Audit	Provide independent assurance

Critical Insight

Each line has **distinct, non-overlapping responsibilities**. Confusing these roles is a **major exam trap**.

1.3.2 Third Line of Defense

Primary Responsibility of 3rd LoD

Independent assurance of controls through internal/external audit.

- **Policy development** = 2nd Line
- **User reviews** = 1st Line (operational)
- **Access control** = 1st Line (operational)
- **Independence** is the key characteristic of 3rd LoD

1.3.3 Common Role Confusion Traps

Trap 1: Who Owns Risk?

Wrong: IT owns technology risk. **Correct**: **Business management** owns all risk.

Trap 2: Who Establishes Framework?

Wrong: Internal audit. **Correct**: **Second Line** establishes and maintains framework.

Memory Aid

First = "Do It" — Second = "Watch It" — Third = "Check It"

1.3.4 Role Responsibilities Table

Role	Line of Defense	Key Responsibilities
Risk Owner	1st Line	Identifies, assesses, responds to risk
Control Owner	1st Line	Implements and maintains controls
Risk Manager	2nd Line	Monitors risk; provides oversight
CRO	2nd Line	Oversees risk management program
Internal Audit	3rd Line	Provides independent assurance
Board	Governance	Sets risk appetite; provides direction

1.3.5 Symptoms of Dysfunction

When Lines Don't Work Together

- **Each line planning independently** - Most dangerous sign
- Overlap in responsibilities causing confusion
- Gaps where no one takes ownership
- Duplicate work across lines
- Conflict between lines regarding authority

Critical Risk

Without integrated lines of defense, the organization has **no integrated risk management** capability. Risks fall through the cracks.

1.3.6 CRO Responsibility Trap

What the CRO Actually Does

- Manages the **risk assessment process**
- Ensures **corrective actions** are implemented
- Manages the **supporting risk management function**
- Provides **oversight, guidance, coordination**

CRO Trap

Students select the CRO because the title contains "Risk." But the CRO **does not own business risk** and **does not accept risk** on behalf of the business.

1.4.1 The Three Risk Concepts


Concept Definitions

Concept	Definition
Risk Appetite	Amount of risk an organization is **willing to accept** in pursuit of its mission
Risk Tolerance	**Acceptable level of variation** from risk appetite for a specific risk
Risk Capacity	**Maximum risk** an organization can absorb before existence is threatened

Critical Distinction

Appetite = Willing to take — **Tolerance** = Acceptable deviation — **Capacity** = Can survive

1.4.2 The Hierarchy Relationship



Rule

Appetite is always less than or equal to Capacity.

1.4.3 Common Confusion Traps

Trap 1: Appetite vs Tolerance

Wrong: Using them interchangeably.
Correct: Appetite is **broad**; tolerance is **specific** acceptable deviation.

Trap 2: Tolerance vs Capacity

Wrong: Thinking a tolerance breach is existential.
Correct: Tolerance breach requires action; capacity breach threatens existence.

Example

15% project overrun = tolerance. Bankruptcy = capacity.

1.4.4 Risk Tolerance Example

Scenario

Board approves limited operational disruptions. Management permits customer-facing systems to be unavailable no more than 2 hours per quarter before escalation.

Answer

This threshold is **Risk Tolerance** - acceptable deviation from appetite translated into a measurable limit.

- Risk Capacity = maximum survivable risk
- Risk Avoidance = eliminating the activity
- Risk Transfer = shifting financial impact

1.4.5 Why Appetite Aligns with Business Objectives

Purpose of Alignment

Risk appetite aligned with business objectives allows the enterprise to **evaluate and deploy valuable resources toward objectives where risk tolerance is low**.

Common Wrong Answers

- "Major risk is identified and eliminated" - Risk elimination is rarely cost-effective
- "IT and business goals are aligned" - Too narrow; appetite spans the enterprise
- "Risk strategy is adequately communicated" - Communication doesn't depend on alignment

Chain

Strategy Drives Appetite $\rightarrow$ Appetite Drives Investment $\rightarrow$ Investment Drives Controls

1.4.6 Two Major Factors for Risk Appetite

Deciding Risk Appetite

- **Capacity to absorb loss** - how much can we survive?
- **Culture toward risk taking** - how much loss do we *want* to accept?

Exam Trap

"Risk-aware decisions" and "alignment with risk culture" are secondary or outcomes - not the primary factors.

1.5.1 Understanding CIA

Confidentiality, Integrity, Availability

Principle	**Definition**	**Example Breach**
Confidentiality	Accessible to authorized only	Disclosed to unauthorized party
Integrity	Accurate and complete	Modified by unauthorized user
Availability	Accessible when needed	Unavailable when needed

Critical Insight

There are **always trade-offs**. You cannot maximize all three simultaneously.

1.5.2 Resilient Business Processes

Resilience and Availability

Resilience = ability to **provide and maintain an acceptable level of service** during disasters or operational challenges.

Correct Answer Pattern

Resilience questions → choose **Availability**.

- Effectiveness = relevant, timely information
- Confidentiality = no unauthorized disclosure
- Integrity = accuracy and completeness
- Availability = accessible when required (linked to resilience)

1.5.3 Weather Forecast System

Highest Priority: Integrity

A public weather forecast system places its highest priority on the **integrity of data**.

- Nonrepudiation - unlikely to be important
- Confidentiality - at odds with public consumption
- Availability - important, but incorrect data may be worse than an outage

Distinction

Whether the forecast is *accurate in prediction* is distinct from whether the data was *accurately represented*.

1.5.4 Business System Priority Map

Highest Priority by System Type

System	Highest Priority
Weather forecast (public)	Integrity
Emergency services / hospital	Availability
Medical records	Confidentiality + Integrity
Contracts / digital signatures	Nonrepudiation
Resilient business processes	Availability

1.5.5 Confidentiality Breach Recognition

What is a Breach of Confidentiality?

Improper disclosure of information to a recipient **not authorized access by the information owner**.

- Data modified by unauthorized user = **Integrity**
- Data unavailable when needed = **Availability**
- Data disclosed to unauthorized recipient = **Confidentiality**
- Data destroyed = **Integrity/Availability**

Scenario

Payroll employee emails salaries and SSNs to an external vendor with no business need → **Confidentiality** violated.

1.5.6 Integrity Breach Recognition

Loss of Integrity Events

- Unauthorized changes to a website
- Email message modified in transit
- Virus infects a file

Not Integrity

"Someone sees the company's secret formula" = **Confidentiality** breach.

1.5.7 Increasing Confidentiality Trade-off

Confidentiality vs Availability

Increasing confidentiality typically **increases processing time and may reduce availability**.

- Wrong: Increases availability
- Wrong: Decreases processing time
- Wrong: Has no effect on availability

Exam Rule

CIA is about balance - not maximizing a single principle.

1.5.8 Balance, Not Maximum Security

The CIA Balance Principle

Effective risk management balances confidentiality, integrity, and availability to **support business objectives**. Increasing one may affect another.

- **Wrong**: "Confidentiality should always take precedence"
- **Wrong**: "Availability should always take precedence"
- **Wrong**: "Avoid controls that affect usability"
- **Correct**: Balance controls with business requirements

Exam Rule

Business Objective → Risk Appetite → Security Controls → CIA Trade-offs

1.5.9 Weak Passwords and Unprotected Transmission

Vulnerabilities, Not Threats

Weak passwords and transmission over unprotected communication lines are **vulnerabilities**.

- **Vulnerability** = characteristic that may be exploited by a threat
- **Threat** = circumstance with potential to cause harm
- **Probability** = likelihood of occurrence
- **Impact** = outcome of threat exploiting vulnerability

1.5.10 Lack of Adequate Controls

Vulnerability Definition

A **vulnerability** is a weakness or lack of safeguard that can be exploited by a threat.

- Threat = potential cause of harm
- Asset = economic resource
- Impact = financial loss measure

Exam Rule

"No adequate controls" $\rightarrow$ **Vulnerability**.

1.6.1 IT Risk Awareness Program

Primary Consideration

When developing an IT risk awareness program, the primary consideration is **how technology risk can impact each attendee's area of business**.

- **Wrong**: "Why technology risk is owned by IT" - IT does NOT own technology risk
- **Wrong**: "How to transfer technology risk" - Transfer is a response, not awareness
- **Wrong**: "Why risk is more difficult to manage" - Difficulty is secondary

1.6.2 Security Awareness Training Goal

Most Important Aspect

The most important aspect of security awareness training is to **create a security-conscious culture**.

- Latest threats change constantly
- Compliance is secondary
- Upskilling is secondary

1.6.3 Risk Communication Defined

Definition

Risk communication is the "process of **exchanging information and views about risks** among stakeholders."

- Governance = decision-making structures
- Identification = discovering risks
- Response planning = mitigation actions
- Communication = information exchange

1.6.4 Lessons Learned Database

After Project Completion

Risk responses identified during monitoring and controlling should be included in the organization's **lessons learned database**.

- Project management plan is for current project execution
- Risk management plan is current project methodology
- Risk register alone doesn't share knowledge across projects

Why?

Knowledge sharing benefits future projects.

1.6.5 Communications Management Plan

Who Shares Risk Information?

The **Communications Management Plan** defines who will be available to share information on risks and responses.

- Risk Management Plan - defines identification/analysis
- Stakeholder Management Strategy - doesn't address risk communications
- Resource Management Plan - doesn't define risk communications

1.7.1 Best View of Risk Management

Interdisciplinary Team

An **interdisciplinary team** provides the BEST view of risk management, ensuring all areas are adequately considered.

- Third-party assessment - lacks internal knowledge
- IT department - doesn't reflect the entire enterprise
- Compliance department - focuses on regulatory implications

1.7.2 Enterprise Risk View

Multiple Stakeholder Perspectives

Enterprise risk = multiple perspectives. Cross-functional team = enterprise view.

- IT view = technology risk
- Compliance view = regulatory risk
- Third-party = independent view
- Cross-functional team = **enterprise view**

Exam Rule

When CRISC asks for the BEST enterprise-wide view, choose the answer involving **multiple stakeholders**.

1.7.3 Business Management Accountability

Who Analyzes Risks and Maintains Risk Profile?

Business management is accountable for analyzing risks, maintaining the risk profile, and making risk-aware decisions.

- Business process owner - responsible, not accountable
- CIO - some responsibility, not accountability
- CRO - oversight, not direct accountability

1.7.4 Risk Owner Purpose

Why Have a Risk Owner?

The primary reason for a risk owner is to **ensure accountability** for managing the risk.

- Leveraging resources is secondary
- Flexibility is not the purpose
- Seeking assistance is secondary

Governance Rule

Responsibility can be delegated. **Accountability cannot.**

1.8.1 Key Regulations Overview

Major Compliance Frameworks

Regulation	Jurisdiction	Applies To
HIPAA	US Federal	Health information
GDPR	EU	Personal data of EU residents
CCPA	California	Personal data of CA residents
SOX	US Federal	Public company financial reporting
PCI DSS	Global	Payment card data

1.8.2 HIPAA and CCPA

HIPAA

Federal law protecting sensitive **health information**.

CCPA

California law protecting **California residents' personal information**.

- GDPR - EU residents
- PIPEDA - Canada residents
- FFIEC - banking regulation

1.8.3 SOX Section 302 vs 404

Sarbanes-Oxley Key Sections

Section	Requirement	Key Point
302	CEO/CFO certification	Financial reports certified
404	Internal controls assessment	Annual control assessment
203	Audit partner rotation	Every 5 years
409	Timely reporting	Real-time disclosure

Trap

Section 302 = **Certification** — Section 404 = **Controls**

1.8.4 Regulatory Change Response

New Law Enacted? Follow This Order

New Law → **Impact Assessment** → Gap Analysis → Policy/Control Updates → Implementation

First-Step Trap

- Wrong: Immediately update all policies
- Wrong: Direct system owners to implement controls
- Wrong: Wait until the next review cycle
- Correct: Assess the impact on business processes and existing controls

1.8.5 Policy Exception Governance

After an Exception Is Approved

Approved exceptions must be **periodically reviewed** to confirm they remain necessary, justified, and within risk appetite.

- Approval does not eliminate oversight
- Compensating controls must remain in place
- Risk ownership stays with the organization

Exam Rule

"Exception" $\rightarrow$ approval, documentation, compensating controls, risk owner, expiration date, **periodic review**.

1.8.6 Data Security vs Data Privacy

Key Distinction

- **Security** = Protect the data (encryption, firewalls, access control)
- **Privacy** = Use the data properly (consent, lawful basis, minimization)

Classic Scenario

A bank encrypts records, restricts access, and monitors access attempts - but collects **more personal information than necessary**.
Conclusion: Strong security does **not** guarantee privacy.

1.8.7 Privacy Compliance: Consent First

Using Personal Data for Marketing

Obtaining **appropriate customer consent** is the most important action to reduce privacy compliance risk.

- Encryption = security, not lawful basis
- Firewalls = security, not lawful basis
- Training = supports awareness, not consent

Memory Aid

You can have security without privacy. You **cannot** have privacy without security.

1.9.1 Architecture Components

Four Architecture Domains

Domain	Covers	Components
Business	Strategy and processes	Organization, capabilities
Application	Software solutions	Applications, APIs
Data	Data management	Models, databases, flows
Technology	Infrastructure	Network, servers, storage

Critical Insight

Technology Architecture includes **networking devices, storage, and software**.

1.9.2 Cloud Deployment Models

Four Cloud Deployment Models

Model	Description	Use Case
Public	Shared by general public	SaaS, broad access
Private	Dedicated to one organization	High security
Community	Shared by similar organizations	Research consortium
Hybrid	Combination of models	Cloud bursting

Scenario

Collaborative research between universities = **Community Cloud**.

1.9.3 Cloud Service Models

IaaS vs PaaS vs SaaS

Model	Provides	Example
IaaS	Compute, network, storage	Virtual servers
PaaS	Development platform	App hosting
SaaS	Ready-to-use software	Online game platform

Trap

Online gaming platform with no installation = **SaaS**.

1.9.4 Architecture Frameworks

Frameworks to Remember

Framework	**Purpose**
COBIT	IT governance
COSO ERM	Enterprise risk management
FAIR	Quantitative risk analysis
SABSA	Business-driven security architecture
Zachman	Enterprise architecture taxonomy
OCTAVE	Asset-centric risk assessment
TOGAF	Enterprise architecture method

1.9.5 EA Tool Traps

Zachman Perspectives

Planner, Owner, Designer, Builder, Subcontractor, Functioning Enterprise.
Trap: "Incident Manager" is NOT a Zachman perspective.

Federal Enterprise Architecture

Promotes **alignment between business and technology**.

SABSA Layers

Contextual, Conceptual, Logical, Physical, Component, Operational.

1.10.1 CIA Triad as Access Control Principles

Three Principles of Access Controls

Confidentiality, Integrity, and Availability.

- Reliability is NOT a CIA principle
- Access controls support all three elements of CIA

1.10.2 Procedural Safeguards

What are Procedural Safeguards?

Procedural safeguards are **administrative controls** that include:

- Policies and procedures
- Standards and guidelines
- Training and awareness
- Background checks and separation of duties

1.10.3 Risk Utility

Definition of Risk Utility

Risk utility describes the **usefulness of a particular risk to an individual or group**.

- Not the finance incentive
- Not the potential opportunity
- Not the mechanics of how risk works

1.10.4 Categorizing Risks by Cause

Primary Advantage of Grouping by Cause

Grouping risks by common causes assists in **developing effective risk responses**.

- Related risks often have common causal factors
- A single response can address multiple risks
- Realizing areas most laden with risks is a byproduct, not primary advantage

1.10.5 Risk Maturity Level Overview (Domain 1 Context)

Capability Maturity Model (CMM)

Level	Name	Characteristics
0	Incomplete	No risk awareness; decisions lack credible info
1	Initial	Ad hoc; risk viewed as technical; episodic
2	Repeatable	Basic processes; risk viewed as IT business issue
3	Defined	Standardized; risk viewed as business issue
4	Managed	Quantitative metrics; integrated with ERM
5	Optimized	Real-time monitoring; continuous improvement

1.10.6 Level 0 vs Level 1

Level 0 - Incomplete

- Enterprise does **not recognize** the need for risk management
- Decisions involving risk **lack credible information**

Level 1 - Initial

- Risk is recognized but treated as a **technical** issue
- Risk management skills exist on an ad hoc basis
- Risk appetite applied only during episodic assessments

Trap

"Decisions lack credible information" = **Level 0**, NOT Level 1.

1.10.7 Level 3 and Level 5

Level 3 - Defined

- Risk is a business issue
- Business understands IT's place in enterprise risk universe
- Workflow tools used
- Standardized processes

Level 5 - Optimized

- Real-time monitoring of risk events
- Automation of policy management
- Formal continuous improvement

1.10.8 Maturity Level Recognition Clues

Map the Wording to the Level

If the question says...	**Level**
"Continuous improvement," "optimized," "real-time automation"	Level 5
"Quantitative metrics," "integrated with ERM"	Level 4
"Defined processes," "workflow tools," "business issue"	Level 3
"Ad hoc," "episodic," "risk viewed as technical"	Level 1
"Decisions lack credible information"	Level 0

1.10.9 Level 3 NOT Characteristics

What Level 3 Does NOT Include

Heavy reliance on individual effort is characteristic of lower maturity levels, not Level 3.

- Level 3: Standardized, documented, communicated processes
- Level 3: Processes understood by personnel
- NOT Level 3: Ad hoc or individual-dependent processes

Exam Tip

"Continuous improvement" = Level 5. "Individual effort dependence" = low maturity.

Domain 2 Overview: IT Risk Assessment

What This Domain Covers

- Qualitative vs quantitative risk analysis
- Risk scenario development and analysis
- Risk ownership and assessment governance
- Periodic risk assessments and gap analysis
- Statistical methods and analysis tools
- Business Impact Analysis (BIA) and recovery objectives
- Inherent, residual, and current risk
- Risk register as the assessment output

2.1.1 Analysis Methods Comparison

Qualitative Risk Analysis

- **Approach**: Subjective, judgment-based
- **Scale**: High/Medium/Low or 1-5 ratings
- **Cost**: Less expensive, faster
- **Output**: Risk ranking, priority list
- **Best For**: Initial screening, where data is scarce

Quantitative Risk Analysis

- **Approach**: Statistical, data-driven
- **Scale**: Monetary values, percentages
- **Cost**: More expensive, complex
- **Output**: ALE, ROI, probability distributions
- **Best For**: High-stakes decisions, where data exists

2.1.2 Quantitative Analysis Drawback

Most Significant Drawback

The most significant drawback of quantitative risk analysis vs. qualitative is **higher cost**.

- Neither method is fully objective
- Both require personnel with good business understanding
- Quantitative generally has **better** management buy-in

Memory Aid

Qualitative = Fast + Cheap + Subjective
Quantitative = Slow + Expensive + Numerical

2.1.3 Key Formulas

Quantitative Risk Formulas

- **SLE** = AV × EF
  - SLE = Single Loss Expectancy
  - AV = Asset Value
  - EF = Exposure Factor (% loss from single event)
- **ALE** = SLE × ARO
  - ALE = Annualized Loss Expectancy
  - ARO = Annualized Rate of Occurrence
- **Residual Risk** = Inherent Risk × Control Risk

Memory Aid

SLE × ARO = ALE

2.1.4 SLE Calculation Example

Single Loss Expectancy

Asset valued at \$125,000 subjected to exposure factor of 25%.

$$SLE = \$125{,}000 \times 0.25 = \$31{,}250$$

- Wrong: \$125,025 (adding instead of multiplying)
- Wrong: \$5,000 (incorrect calculation)
- Wrong: \$3,125,000 (dividing instead of multiplying)

2.1.5 Exposure Factor Boundary

Complete Asset Loss

If an asset is **completely lost**, $EF = 1.0$ (100%).

$$EF = \frac{\text{Loss Amount}}{\text{Asset Value}}$$

- EF ranges from 0 to 1
- 0 = No loss (0%)
- 0.5 = Partial loss (50%)
- 1 = Complete loss (100%)
- EF cannot be infinite

2.1.6 Statistical Methods

Deriving Likelihood and Impact

Deriving likelihood and impact of risk scenarios through **statistical methods** is MOST associated with **quantitative** risk analysis.

- Qualitative uses experiential measures
- Semiquantitative assigns values to qualitative ratings
- Scenario analysis includes several methods

2.1.7 Qualitative vs Quantitative Trap

Which Method to Use?

Use **qualitative** when data is scarce; **quantitative** when data is available and reliable.

- New technology risk = qualitative
- Established system loss history = quantitative

Cost Trap

Quantitative is generally more expensive. Choose based on **business need**, not sophistication.

2.1.8 Analysis Technique Roundup

Which Technique Answers Which Question?

Question	**Technique**
"How did this failure happen?" (top-down)	Fault Tree Analysis
"What could happen next?" (forward)	Event Tree Analysis
"Aggregate variation across inputs"	Monte Carlo Simulation
"Visualize causes, controls, consequences"	Bow Tie Analysis
"Get anonymous expert consensus"	Delphi Technique
"Quantify risk in financial terms"	FAIR
"Asset-centric self-directed assessment"	OCTAVE

2.2.1 Risk Scenario Analysis Purpose

Why Analyze Risk Scenarios?

Risk scenarios are analyzed to determine **likelihood and impact** should the event occur.

- Control strength is determined after controls are in place
- Risk profile is identification of current risk concerns
- Root cause is not part of the risk scenario process

2.2.2 Risk Scenario Components

What Generates a Threat?

Actors are the components with potential to generate the threat (internal or external, human or non-human).

- Timing dimension = when, not threat generation
- Events = happenings, not threat generators
- Assets = what needs protection, not threat sources

2.2.3 Risk Scenario Requirements

Primary Requirements (Choose Two)

- **Potential threats and vulnerabilities**
- **Determination of value of asset/business process at risk**

- Actors are secondary components
- Threat type is secondary
- Cause and effect is predictive analysis, not scenario creation

2.2.4 Risk Scenario Creation (Choose Three)

Requirements for Creating Risk Scenarios

- Determination of value of business process at risk
- Potential threats and vulnerabilities that could cause loss
- Determination of value of an asset

Not Included

"Determination of cause and effect" is predictive analysis, not scenario creation.

2.3.1 Risk Ownership of Critical System

Who Owns the Risk?

The risk to an information system that supports a critical business process is owned by **senior management**.

- IT director manages systems on behalf of business owners
- Risk management determines and reports but does not own risk
- System users use the system but do not own risk

2.3.2 Who Accepts Residual Risk?

Critical Payment Application

After controls, significant residual risk remains. Who ultimately decides whether to accept it?

Answer: Senior Management

Management owns business risk and is responsible for determining whether residual risk remains within appetite and tolerance.

- IT director - implements controls, does not own business risk
- Risk management - facilitates, advises, does not own
- System administrator - operates, no authority to accept enterprise risk

2.3.3 Periodic Risk Assessment Reason

Why Repeat Risk Assessments?

The primary reason is that **business threats are constantly changing**.

- Addressing omissions is a benefit, not primary
- Using various methodologies is not primary
- Raising awareness is a minor benefit

2.3.4 First Step in Risk Assessment

Asset Identification

Identification of assets is the first and most crucial step in the risk assessment process.

- Threats come after asset identification
- Threat sources come after assets
- Vulnerabilities come after threat identification

2.3.5 Gap Analysis for Control Deficiencies

Identifying Control Deficiencies

Gap analysis compares the current control environment against desired control objectives to identify deficiencies.

- Risk profile - provides snapshot, doesn't directly identify missing controls
- Controls framework - guidance on what should exist, not current state
- Countermeasure analysis - evaluates potential safeguards after gaps are found

2.3.6 Reviewing Risk Analysis Results

Best Review Before Management

Peer review is effective, efficient, and good practice before sending IT risk analysis results to management.

- Internal audit - independent assurance, not pre-submission review
- Compliance - measures conformance
- Policy review - may change content but isn't a review method

2.4.1 Measuring Risk Management Development

CMM for Current vs Desired State

The **Capability Maturity Model (CMM)** grades processes on a scale of 0 to 5 and is used to measure current maturity vs. desired state.

- Audit reports offer a limited view
- Balanced scorecard measures strategy implementation
- Enterprise security architecture describes business strategy view

2.4.2 Risk Management Maturity Assessment

CRO Comparing Current vs Target State

The **Capability Maturity Model (CMM)** provides a structured method for evaluating current capability and comparing it against a desired future state.

Memory Aid

CMM = "How mature are we?"
Audit = "What is wrong?"
Balanced Scorecard = "Are we meeting strategy?"
Security Architecture = "How is security designed?"

2.5.1 OCTAVE Deep Dive

OCTAVE Essentials

OCTAVE = Operationally Critical Threat, Asset, and Vulnerability Evaluation

- **Focus**: Critical assets and the risks to those assets
- **Phase 1**: Build **asset-based threat profiles** (organizational evaluation)
- **Phase 2**: Identify infrastructure vulnerabilities
- **Phase 3**: Develop security strategy

Trap

OCTAVE is **asset-centric and business-context-driven** - NOT primarily technical vulnerability scanning, financial quantification, or compliance.

2.5.2 OCTAVE Phase 1

Phase 1 of OCTAVE

Building asset-based threat profiles through organizational evaluation.

- Identifying infrastructure vulnerabilities = Phase 2
- Developing security strategy = Phase 3
- Implementing controls = follows OCTAVE

2.5.3 Fault Tree Analysis

Fault Tree Analysis (FTA)

A **top-down** analysis starting with an undesirable event and working backward to identify combinations of failures and root causes.

- Forward-looking, bottom-up = Event Tree Analysis
- Statistical inference = Bayesian Analysis
- Delphi consensus = Expert opinion rounds

2.5.4 Root Cause Analysis Scenario

Multiple Control Failures Caused an Outage

Management wants to understand how multiple control failures, system errors, and human actions combined.

Answer: Fault Tree Analysis

FTA is a top-down technique to determine combinations of failures and events leading to a specific undesirable outcome.

- Event Tree = "What could happen next?"
- Fault Tree = "How did this happen?"

2.5.5 Monte Carlo Analysis

Purpose

Monte Carlo simulation establishes the **aggregate variation** in a system resulting from variations in multiple inputs, each with a defined distribution.

- Not for eliminating risk entirely
- Not for identifying single points of failure
- Not for documentation

2.5.6 Delphi Technique

Purpose

The Delphi method leverages **expert opinion** through **two or more rounds of anonymous questionnaires**, summarized by a facilitator.

- Not statistical analysis of historical data
- Not automated vulnerability scanning
- Not document review

2.5.7 Bow Tie Analysis

Visualizing Risk

Bow Tie Analysis (BTA) displays links between **causes, controls, events, and consequences** in a diagram.

- FAIR = quantitative taxonomy
- Markov = state analysis
- Monte Carlo = simulation

Scenario

Visualize threat events, preventive controls, and business consequences → **BTA**.

2.5.8 FAIR Framework

Quantitative Risk Management

FAIR (Factor Analysis of Information Risk) is primarily used for **quantitative risk management**.

- NIST 800-30 = qualitative
- ISO 27001 = management standard
- ISO 27005 = qualitative

FAIR Core Elements

Threat Event Frequency, Vulnerability, Loss Magnitude.

2.5.9 Selecting a Risk Analysis Method

Comparing Financial Impact vs. Control Cost

Management wants to compare probable annual loss vs. control cost. Which approach?

Answer: FAIR

FAIR quantifies information risk in financial terms and supports cost-benefit decisions.

- ISO 27001 is not a quantitative risk model
- NIST SP 800-30 doesn't produce precise financial calculations
- ISO 27005 is not primarily quantitative

2.5.10 Risk Identification Tools Traps

Tool vs Phase

Tool	Purpose	Phase
Process flowchart	Map process steps, find failure points	Identification
Ishikawa (fishbone)	Root cause analysis	Identification
Influence diagram	Show relationships/dependencies	Identification
Decision tree	Evaluate alternatives, EMV	Quantitative Analysis

Key Trap

Decision tree diagrams are NOT risk identification tools - they are used in quantitative risk analysis.

2.6.1 CVSS Vulnerability Scoring

Quantifying Vulnerabilities

CVSS (Common Vulnerability Scoring System) is used to quantify vulnerabilities.

- CSS = not vulnerability scoring
- CSV = file format
- CVVS = not a standard

2.6.2 CVSS Context Matters

CVSS vs Business Risk

CVSS measures **technical severity**, not **business risk**.

Scenario

A 9.8 CVSS vulnerability on a low-value internal system vs. a 6.5 CVSS vulnerability on a customer-facing payment application. **First step**: Assess business impact and threat context before prioritizing remediation.

- Highest CVSS does not automatically mean highest business risk
- Risk acceptance cannot be based solely on CVSS thresholds

2.6.3 Risk Priority Number (RPN)

RPN Calculation

$\text{RPN} = \text{Severity} \times \text{Occurrence} \times \text{Detection}$

Example

Occurrence $= 4$, Severity $= 5$, Detection $= 6$

$\text{RPN} = 4 \times 5 \times 6 = 120$

- Wrong: sum ($4+5+6 = 15$)
- Wrong: ignoring a factor ($4 \times 5 = 20$)

2.6.4 Risk Prioritization Tool

After Probability and Impact

After calculating probability and impact, the next tool needed to prioritize risks is **risk rating rules**.

- Affinity diagram sorts ideas
- Network diagram shows sequencing
- Categories are output, not tool

2.6.5 Risk Threshold Specification

What Matrix Specifies Thresholds?

Risk indicator matrix is used to specify risk thresholds.

- Impact matrix = helps rate risks, not thresholds
- Risk scenario matrix = describes events, not thresholds
- Probability matrix = helps rate risks, not thresholds

2.7.1 BIA vs Risk Assessment

How They Differ

- **BIA**: Determines business impact of disruptions and establishes recovery objectives. Asks "What happens if a process fails?"
- **Risk Assessment**: Evaluates threats, vulnerabilities, likelihood, and impact to determine risk levels. Asks "What causes the failure?"

BIA is NOT Risk Assessment

They are different processes with different outputs.

2.7.2 BIA vs Risk Assessment Comparison

Best Description

A BIA determines business impact and recovery requirements; a risk assessment evaluates risk likelihood and impact.

- Threat/vulnerability identification = risk assessment
- RTO and RPO = BIA outputs
- The two processes serve different purposes

2.7.3 Recovery Objectives

Three Recovery Metrics

Metric	Definition	Direction
RPO	Maximum acceptable data loss	Backward-looking
RTO	Maximum acceptable downtime	Forward-looking
MTD	Maximum tolerated outage	Total threshold

Critical Insight

RPO = "How much data can we lose?" — RTO = "How long can we be down?" — MTD = "How long before we die?"

2.7.4 BIA Establishes RTOs

Which Process Sets RTOs?

Business Impact Analysis (BIA) establishes RTOs, RPOs, MTDs, and recovery priorities.

- Risk assessment = threats, vulnerabilities, likelihood, impact, treatment
- Vulnerability assessment = security weaknesses
- Control self-assessment = control effectiveness

2.7.5 Threat Identification

Which Activity Identifies Threats and Vulnerabilities?

Risk assessment evaluates threats, vulnerabilities, likelihood, and impact.

- BIA asks "what happens if a process fails?"
- DRP focuses on recovering technology
- BCP testing validates recovery plans already created

2.7.6 MTD Determination

When Is MTD Determined?

Maximum Tolerable Downtime (MTD) is determined during the **Business Impact Analysis**.

- Risk assessment = risk levels
- Penetration testing = exploitability
- Risk monitoring = changes in risks over time

2.7.7 Critical Processes and Recovery Priorities

Which Activity Identifies Critical Processes?

BIA identifies business-critical processes and their recovery priorities.

- Risk assessment identifies risks to processes
- Control assessment evaluates controls
- Audit planning determines scope

2.7.8 RPO Direction

Which Metric Is Backward-Looking?

RPO (Recovery Point Objective) is backward-looking - it measures acceptable data loss.

- RTO = forward-looking
- MTD = total downtime
- SSO = single sign-on (unrelated)

2.7.9 RTO vs MTD Worked Example

Scenario

Application must be recovered within 4 hours; business tolerates no more than 6 hours of total disruption.

- **RTO = 4 hours** (recovery target)
- **MTD = 6 hours** (business survival limit)
- Rule: RTO $\leq$ MTD

Trap

RPO measures data loss, not downtime. The scenario provides no data loss information, so RPO cannot be determined.

2.7.10 BIA Input to BCP

Which Is an Input to the BCP?

The **Business Impact Analysis (BIA)** is the primary input for developing a Business Continuity Plan.

- RTO is an output of BIA, not an input
- DR/BC test results validate completed plans
- BIA outputs: critical processes, dependencies, impacts, recovery priorities

2.8.1 Three Risk States

Risk Types

Risk Type	Definition	When Measured
Inherent Risk	Risk without controls	Before any controls
Residual Risk	Risk after controls	After controls implemented
Current Risk	Risk in real-time	At specific point in time

Critical Insight

Residual Risk = Inherent Risk - Controls

Current Risk = Residual Risk in a real-time threat scenario

2.8.2 The Risk Reduction Equation

$$\textbf{Inherent Risk} \times \textbf{Control Risk} = \textbf{Residual Risk}$$

Understanding the Formula

- **Inherent Risk**: Risk level before any controls
- **Control Risk**: Risk that controls fail to mitigate
- **Residual Risk**: Risk that remains after controls

Key Concept

You cannot reduce inherent risk - you can only reduce the impact of controls failure.

2.8.3 Residual Risk Calculation Basis

What Determines Residual Risk?

Residual risk is accurately calculated on the basis of **inherent risk and control risk**.

- Threats/vulnerabilities = elements of inherent risk
- Compliance risk = not a calculation basis
- Risk governance/response = not calculation elements

2.8.4 Residual Risk Evaluation

When Is Residual Risk Evaluated?

Residual risk is most likely evaluated during **risk assessment**.

- BIA focuses on business impact and recovery
- BCP develops continuity strategies
- DR testing validates recovery capability

2.8.5 Common Risk Type Traps

Trap: Inherent vs Residual

Wrong: Controls eliminate all risk.
Correct: Controls reduce risk but never eliminate it entirely.

Trap: Current vs Residual

Wrong: Using them interchangeably.
Correct: Residual = theoretical risk after controls; Current = real-time risk in actual environment.

2.8.6 Current Risk Definition

Risk After Controls in Real-Time

The risk after implementing controls in a real-time scenario against threats is called **current risk**.

- Residual = not specifically real-time
- Inherent = before controls
- Total risk = before controls

2.8.7 Five Risk Response Strategies Output

Output of Risk Assessment

Risk avoidance, mitigation, transfer, and acceptance are outputs of **risk assessment**.

- BIA = recovery requirements
- BCP = continuity during disruptions
- Capacity planning = resource utilization

2.9.1 Risk Register Output

Immediate Result of Risk Assessment

The results of a risk assessment should be summarized as a **risk register**.

- CAP = corrective action plan
- BCP = continuity planning
- Org chart = structure

2.9.2 Risk Register Purpose

Central Repository

A risk register is the central repository for risk information: descriptions, likelihood, impact, ownership, treatment strategies, and residual risk.

Primary Purpose

Document identified risks, their characteristics, ownership, and response plans.

2.9.3 Value of Risk Register

Greatest Value

The greatest value of a risk register is that it **drives the risk response plan** - not merely capturing inventory, reporting, or categorizing risks.

- "Captures the risk inventory" - true but little value without prioritization
- "Risk reporting tool" - secondary function
- "Lists internal/external risk" - just one attribute

2.9.4 Risk Register Content

What Goes in the Register?

- Risk descriptions
- Likelihood and impact ratings
- Risk ownership
- Treatment strategies
- Residual risk
- Monitoring status

Memory Aid

"No Register = No Prioritization"
"No Prioritization = No Risk Response"

2.9.5 Risk Register Deliverable

Consolidated View Requirement

Management wants a consolidated view of identified risks, ratings, owners, response plans, and monitoring status.

Answer: Risk Register

The risk register is the standard output of the risk assessment process.

- CAP addresses specific remediation actions
- BCP focuses on continuity and recovery
- Org chart defines reporting relationships

2.10.1 Cost Performance Index (CPI)

CPI Calculation

CPI = EV / AC

- CPI ¿ 1 = better than expected performance
- CPI = 1 = right on target
- CPI ¡ 1 = over budget

Trap

CPI = EV/AC, NOT EV × AC. CPI measures cost, not schedule (that's SPI).

2.10.2 CPI Worked Example

EV = $200,000; AC = $250,000

CPI = 200,000 / 250,000 = 0.80

Conclusion

CPI less than 1 indicates the project is **over budget** and spending more than planned for the work completed.

- Not under budget
- Not 1.25 (calculation error)
- SPI cannot be calculated without PV

2.10.3 Direct vs Indirect Information

What Is NOT Indirect Information?

Information about propriety of cutoff is direct evidence, not indirect information.

- Rejected credit orders = indirect info about credit controls
- Unusual deviations = indirect info about billing controls
- No differences between perpetual/actual = indirect info

2.10.4 Risk Assessment Techniques Summary

Matching Technique to Question

Question Pattern	**Technique**
"Visualize causes, controls, consequences"	Bow Tie Analysis
"Top-down from an event"	Fault Tree Analysis
"Aggregate variation"	Monte Carlo
"Expert consensus anonymously"	Delphi
"Critical assets and business context"	OCTAVE
"Financial risk quantification"	FAIR

Domain 3 Overview: Risk Response and Mitigation

What This Domain Covers

- The four risk response strategies
- Positive risk responses (opportunities)
- Control categories and types
- Control effectiveness and monitoring
- Risk treatment and cost-benefit analysis
- Third-party risk management
- Cryptography and security controls
- SDLC and implementation strategies

3.1.1 The Four Response Strategies

Negative Risk Responses

Strategy	Action	Example
Avoid	Eliminate risk	Terminate project; don't engage
Mitigate	Reduce probability/impact	Implement controls
Transfer	Shift risk to third party	Insurance; outsourcing
Accept	Take no action	Acknowledge and monitor

Critical Insight

Avoid is the only strategy that eliminates risk entirely. All other strategies leave residual risk.

3.1.2 Positive Risk Responses

Opportunity Responses

Strategy	**Action**	**Example**
Exploit	Seize the opportunity	Pursue beneficial outcome
Enhance	Increase probability/impact	Invest more to gain more
Share	Partner with others	Joint venture
Accept	Take no action	Monitor passively

Key Distinction

Exploit = "Make it happen" — Enhance = "Make it more likely"

3.1.3 Risk Cannot Be Sufficiently Mitigated

Protecting from Financial Impact

When risk cannot be sufficiently mitigated through controls, the BEST option to protect from potential financial impact is **insuring against the risk**.

- Updating the risk register doesn't change risk
- Staff training may reduce but not completely mitigate
- Outsourcing doesn't necessarily remove risk

Concept

An insurance policy can compensate the enterprise monetarily by transferring the risk to the insurer.

3.1.4 Risk Mitigation Must Reduce

Effective Mitigation

To be effective, risk mitigation MUST reduce the **residual risk**.

- Reduction of inherent risk is not the goal
- Can focus on reducing either frequency or impact
- The objective is to reduce residual risk to levels below tolerance

3.1.5 Response Strategy Traps

Trap 1: Mitigate vs Transfer

Outsourcing is **mitigation** if risk remains; **transfer** if contract shifts liability. Hiring IT support = mitigation; Buying insurance = transfer.

Trap 2: Accept vs Avoid

Avoidance = active elimination. Acceptance = passive retention. Not doing e-commerce = avoid; Not fixing known vulnerability = accept.

3.1.6 Response Recognition Pattern

Read the Verb, Find the Response

Question Language	**Response**
"Purchases insurance"	Transfer / Share
"Implements MFA / cross-training"	Mitigate
"Decides not to proceed / cancel"	Avoid
"Knowingly retains residual risk"	Accept
"Profitable byproduct realized"	Exploit
"Partners with another party"	Share (opportunity)

Trap

"Treat" is not a formal CRISC response strategy. The four formal strategies are Accept, Mitigate, Transfer, Avoid.

3.1.7 When to Accept Risk

Acceptance Criteria

Risk should be accepted when it **falls within organizational risk appetite and tolerance**.

- Wrong: "When it exceeds risk capacity" - must avoid or treat
- Wrong: "When controls are available" - consider mitigation
- Wrong: "When cost of controls is low" - low cost may justify mitigation

3.1.8 Risk Avoidance Defined

Definition

Risk avoidance means **exiting the activities or conditions that give rise to risk**. It is the choice when no other response is adequate.

Example

Enterprise chooses not to engage in e-commerce $\rightarrow$ risk avoidance.

3.1.9 Risk Transfer Through Insurance

Insurance as Response

Liability insurance for security risks = **risk transfer**.

- Acceptance = retains risk
- Avoidance = not performing activity
- Mitigation = reduces severity/likelihood

3.1.10 Risk Trigger Recognition

Trigger Definition

A **trigger** is a warning sign that a risk event is about to occur.

Scenario

Hardware vendor calls to say delivery won't arrive on time $\rightarrow$ **trigger**.

- Residual risk = remains after controls
- Contingency plan = response plan
- Secondary risk = new risk from implementing response

3.1.11 Decision Tree for Response Selection

Choosing Among Alternatives

Decision tree analysis helps determine the best risk response by evaluating probability, impact, and expected outcomes.

- Network diagrams = workflow visualization
- Cause-effect = root cause analysis
- Delphi = most probable risks

3.2.1 Cost-Benefit Analysis Purpose

Justifying Control Expense

Cost-benefit analysis is used to **justify the expense associated with the implementation of controls**.

- ALE is calculated differently
- Risk appetite is a management decision
- Threats are identified through risk identification

Rule

Expenditure on a control cannot be justified if the benefit realized is less than the cost.

3.2.2 Cost-Benefit Decision Framework

Decision Logic

- **If Cost of Control ¡ Expected Loss**: Implement control (Mitigate)
- **If Cost of Control ¿ Expected Loss**: Accept risk or Transfer
- **If Risk Exceeds Risk Appetite**: Must Mitigate or Transfer
- **If Risk Exceeds Risk Capacity**: Must Avoid

Classic Scenario

Anti-malware cost exceeds loss expectancy $\rightarrow$ Risk Acceptance.

3.2.3 When Control Costs Exceed Benefits

BEST Action

If the costs of specific controls exceed the benefits of mitigating a given risk, the best action is to **accept the risk rather than incur the cost of mitigation**.

- Applying the control anyway = not cost-effective
- Adopting a corrective control = adds cost
- Exploiting the risk = for opportunities, not threats

3.2.4 Cost-Benefit Analysis Scenario

Fraud Detection Investment

A potential annual loss of $500,000 from fraud; a new detection solution costs $150,000 annually. Management wants to determine whether the control is economically justified.

Answer: Cost-Benefit Analysis

Compares expected benefits with implementation and operating costs.

- ALE = estimate of expected losses (input)
- Risk appetite = how much risk is acceptable
- Threat assessment = identifies potential threats

3.3.1 Control Type Overview

Five Control Categories

Type	Timing	Example
Preventive	Before event	Firewall, Encryption, Training, MFA
Detective	During/After	IDS, SIEM, Log monitoring, Audit trails
Corrective	After event	Backup restore, Incident response
Deterrent	Before event	Security cameras, Warning banners
Compensating	Ongoing	Additional oversight, Segregation

Critical Insight

Control type describes when the control operates. Control function describes what the control does.

3.3.2 NOT a Control Category

What Is Not a Category?

Additive is not a control category.

- Preventive - a category
- Deterrent - a category
- Detective - a category
- Also: Corrective, Compensating

3.3.3 Common Control Type Traps

Trap 1: Detective vs Corrective

Wrong: Confusing logging with restoring.
Correct: IDS detects = Detective; Backup restore = Corrective.

Trap 2: Deterrent vs Preventive

Wrong: Thinking cameras "prevent" intrusion.
Correct: Cameras = Deterrent (psychology); Access control = Preventive (mechanics).

3.3.4 Control Example Matrix

Control Example	**Type**	**Why**
Firewall rules	Preventive	Stops unauthorized access
IDS alerts	Detective	Identifies violations
System backup	Corrective	Restores after failure
Security cameras	Deterrent	Discourages intruders
Manual approval	Compensating	Makes up for missing logical control
MFA	Preventive	Stops unauthorized access
SIEM log review	Detective	Identifies suspicious activity

3.3.5 Post-Incident Control Categories

Controls Used AFTER an Incident

- **Detective** controls identify that the incident occurred
- **Corrective** controls fix or restore after the incident

Exam Pattern

"After the incident has happened" $\rightarrow$ **Detective + Corrective** - not deterrent, preventive, or compensating.

3.3.6 MFA Control Classification

Multi-Factor Authentication

MFA attempts to stop unauthorized access **before** it occurs → **Preventive control**.

- Detective = log reviews, SIEM, IDS, audit trails
- Corrective = backups, incident response, DR
- Compensating = alternatives when primary controls can't be implemented

3.3.7 SIEM Control Classification

SIEM Log Review

Reviewing security events and audit logs → **Detective control**.

- Corrective = used after detection to restore
- Compensating = alternative when primary control unavailable
- Deterrent = warning banners, sanctions policies

3.3.8 Security Cameras

Installing Cameras

Security cameras → **Deterrent control** (discourages malicious activity).

- Corrective would fix issues
- Detective would identify issues
- Compensating would compensate

3.3.9 Compensating Control Example

Missing Logical Controls

Additional oversight where logical controls are not implemented $\rightarrow$ **Compensating control**.

Compensating Control Clue

"Legacy system cannot support the control" or "primary control unavailable" $\rightarrow$ **Compensating**.

3.3.10 Restoring from Backups

Corrective Control

Restoring from backups to fix an issue → **Corrective control**.

- Detective would identify
- Compensating would compensate
- Deterrent would discourage

3.3.11 Control Effectiveness vs Operation

Two Different Questions

Is the control working? = Operational effectiveness
Is risk actually reduced? = Control effectiveness

CRISC Exam Distinction

Control monitoring exists to verify whether the control is **effectively addressing the risk** - not merely whether it is running.

3.3.12 Verifying Control Effectiveness

Best Evidence

Testing that demonstrates achievement of control objectives is the BEST evidence of control effectiveness.

- Consistent operation = reliability, not effectiveness
- Automated failure notification = monitoring support
- Design documentation = planning, not operation

3.3.13 One Way to Verify Control Effectiveness

Verifying Intended Objectives

Control effectiveness requires a process to verify that the control process **worked as intended and meets the intended control objectives**.

- Weak controls can be highly reliable
- Control type doesn't determine effectiveness
- Notification of failure doesn't determine strength

3.4.1 Risk Treatment Definition

Selecting and Implementing Measures

Risk treatment is the process for **selecting and implementing measures for impacting risk** in the environment.

- Control = one type of measure, not the process
- Assessment = analyzing, not implementing
- Management = broader coordinated activities

3.4.2 Risk Treatment vs Control

Treatment vs Control

Treatment = overall process of selecting actions to address risk.
Control = a specific measure implemented as part of treatment.

Example

Selecting a strategy to transfer cyber risk through insurance = **treatment**.
MFA, segregation of duties, transaction monitoring = **controls**.

3.4.3 After Risk Exceeds Tolerance

Next Step

After risk analysis determines that a risk exceeds management's tolerance level, **risk treatment** should occur next.

- Identification occurs earlier
- Asset valuation supports assessment
- Business case may be created for specific initiatives

3.5.1 Third-Party Assurance

Verifying Provider Compliance

Periodic independent security audits provide the MOST effective assurance that a third-party provider complies with organizational requirements.

- Training = improves knowledge, doesn't verify compliance
- Pen testing = identifies technical vulnerabilities
- SLA monitoring = operational performance, not policy compliance

3.5.2 SLA Breach

Binding Third Party to Monetary Credits

A breach in the **Service-Level Agreement (SLA)** allows the organization to demand monetary credit.

- MSA = general framework
- NDA = protects confidentiality
- Audit = verification

3.5.3 Third-Party Service Risk

Measurable Uptime Targets

An SLA defines measurable performance obligations such as uptime, response times, and service credits when agreed levels are not achieved.

Document Matching

MSA = overall legal/commercial framework
SLA = performance obligations and penalties
NDA = confidentiality
Assurance report = control evidence

3.5.4 NDA Purpose

Protecting Intellectual Property

A **Non-Disclosure Agreement (NDA)** should be signed with third parties to protect intellectual property and confidentiality.

- MSA = general framework
- SLA = service levels
- Audit = verification

3.5.5 External Audit Outputs

What Is NOT an Audit Output?

NDAs are signed internally, not the output of an external audit.

- SOC 2 report - audit output
- ISO 27001 certification - audit output
- HITRUST certification - audit output

3.5.6 Third-Party Assurance

What LEAST Helps Provide Assurance?

An **NDA** governs confidentiality obligations but does not verify control effectiveness.

- SOC 2 Type II = independent assurance of controls
- ISO 27001 = ISMS assessment
- HITRUST = independent validation

Memory Aid

Assurance = SOC, ISO, HITRUST. Confidentiality = NDA.

3.5.7 Exception Review Frequency

How Often Review Exceptions?

Granted exceptions should be reviewed and verified at least **annually**.

- Weekly = too frequent
- Monthly = too frequent
- Quarterly = too frequent

3.5.8 Policy Exception Governance

After Management Approves Exception

Review the exception **periodically** to ensure it remains justified.

- Closing because approved = eliminates oversight
- Transferring ownership to vendor = accountability remains with org
- Removing compensating controls = increases residual risk

3.5.9 Vendor Change Control

Contract Change Control System

Vendor change requests → **Contract change control system**.

- Scope change control = what work changes
- Cost change control = how much money changes
- Schedule change control = when work occurs
- Contract change control = what changes with the vendor

3.6.1 Access Control Principles (IAAA)

IAAA Model

Principle	**Question Answered**
Identification	Who are you?
Authentication	Prove it
Authorization	What can you do?
Accountability	What did you do?

Exam Tip

Logging and monitoring = **Accountability**.

3.6.2 Best Control to Prevent Unauthorized Access

Authentication

Authentication verifies the user's identity and the right to access information according to access rules.

- Accountability maps activity back to responsible party
- Identification without authentication doesn't grant access
- Access rules without identification/authentication don't grant access

3.6.3 Preventing Unauthorized Access

Terminated Employees Attempting Login

Authentication verifies the user is who they claim to be before access is granted.

- Accountability = traceability, not prevention
- Identification = claiming an identity (anyone can)
- Access rules = define permissions after authentication

3.6.4 Need-to-Know Access

Protecting Sensitive Information

Providing access on a need-to-know basis is the BEST control against unauthorized access.

- Challenge response = doesn't address access design
- Password changes = don't guarantee appropriate access
- Monitoring = doesn't address appropriate access rights

Principle

Need-to-know incorporates least privilege and segregation of duties.

3.6.5 Segregation of Duties

SOD Principle

SOD ensures **access to approve transactions is distributed** - no single user has sole control.

- SOD prevents single-point control
- Confidentiality is separate
- Identification is separate

3.6.6 Best Defense Against Phishing

User Awareness

Phishing attacks are a type of social engineering attack and are best defended by **end-user awareness training**.

- IDS doesn't protect against phishing
- Spam filters are less effective than user awareness
- Application hardening doesn't protect against phishing

3.6.7 Hashing Characteristics

What Is True About Hashing?

- Provides unique output for each input
- Is non-reversible
- Helps maintain integrity
- **All of the above**

3.6.8 Hashing Primary Purpose

Integrity Verification

The primary purpose of hashing is to **verify data integrity**.

- Encryption = confidentiality
- Digital signatures = integrity + nonrepudiation
- Access controls = authorization
- Key exchange = cryptographic key management

3.6.9 Digital Signatures

What Digital Signatures Provide

Integrity, Nonrepudiation, Authenticity.

What They Do NOT Provide

Confidentiality - digital signatures alone do not protect against disclosure.

3.6.10 Electronic Contract Approval

Ensuring Contract Integrity and Nonrepudiation

A **digital signature** best meets the requirement that a signed contract has not been altered and that the signer cannot deny signing.

- Encryption = confidentiality
- Backups = recovery and availability
- Access control = restrict access

3.6.11 Encryption Direction

Only Receiver Can Decrypt

Use the **receiver's public key** to encrypt so only the receiver can decrypt with their private key.

- Sender's public key = anyone with it can decrypt
- Receiver's private key = never shared
- Sender's private key = anyone can decrypt

3.6.12 Signed and Encrypted

All Three Objectives

Which mechanism provides confidentiality, integrity, and nonrepudiation?

Answer: Signed and Encrypted

Encryption = confidentiality. Digital signature = integrity + nonrepudiation.

- Signed only = no confidentiality
- Encrypted only = no integrity/nonrepudiation
- Signed + hashed = no confidentiality

3.6.13 Symmetric vs Asymmetric

Key Management

Type	Keys	Main Advantage
Symmetric	Single secret key	Fast processing
Asymmetric	Public + private pair	Easier key management

- Asymmetric is slower and more computationally intensive
- Asymmetric allows secure key exchange
- Public key can be freely distributed

3.6.14 Symmetric Encryption

Single Key

Symmetric encryption uses **a single key for both encryption and decryption**.

- Two related keys = asymmetric
- Public + private = asymmetric
- Certificates = identity verification

3.6.15 PKI Single Point of Failure

CA Compromise

The **Certificate Authority (CA)** is the most significant SPOF in a PKI ecosystem.

- Individual certificate = affects one entity
- Requester = limited set of certificates
- Browser = relies on trust, doesn't create it

3.6.16 Confidentiality vs Integrity vs Availability

Definitions

- **Integrity** = information has not been tampered with
- **Confidentiality** = available to authorized users only
- **Availability** = accessible when needed by authorized users

Trap

Don't mix up CIA definitions - each answers a different question.

3.6.17 Accountability

Logging and Monitoring

Accountability deals with logging and monitoring of user activities.

- Identification = unique ID
- Authentication = verification
- Authorization = permissions

3.6.18 Access Control Investigation

Tracing User Actions

Which principle supports determining which employee accessed records, what actions were performed, and when?

Answer: Accountability

Logging, monitoring, audit trails, and activity reviews.

- Identification = "Who are you?"
- Authentication = "Can you prove it?"
- Authorization = "What can you do?"
- Accountability = "Who performed the action?"

3.6.19 Identification

Unique User Names

Identification requires all users to have a separate unique name.

- Authentication verifies identity
- Authorization sets permissions
- Accountability logs activity

3.7.1 SDLC Final Stage

Final Phase

Disposal is the final phase of the SDLC.

- Development = early phase
- Initiation = first phase
- Maintenance = ongoing

3.7.2 User Training Phase

End-User Training

End-user training is integral to the **implementation phase** of the SDLC.

- Development = coding
- Disposal = retirement
- Initiation = planning

3.7.3 Project Risk vs SDLC Risk

Key Difference

Project risk relates to **project objectives**; SDLC risk relates to **development objectives**.

- Project risk threatens schedule, budget, resources, scope
- SDLC risk relates to weaknesses in the resulting solution

3.7.4 Parallel Changeover

No Downtime Requirement

For a critical system upgrade with no downtime, recommend **parallel changeover**.

- Both systems run simultaneously
- No downtime
- Highest cost but lowest risk

3.7.5 Phased Changeover

Independent Modules

When modules are independent, **phased changeover** is most efficient.

- Parallel = expensive
- Abrupt = too risky
- Phased works well with independent modules

3.7.6 Implementation Strategy Scenario

Modular Solution

A bank replaces a legacy application with a modular solution. Each module operates independently.

Answer: Phased Changeover

Deploy independent modules incrementally to reduce implementation risk.

- Parallel = resource-intensive
- Abrupt = limited rollback
- Pilot = limited user group

3.7.7 Post-Implementation Review Audience

Who Should Participate?

The target audience for a post-implementation review should be **all major stakeholders**.

- Developers alone = insufficient
- Risk manager alone = insufficient
- Risk owner alone = insufficient

3.7.8 Certification Requirement

Achieving Certification

An **external audit firm** is required to certify a product.

- Risk manager = may not be required
- Internal audit = cannot certify externally
- Policies alone = don't certify

3.7.9 Change Request Immediate Action

Customer Requests Change

Whenever a customer requests a change, ask for a **formal change request**.

- Don't update the risk register first
- Don't ignore the request
- Don't refuse without analysis

3.7.10 Fast Tracking

What Increases?

Fast tracking allows phases to overlap and generally **increases risks**.

- HR not typically affected
- Quality concerns usually not affected
- Costs don't generally increase

3.8.1 Information System Control Objective

Most Important Objective

The basic purpose of IS control is to **ensure business objectives are achieved and undesired risk events are detected and corrected**.

- Effective operations = one objective, not the most important
- Business continuity = one objective
- Safeguarding assets = one objective

3.8.2 First Step in IS Control Design

Organizational Strategic Plan

Review of the enterprise's strategic plan is the **first step** in designing effective IS controls.

- IT strategic plan = supports enterprise plan
- Existing IT environment = secondary
- Present IT budget = one component

3.8.3 Effective Control Assessment

Primary Need

Controls can be effectively assessed only by determining how accurately the **control objective is achieved** within the operating environment.

- Alignment = essential but secondary
- Design effectiveness = considered after objectives
- Operating effectiveness = after objectives

3.8.4 Stakeholders in Risk Response Review

Most Important Stakeholders

Business managers are accountable for managing associated risk and determine actions based on information provided by others.

- Security managers = technical aspects, don't decide
- Internal auditors = assurance, not decision-making
- Incident response team = responds to incidents

3.8.5 Business Continuity Strategy

Starting Point for IT Service Continuity

The **Business Continuity Strategy**, prepared by the business, is the starting point for IT Service Continuity Strategy.

- Index of disaster info = IT document
- Disaster invocation guideline = IT document
- Testing schedule = IT operational document

3.8.6 Control Cost vs Benefit

When Costs Exceed Benefits

If control costs exceed benefits, the enterprise may **accept the risk rather than incur the cost of mitigation**.

- Applying the control anyway = not cost-effective
- Adopting a corrective control = adds cost
- Exploiting the risk = for opportunities, not threats

3.8.7 Fraud Detection Investment

Economic Justification

Annual loss $500,000; fraud solution costs $150,000 annually. Which analysis?

Answer: Cost-Benefit Analysis

Compares expected benefits with implementation and operating costs.

- ALE = expected losses (input)
- Risk appetite = how much risk is acceptable
- Threat assessment = identifies threats

3.8.8 Digital Signature Details

What Digital Signatures Provide

A digital signature combines a hash function with asymmetric encryption to verify the author's identity.

- Integrity (message not changed)
- Nonrepudiation (sender cannot deny sending)
- Not confidentiality on its own

3.8.9 Cryptographic Mechanism Selection

Requirements

Unauthorized parties cannot read; any modification can be detected; sender cannot deny.

Answer: Signed and Encrypted

Encryption = confidentiality. Digital signature = integrity + authenticity + nonrepudiation.

- Signed only = no confidentiality
- Encrypted only = no nonrepudiation
- Signed + hashed = no confidentiality

3.8.10 Digital Signature Component

Asymmetric Key Requirement

Asymmetric encryption requires **both a public key and a private key**.

- Public key alone = insufficient
- Private key alone = insufficient
- Both keys are required

Domain 4 Overview: Risk and Control Monitoring

What This Domain Covers

- KRIs, KPIs, and KCIs
- KRI maintenance and optimization
- Control monitoring and effectiveness
- SIEM, log management, and correlation
- Testing and assurance activities
- Metrics for security programs
- Data classification and lifecycle
- Monitoring third-party compliance

4.1.1 Understanding the Metrics

Three Key Metrics

Metric	Purpose	Example
KRI	Predict future risk	% of open critical vulnerabilities
KPI	Measure performance	System uptime %
KCI	Measure control effectiveness	% of access reviews completed

Critical Insight

KRIs = Early Warning Signals (forward).
KPIs = Performance Indicators (backward).
KCIs = Control Effectiveness.

4.1.2 Why Maintain KRIs?

Most Important Reason

Threats and vulnerabilities change over time, and KRI maintenance ensures KRIs continue to effectively capture these changes.

- Avoid risk = a risk response, not a maintenance reason
- Fine-tuning = secondary to capturing changes
- Timeliness = a business requirement

4.1.3 Measuring Operational Effectiveness

Best Measure

Key Performance Indicators (KPIs) are assessment indicators that support judgment regarding the performance of a specific process.

- KRIs = insights into potential risk
- Base practices = need work products for evidence
- Metric thresholds = decision points

4.1.4 Common Metric Confusion

Trap: KRI vs KPI

KRIs predict risk; KPIs measure performance.

Trap: KCI vs KRI

KCIs measure control operation; KRIs measure risk level.

Examples

KRI: "Number of open critical vulnerabilities"
KPI: "Average time to patch"
KCI: "Firewall rules reviewed monthly"

4.1.5 KRI Sensitivity

Too Many False Positives

A KRI that generates too many false positives should be adjusted for **sensitivity**.

- Timeliness = when alerts occur
- Frequency = how often measured
- Reliability = correlation with risk

4.1.6 Optimizing KRIs

Fraud Detection KRI

Months of alerts that rarely identify actual risk events. What to adjust FIRST?

Answer: Sensitivity Thresholds

Excessive false positives indicate thresholds are too sensitive. Adjust to improve precision.

- Timeliness = reporting speed
- Frequency = measurement interval
- Reliability = data quality

4.1.7 KRI Adjustment Map

Adjustment Map

- Too many alerts → Reduce sensitivity
- Missed risk events → Increase sensitivity
- Late alerts → Improve timeliness
- Poor data quality → Improve reliability

4.1.8 KPI and KRI Relationship

Why Use Them Together?

KPIs identify underperformance; KRIs provide early warnings of increased risk. Failing to meet performance goals is itself a risk.

- They measure different things
- KRIs don't replace KPIs
- They are related

4.1.9 KPI and KRI Usage

Complementary Information

An organization can appear to be performing well while risk exposure is increasing. Monitoring both provides a complete management view.

- Wrong: They measure the same objectives
- Wrong: KRIs eliminate the need for performance measurement
- Wrong: KPIs are useful only when KRIs exceed thresholds

4.1.10 KRI Maintenance Frequency

How Often Evaluate KRIs?

KRIs should be evaluated **on a regular basis**.

- Annually = may need more frequent evaluation
- Only when incidents occur = reactive, not proactive
- Never after implementation = must maintain over time

4.1.11 KRI Role

Role of KRIs in Risk Monitoring

KRIs **predict risks that may breach predefined thresholds**.

- KPIs measure effectiveness
- KCIs indicate weaknesses in controls
- KPIs assess control performance

4.1.12 Risk Monitoring Metrics

Failed Privileged-Access Login Attempts

A 40% increase in failed privileged-access login attempts indicates increasing cybersecurity risk.

Answer: Key Risk Indicator (KRI)

KRIs provide early warning signals that risk exposure may be increasing.

- KPI = business/operational performance
- KCI = control effectiveness
- KAI = distractor

4.1.13 KPI vs KRI vs KCI Examples

Match the Metric Type

Metric	**Type**
Customer satisfaction	KPI
Incident response time	KPI
Failed logins	KRI
Privileged access violations	KRI
Patch compliance	KCI
MFA coverage	KCI

4.2.1 Purpose of Control Monitoring

What Control Monitoring Verifies

The purpose of control monitoring is to verify whether the control is **effectively addressing the risk** - not merely whether the control itself is working.

- Operational status = just whether it's running
- Compliance monitoring = whether staff follows procedures
- Log review = separate activity

4.2.2 Control Monitoring Scenario

MFA Implementation

A bank implemented MFA to reduce unauthorized access. Six months later, management wants evidence the control is providing value.

Answer: Reducing Risk

Control monitoring should determine whether the control is **reducing unauthorized-access risk to an acceptable level**.

- Whether MFA operates correctly = operational status
- Employee compliance = procedure compliance
- Log review = operational activity

4.2.3 Control Effectiveness Evidence

Best Evidence

Testing that demonstrates achievement of control objectives is the BEST evidence of control effectiveness.

- Consistent operation = reliability, not effectiveness
- Automated failure notification = monitoring support
- Design documentation = planning, not operation

4.2.4 Verifying Control Effectiveness

Testing Intended Objectives

Control effectiveness requires verifying that the control process **worked as intended and meets intended control objectives**.

- Weak controls can be highly reliable
- Control type doesn't determine effectiveness
- Notification of failure doesn't determine strength

4.2.5 Control Monitoring vs Control Operation

Two Different Questions

Is the control working? = Operational effectiveness
Is risk actually reduced? = Control effectiveness

CRISC Exam Distinction

Control monitoring exists to verify whether the control is effectively addressing the risk - not merely whether it is running.

4.3.1 SIEM Primary Function

What SIEM Does

SIEM systems are integrated data correlation tools that capture data from multiple sources and analyze system, application, and network activity for possible security events.

- Not for backup storage
- Identity management = separate
- Not for traffic encryption

4.3.2 Correlation Tools for Trend Analysis

Transaction Data

Tools that correlate information from multiple systems to improve trend analysis are MOST likely applied to **transaction data**.

- Configuration settings = compared to predefined values
- System changes = rarely benefit from trend analysis
- Process integrity = not typically associated with trend analysis

4.3.3 Correlation Analysis Scenario

Fraud Detection Platform

A monitoring platform collects events from payment systems, databases, web servers, and authentication services. It correlates information to identify unusual patterns.

Answer: Transaction Data

Correlation engines link related events across platforms to identify trends, anomalies, fraud indicators, and emerging risks.

4.3.4 Log Review Challenges

Common Challenge

A common challenge with log review is **too much data to analyze effectively**.

- Not enough data = usually not the issue
- Cost = not the primary challenge
- Logs not required = typically required

4.3.5 Security Monitoring Scenario

Millions of Events, Undetected Incidents

An organization collects millions of security events daily but missed several significant incidents until weeks later.

Answer: Excessive Log Volume

The primary challenge is identifying meaningful events within the volume of information collected.

- Insufficient logging = not the issue
- Storage costs = don't explain missed incidents
- Log collection not required = logs are required

4.3.6 Log Aggregation Purpose

Primary Purpose

The primary purpose of log aggregation is to **identify and analyze important events and potential incidents**.

- Clock synchronization = separate
- Doesn't eliminate logging
- Storage is not the primary purpose

4.3.7 Log Tool

Commonly Used Tool

SIEM systems are commonly used for log aggregation and analysis.

- Vulnerability assessment tools = find vulnerabilities
- Penetration testing tools = find exploits
- Heat maps = visualization

4.3.8 Security Monitoring Technology

Centralized Log Collection

Analysts need to collect logs from firewalls, servers, databases, and applications into a centralized platform for correlation and analysis.

Answer: SIEM

SIEM platforms aggregate, normalize, correlate, and analyze logs from multiple sources.

- Vulnerability scanner = find weaknesses
- Penetration testing = exploit weaknesses
- Heat map = visualize risk

4.3.9 SIEM Memory Aid

What SIEM Does

SIEM = Correlate Events = Find Patterns = Detect Trends

- Large Volume Data → Correlation
- Transaction Monitoring → Correlation
- Fraud Analytics → Correlation

4.4.1 Data Extraction Forecasting

Reasonableness Test

Total transactions per year forecasted by multiplying monthly average by twelve is a **reasonableness test**.

- Control total = ensures all transactions extracted
- Duplicates test = identifies duplicate transactions
- Not simplistic/ineffective = valid foundation

4.4.2 Validating Extracted Data

Expected vs Actual

Comparing the extracted annual transaction count to an estimate derived from monthly averages is a **reasonableness test**.

Memory Aid

Control Total = "Did we get all the data?"
Duplicate Test = "Did we get the same data twice?"
Reasonableness Test = "Does the result make sense?"

4.4.3 Testing Access Management Effectiveness

Best Test

The BEST test for confirming effectiveness of the system access management process is to map **user accounts to access requests**.

- Requests to accounts = confirms requests processed but not unapproved accounts
- Accounts to HR records = confirms accounts tied to employees only
- Vendor DB to accounts = flawed because it doesn't consider unapproved accounts

4.4.4 Firewall Compliance Assurance

Best Assurance of Compliance

Reviewing parameter settings provides the best basis for comparing actual configuration to security policy.

- Procedures = how it should be managed, not compliance
- Interview = overview, not confirmation
- Log review = shows logging enabled, not configuration

4.4.5 Attack Testing

Simulating a Real Attack

Penetration testing simulates real attacks to identify undiscovered vulnerabilities.

- Self-assessment = internal review
- Audit = compliance review
- Vulnerability assessment = finds known vulnerabilities

4.5.1 Ensuring Outsourced Compliance

Best Way to Ensure Compliance

Periodic audits can identify gaps in information security compliance.

- Training = increases awareness but less effective
- Penetration testing = identifies vulnerabilities
- Service monitoring = identifies operational issues

4.5.2 Third-Party Security Compliance

Ongoing Assurance

An organization outsources payroll and wants ongoing assurance of security compliance. Which approach?

Answer: Periodic Independent Security Audits

Independent audits provide objective evidence regarding compliance with contractual, regulatory, and security requirements.

- Training = improves knowledge, doesn't verify compliance
- Pen testing = identifies technical vulnerabilities
- SLA monitoring = operational performance, not policy compliance

4.5.3 Vendor Security Questions

Match the Question to the Answer

- "Are they compliant?" $\rightarrow$ Audit
- "Are they secure?" $\rightarrow$ Penetration test
- "Are they meeting service targets?" $\rightarrow$ SLA

Memory Aid

Audit = Compliance Assurance
Pen Test = Technical Weaknesses
Training = Awareness
SLA = Performance

4.6.1 Vulnerability Management KPI

Most Appropriate KPI

Number of vulnerabilities found and remediated measures the effectiveness of the vulnerability management program.

- Security incidents reported = measures incident response
- Employees trained = measures training program
- Average incident response time = measures IR effectiveness

4.6.2 Security Program KPI

Most Useful to Evaluate Program Effectiveness

Percentage reduction in data breaches directly measures program impact over time.

- Employees trained = training completion, not program impact
- Incidents reported = may change for various reasons
- Response time = operational metric

4.6.3 Security Program Performance

Evaluating Detection and Response

Management wants to evaluate whether the program is becoming more effective at identifying and responding to incidents.

Answer: Average Detection and Response Time

Faster detection and containment reduce organizational exposure and financial impact.

- Training completion = participation, not effectiveness
- Incidents reported = ambiguous signal
- Audit findings = scope-dependent

4.7.1 Data Classification

Healthcare Records and Driver's Licenses

Contains both PII and PHI → classify as **Sensitive**.

- Public = non-sensitive data
- PII alone = doesn't cover health records
- PHI alone = doesn't cover driver's licenses

4.7.2 Data Labeling Purpose

Why Label Data?

Data labeling is important for **archival, destruction, and DLP** - all of the above.

- Retention and archival decisions
- Disposal and destruction requirements
- DLP enforcement
- Access control decisions

4.7.3 Data Classification and Labeling

Why Classification Matters

Data labeling supports the **entire information lifecycle**.

- Protection and DLP enforcement
- Retention and archival
- Legal holds
- Secure destruction

Memory Aid

Labels identify sensitivity $\rightarrow$ determine how data is stored, protected, retained, shared, archived, and destroyed.

4.7.4 Data Owner Priority

Priority When Establishing Risk Mitigation

User entitlement changes are the priority of data owners.

- Platform security = data custodian
- Intrusion detection = data custodian
- Antivirus controls = data custodian

4.7.5 Data Owner vs Custodian

Data Owner

- Classifies data
- Approves access
- Reviews entitlements
- Determines protection requirements

Data Custodian

- Implements controls
- Maintains systems
- Manages security tools
- Operates technical safeguards

Exam Rule

Data Owner = Owns the Data and Access Rights.

4.7.6 Privacy Compliance

Using Customer Data for Marketing

Obtain appropriate customer consent is the most important action to reduce privacy compliance risk.

- Encryption = security, not lawful basis
- Firewalls = security, not lawful basis
- Training = supports awareness, not consent

4.8.1 BIA Input for BCP

Input to BCP

The **Business Impact Analysis (BIA)** is the primary input for the BCP.

- RTO = output of BIA, not input
- DR/BC test results = validate completed plans
- BIA outputs: critical processes, dependencies, impacts, recovery priorities

4.8.2 RPO Example

Maximum Data Loss

Risk manager confirms an application can't lose more than four hours of data.

Answer: RPO = 4 hours

RPO is the maximum acceptable data loss measured in time.

- MTD = total downtime tolerance
- RTO = downtime tolerance
- BIA = the assessment process

4.8.3 RTO and MTD

Application Tolerates 4 Hours; Must Recover Within 6

RTO = 4 hours (downtime tolerance). MTD = 6 hours (total before impact).

- Wrong: RPO = 4h, RTO = 6h
- Wrong: MTD = 4h, RTO = 6h
- Wrong: MTD = 6h, RPO = 4h

Rule

RTO $\leq$ MTD. RPO measures data loss, not downtime.

4.8.4 Compliance Hierarchy

Compliance Frameworks

Regulation	Jurisdiction	Applies To
HIPAA	US Federal	Health information
GDPR	EU	Personal data of EU residents
CCPA	California	Personal data of CA residents
SOX	US Federal	Public company financials
PCI DSS	Global	Payment card data

4.8.5 CRISC Key Takeaways: Domain 4

Essential Monitoring Concepts

- KRIs predict risk; KPIs measure performance; KCIs measure controls
- KRI maintenance: threats and vulnerabilities change
- Too many false positives $\rightarrow$ reduce sensitivity
- SIEM = correlate events = find patterns = detect trends
- Control monitoring = verify risk is reduced, not just operation
- Best evidence of control effectiveness = testing against objectives
- Audit = compliance; pen test = technical weaknesses; SLA = performance
- Data owner = access decisions; custodian = implementation

Final Review: The CRISC Golden Rules

Most Tested Principles

- **Business owns risk**; management accepts risk; audit provides assurance
- **Governance comes before** management activities
- **Identify first** - "you can't protect what you don't know exists"
- **Business management** is accountable for analyzing risks and maintaining the risk profile
- **First identify, THEN assess, THEN analyze, THEN respond, THEN monitor**
- **Never jump directly to implementation**

Final Review: Key Formulas and Relationships

Quantitative Formulas

$$SLE = AV \times EF$$

$$ALE = SLE \times ARO$$

$$\text{Residual Risk} = \text{Inherent Risk} \times \text{Control Risk}$$

Recovery Relationships

- RPO = backward-looking (data loss)
- RTO = forward-looking (downtime)
- MTD = total tolerance limit
- RTO $\leq$ MTD (always)

Final Review: Risk Hierarchy

Appetite vs Tolerance vs Capacity

- **Appetite** = how much risk we want to take
- **Tolerance** = allowed variation from appetite
- **Capacity** = maximum risk we can survive
- **Appetite** $\leq$ **Capacity** (always)

Example

"We want aggressive growth" = Appetite
"Losses up to $5M acceptable" = Tolerance
"Losses above $50M threaten company" = Capacity

Final Review: Control Types and Response Strategies

Control Types

- Preventive = Stop it
- Detective = Find it
- Corrective = Fix it
- Deterrent = Discourage it
- Compensating = Alternative

Response Strategies

- Accept = Keep risk
- Mitigate = Add controls
- Transfer = Insurance / outsource
- Avoid = Stop activity
- Exploit = Seize opportunity

Final Review: CIA and Cryptography

CIA Triad

- Confidentiality = Unauthorized disclosure
- Integrity = Unauthorized modification
- Availability = Unauthorized interruption

Cryptography

- Encryption = Confidentiality
- Hashing = Integrity
- Digital Signature = Integrity + Authenticity + Nonrepudiation
- Signed + Encrypted = All of the above

Final Review: Maturity Levels

CMM Quick Reference

- Level 0 = Incomplete (no risk awareness)
- Level 1 = Initial / Ad Hoc (risk viewed as technical)
- Level 2 = Repeatable (basic processes)
- Level 3 = Defined (risk viewed as business issue; workflow tools)
- Level 4 = Managed / Measured (quantitative metrics)
- Level 5 = Optimized (real-time monitoring; continuous improvement)

Trap

"Continuous improvement" = Level 5. "Decisions lack credible information" = Level 0.

Final Review: Framework Map

Frameworks to Remember

Framework	**Purpose**
COBIT	IT governance
COSO ERM	Enterprise risk management
FAIR	Quantitative risk analysis
SABSA	Business-driven security architecture
Zachman	Enterprise architecture taxonomy
OCTAVE	Asset-centric risk assessment
PMBOK	Project management
TOGAF	Enterprise architecture method

Final Review: Ultimate 30-Second Brain Dump

Golden Rules

- Business Owns Risk • Management Accepts Risk • Audit Provides Assurance
- BIA → RTO, RPO, MTD
- CMM → Maturity; Gap Analysis → Control Deficiencies
- Cost-Benefit → Justify Controls
- Accept = Keep • Mitigate = Control • Transfer = Insurance • Avoid = Stop Activity
- KPI = Performance • KRI = Risk • KCI = Controls
- Encryption = Confidentiality • Hashing = Integrity • Signature = Nonrepudiation
- FIRST identify → THEN assess → THEN analyze → THEN respond → THEN monitor

Final Review: Exam Success Strategy

How to Avoid Traps

- **Read carefully** - one word can change everything
- **Look for "MOST" or "BEST"** - ISACA wants the primary answer
- **Think "Business First"** - always align with business objectives
- **Remember the hierarchy** - Board ¿ Senior Management ¿ Managers
- **Know your definitions** - exact ISACA definitions
- **Practice scenario-based** - application beats memorization

The ISACA Mindset

Business Risk First

Final Review: Common Exam Traps

Traps to Avoid

- Responsibility vs Accountability
- Risk Owner vs Risk Manager
- Compliance vs Security
- Detection vs Prevention
- Business Needs vs Technical Solution
- Governance vs Operations
- Residual vs Inherent vs Current Risk
- Qualitative vs Quantitative

Rule

In many questions, the most **business-focused** answer is the correct answer.

Final Advice

Exam Preparation

Remember:

- Understand the **why** behind each concept
- Know the **differences** between similar terms
- **Practice** scenario-based questions
- Use the **ISACA mindset** - choose the **MOST appropriate** answer

Good Luck on Your CRISC Exam!