CRISC Exam - Hard Questions with Explanations

From Open Source CRISC Exam Guide

Compiled from GTPs and AI

October 25, 2026

Outline

1. Domain 1: Governance
2. Domain 1: 3 Lines of Defense
3. Domain 1: Legal and Ethics
4. Domain 2: Risk Management Life Cycle
5. Domain 2: Threat, Vulnerability, Risk
6. Domain 2: Risk Assessment Frameworks
7. Domain 2: Business Impact Analysis
8. Domain 3: Risk Response
9. Domain 3: Third-Party Risk Management
10. Domain 3: Control Design
11. Domain 3: Monitoring and Reporting
12. Domain 4: Enterprise Architecture
13. Domain 4: Data Life Cycle
14. Domain 4: SDLC
15. Domain 4: Information Security

Q1: Governance Accountability

Question

Which is the PRIMARY objective of an organizational governance structure?

- A Monitor the effectiveness of operational controls
- B Establish accountability and direction for achieving enterprise objectives
- C Manage business processes and operational risks
- D Implement risk response activities across the enterprise

Q1: Explanation

Correct Answer: B

Governance provides direction, oversight, and accountability to ensure enterprise objectives are achieved and aligned with stakeholder expectations.

Option Analysis

- **A - Incorrect:** Monitoring controls is primarily a management function.
- **B - Correct:** Governance establishes accountability, oversight, and strategic alignment.
- **C - Incorrect:** Managing processes and risks is an operational responsibility.
- **D - Incorrect:** Risk response implementation is performed by management.

Q1: Governance Versus Management

Question

Senior leadership wants to ensure risk management activities support organizational objectives and stakeholder expectations. Which is MOST important?

- A Defining operational procedures
- B Establishing governance and accountability structures
- C Performing periodic risk assessments
- D Implementing compensating controls

Q1: Correct Answer

Answer: B

Governance provides direction, oversight, and accountability to ensure that risk management activities support business objectives and stakeholder expectations.

Q1: Option Analysis

A - Defining Operational Procedures (Incorrect)

- Operational procedures describe how work is performed.
- This is a management responsibility.
- Procedures help execute strategy but do not establish enterprise accountability.

B - Establishing Governance and Accountability Structures (Correct)

- Governance aligns risk management with business objectives.
- Establishes accountability and oversight.
- Ensures stakeholder expectations are addressed.
- Provides direction for management activities.

Q1: Option Analysis (Continued)

C - Performing Periodic Risk Assessments (Incorrect)

- Risk assessments identify and evaluate risks.
- They are important management activities.
- However, governance must be established before risk assessments can effectively support enterprise objectives.

D - Implementing Compensating Controls (Incorrect)

- Compensating controls reduce risk when primary controls are unavailable or insufficient.
- Control implementation is a management responsibility.
- Controls support governance but do not replace it.

Q1: Exam Trap

Common CRISC Trap

Risk assessments and controls sound risk-focused and are often selected by candidates. However, the question emphasizes:

- Senior leadership
- Organizational objectives
- Stakeholder expectations

These are governance concepts, making governance and accountability structures the BEST answer.

Q1: Governance vs Management

Remember

Governance

- Provides direction
- Establishes accountability
- Aligns with stakeholder expectations
- Oversees performance

Management

- Implements controls
- Performs risk assessments
- Executes procedures
- Runs day-to-day operations

Q1: Summary Question

Remember for the Exam

Which activity provides the foundation that ensures risk management supports enterprise objectives?

1. Operational Procedures
2. Governance and Accountability Structures **(Correct)**
3. Risk Assessments
4. Compensating Controls

Governance comes before management activities.

Q2: Risk Management First Step

Question

Which of the following is the first step in IT risk management?

A. IT risk assessment
B. Risk response and mitigation
C. IT risk identification
D. Risk reporting

Q2: Explanation

Correct Answer: C

IT risk identification is the first step of IT risk management. You cannot protect what you do not know exists.

Option Analysis

- **A - Incorrect:** Assessment comes after identification
- **B - Incorrect:** Response comes after assessment
- **C - Correct:** Identification is the first step
- **D - Incorrect:** Reporting is the final step

Q3: Oversight Responsibility

Question

Oversight and direction are the responsibility of who?

A. Management
B. Senior staff
C. IT risk manager
D. Board of directors

Q3: Explanation

Correct Answer: D

Oversight and direction are the responsibility of the board of directors.

Option Analysis

- **A - Incorrect:** Management executes, doesn't provide oversight
- **B - Incorrect:** Senior staff don't provide governance oversight
- **C - Incorrect:** Risk manager executes risk activities
- **D - Correct:** Board provides oversight and direction

Q4: Policy Documentation Hierarchy

Question

The high-level intent of an organization's security practices is best established by which of the following?

A. Procedures
B. Policies
C. Guidelines
D. Processes

Q4: Explanation

Correct Answer: B

Policies are the high-level intent of organizations for security practices.

Option Analysis

- **A - Incorrect:** Procedures are detailed steps
- **B - Correct:** Policies express management intent
- **C - Incorrect:** Guidelines are recommendations
- **D - Incorrect:** Processes are operational

Q5: RACI Model

Question

Which group should be reached out to for expert guidance on the working group?

A. Responsible
B. Accountable
C. Consulted
D. Informed

Q5: Explanation

Correct Answer: C

Consulted working groups are the subject matter experts for guidance on initiatives in their domain of expertise.

Option Analysis

- **A - Incorrect:** Responsible does the work
- **B - Incorrect:** Accountable provides resources
- **C - Correct:** Consulted are subject matter experts
- **D - Incorrect:** Informed are kept updated

Q6: Risk Culture Focus

Question

An IT risk manager recently joined an organization with past security incidents. What should be the primary focus in the first few months?

- A Cite individuals who caused incidents
- B Understand the organization's culture toward risk
- C Draft strategy for IT risk management
- D Complete all security awareness training

Q6: Explanation

Correct Answer: B

The risk manager needs to understand the culture of the organization before drafting strategy.

Option Analysis

- **A - Incorrect:** Blaming individuals is counterproductive
- **B - Correct:** Culture understanding is foundational
- **C - Incorrect:** Strategy comes after understanding culture
- **D - Incorrect:** Training is secondary to culture assessment

Q8: Third LoD Responsibility

Question

What is the primary responsibility of the third LoD?

A. Policy and procedure development
B. Provide independent assurance of controls
C. Perform periodic user reviews
D. Restrict least privileged roles

Q8: Explanation

Correct Answer: B

The third LoD is primarily responsible for independent assurance of controls through internal/external audit.

Option Analysis

- **A - Incorrect:** Policy development is second LoD
- **B - Correct:** Independence is key for third LoD
- **C - Incorrect:** User reviews are operational (first LoD)
- **D - Incorrect:** Access control is operational

Q11: Risk Tolerance vs Capacity

Question

Which statement is correct?

A. Breaching risk tolerance threatens existence

B. Breaching risk capacity threatens existence

C. Risk tolerance and capacity are not related

D. Risk tolerance and capacity are the same

Q11: Explanation

Correct Answer: B

Breaching risk capacity could threaten an organization's existence.

Option Analysis

- **A - Incorrect:** Tolerance breach is manageable
- **B - Correct:** Capacity breach threatens existence
- **C - Incorrect:** They are related
- **D - Incorrect:** They are different concepts

Q12: HIPAA

Question

Which federal law provides guidance on protecting sensitive health information?

A. CCPA
B. HIPAA
C. FFIEC
D. GDPR

Q12: Explanation

Correct Answer: B

HIPAA is the federal law protecting sensitive health information.

Option Analysis

- **A - Incorrect:** CCPA is California privacy law
- **B - Correct:** HIPAA is health information law
- **C - Incorrect:** FFIEC is banking regulation
- **D - Incorrect:** GDPR is EU regulation

Q13: CCPA Beneficiaries

Question

Which group is a beneficiary of CCPA law?

- A. US residents
- B. EU residents
- C. California residents
- D. Canada residents

Q13: Explanation

Correct Answer: C

CCPA protects California residents' personal information.

Option Analysis

- **A - Incorrect:** US residents is too broad
- **B - Incorrect:** EU residents are covered by GDPR
- **C - Correct:** California residents
- **D - Incorrect:** Canada residents have PIPEDA

Q14: HIPAA Breach Notification

Question

According to HIPAA Breach Notification Rule, when must a CE report a breach to OCR?

A. Breach of more than 100 California residents
B. IT incident in the CE
C. IT incident in business associate
D. Breach of health information of more than 500 individuals

Q14: Explanation

Correct Answer: D

Breach of more than 500 individuals must be reported to OCR.

Option Analysis

- **A - Incorrect:** 100 is not the threshold
- **B - Incorrect:** IT incident alone is not a breach
- **C - Incorrect:** Business associate incident may be reported
- **D - Correct:** 500+ individuals requires notification

Q15: ISACA Code of Ethics

Question

Failure to comply with ISACA Code of Ethics could lead to:

- A Mandatory training from ISACA
- B Additional questions in exam
- C Investigation and disciplinary measures
- D Immediate revocation of certification

Q15: Explanation

Correct Answer: C

ISACA will conduct investigation and take disciplinary actions upon failure to comply with Code of Ethics.

Option Analysis

- **A - Incorrect:** Training is not the only consequence
- **B - Incorrect:** Exam questions are not affected
- **C - Correct:** Investigation and disciplinary measures
- **D - Incorrect:** Revocation may follow investigation

Q16: IT Risk vs Enterprise Risk

Question

Which depicts the correct relationship between IT risk and enterprise risk?

A. Enterprise risk is part of IT risk
B. IT risk is part of enterprise risk
C. These types of risk are not related
D. Enterprise risk is independent of IT risk

Q16: Explanation

Correct Answer: B

IT risk is a subset of enterprise risk.

Option Analysis

- **A - Incorrect:** Enterprise risk is broader
- **B - Correct:** IT risk is part of enterprise risk
- **C - Incorrect:** They are related
- **D - Incorrect:** IT risk impacts enterprise risk

Q17: Risk Identification Principle

Question

Which risk management life cycle step emphasizes "You can't protect what you don't know exists"?

A. Risk and control monitoring
B. Risk assessment
C. Risk identification
D. Risk categorization

Q17: Explanation

Correct Answer: C

Risk identification is the first step - you must know risks exist.

Option Analysis

- **A - Incorrect:** Monitoring happens after identification
- **B - Incorrect:** Assessment comes after identification
- **C - Correct:** Identification discovers risks
- **D - Incorrect:** Categorization comes after identification

Q18: Formal Risk Assessment Requirement

Question

Which is a formal requirement by many legal and regulatory compliance frameworks?

- A Performing vulnerability assessments
- B Maintaining asset inventory
- C Deploying changes without testing
- D Conducting formal risk assessment

Q18: Explanation

Correct Answer: D

Conducting formal risk assessment is a requirement of many legal and regulatory compliance frameworks.

Option Analysis

- **A - Incorrect:** Vulnerability assessments are important but not universally mandatory
- **B - Incorrect:** Asset inventory is good practice but not always required
- **C - Incorrect:** This is poor practice
- **D - Correct:** Formal risk assessment is widely mandated

Q19: Event vs Incident vs Breach

Question

A healthcare employee accidentally sent more than 5,000 patient records in response to a phishing email. This is a:

A. Issue
B. Event
C. Incident
D. Breach

Q19: Explanation

Correct Answer: D

This is a breach - unauthorized disclosure of PHI affecting more than 500 individuals.

Option Analysis

- **A - Incorrect:** Issue is a condition, not an occurrence
- **B - Incorrect:** Event alone doesn't cause negative outcome
- **C - Incorrect:** Incident is one or more events with negative outcome
- **D - Correct:** Breach is unauthorized disclosure

Q20: Vulnerability Definition

Question

Which is considered a weakness that could be exploited by a malicious actor?

A. Threat
B. Threat actor
C. Vulnerability
D. Risk

Q20: Explanation

Correct Answer: C

Vulnerabilities are weaknesses that can be exploited by malicious actors.

Option Analysis

- **A - Incorrect:** Threat is potential cause
- **B - Incorrect:** Threat actor executes the threat
- **C - Correct:** Vulnerability is a weakness
- **D - Incorrect:** Risk is the result of exploitation

Q21: Threat Modeling Phase

Question

"What could go wrong?" corresponds to which phase of threat modeling?

A. Model
B. Identify
C. Mitigate
D. Validate

Q21: Explanation

Correct Answer: B

Identify phase requires asking "What could go wrong?"

Option Analysis

- **A - Incorrect:** Model is "What are we building?"
- **B - Correct:** Identify is "What could go wrong?"
- **C - Incorrect:** Mitigate is "What countermeasures?"
- **D - Incorrect:** Validate is "Have we performed all steps?"

Q22: CVSS

Question

Which scoring technique is used to quantify a vulnerability?

A. CSS
B. CSV
C. CVSS
D. CVVS

Q22: Explanation

Correct Answer: C

Common Vulnerability Scoring System (CVSS) is used to quantify vulnerabilities.

Option Analysis

- **A - Incorrect:** CSS is not vulnerability scoring
- **B - Incorrect:** CSV is file format
- **C - Correct:** CVSS is the standard
- **D - Incorrect:** CVVS is not standard

Q23: Quantitative Risk Framework

Question

Which framework is primarily used for quantitative risk management?

- A NIST 800-30
- B FAIR
- C ISO 27001
- D ISO 27005

Q23: Explanation

Correct Answer: B

FAIR (Factor Analysis of Information Risk) is primarily used for quantitative risk management.

Option Analysis

- **A - Incorrect:** NIST 800-30 is qualitative
- **B - Correct:** FAIR is quantitative
- **C - Incorrect:** ISO 27001 is management standard
- **D - Incorrect:** ISO 27005 is qualitative

Q24: Risk Assessment Approaches

Question

A top-down risk assessment starts from the:

- A Team
- B Individual
- C Organization
- D Department

Q24: Explanation

Correct Answer: C

Top-down risk assessment starts from the organization level.

Option Analysis

- **A - Incorrect:** Team is bottom-up
- **B - Incorrect:** Individual is bottom-up
- **C - Correct:** Organization is top-down
- **D - Incorrect:** Department is between top and bottom

Q25: Qualitative Risk True/False

Question

Which is NOT true about qualitative risk management?

- A Less expensive
- B Subjective
- C Requires complex computation
- D Focused on severity

Q25: Explanation

Correct Answer: C

Qualitative risk management does NOT require complex computation.

Option Analysis

- **A - True:** Qualitative is less expensive
- **B - True:** Qualitative is subjective
- **C - Not True:** Complex computation is quantitative
- **D - True:** Focused on severity

Q26: Supply Chain Risk Framework

Question

Which NIST framework provides guidance for supply chain management?

- A NIST 800-161
- B NIST 800-30
- C NIST 800-57
- D ISO 27001

Q26: Explanation

Correct Answer: A

NIST SP 800-161 provides guidance for supply chain risk management.

Option Analysis

- **A - Correct:** 800-161 is supply chain
- **B - Incorrect:** 800-30 is risk management
- **C - Incorrect:** 800-57 is key management
- **D - Incorrect:** ISO 27001 is management standard

Q27: Bow Tie Analysis

Question

Which risk assessment technique provides results by displaying links between possible causes, controls, and consequences in a diagram?

A. FAIR
B. BTA
C. Markov analysis
D. Monte Carlo analysis

Q27: Explanation

Correct Answer: B

Bow Tie Analysis (BTA) displays links between causes, controls, and consequences in a diagram.

Option Analysis

- **A - Incorrect:** FAIR is quantitative taxonomy
- **B - Correct:** BTA is diagram-based
- **C - Incorrect:** Markov uses state analysis
- **D - Incorrect:** Monte Carlo uses simulation

Q28: Risk Register Output

Question

The results of a risk assessment should be summarized as a(n):

A. CAP
B. Business continuity plan
C. Organizational chart
D. Risk register

Q28: Explanation

Correct Answer: D

Risk register is the immediate result of a risk assessment.

Option Analysis

- **A - Incorrect:** CAP is corrective action plan
- **B - Incorrect:** BCP is continuity planning
- **C - Incorrect:** Org chart shows structure
- **D - Correct:** Risk register documents risks

Q29: BIA vs Risk Assessment

Question

Which statement is false regarding risk assessment and BIA?

A. BIA identifies RPO, RTO, MTD
B. Risk assessment identifies mitigation plans
C. BCP needs BIA
D. BIA and risk assessment are the same

Q29: Explanation

Correct Answer: D

BIA and risk assessment are NOT the same.

Option Analysis

- **A - True:** BIA identifies recovery objectives
- **B - True:** Risk assessment identifies mitigation
- **C - True:** BCP needs BIA as input
- **D - Not True:** They are different processes

Q30: RPO Direction

Question

Which is backward-looking in relation to BIA?

A. RPO
B. RTO
C. MTD
D. SSO

Q30: Explanation

Correct Answer: A

RPO (Recovery Point Objective) is backward-looking - it measures acceptable data loss.

Option Analysis

- **A - Correct:** RPO is backward-looking
- **B - Incorrect:** RTO is forward-looking
- **C - Incorrect:** MTD is total downtime
- **D - Incorrect:** SSO is single sign-on

Q31: Residual Risk

Question

The risk after implementing controls is called:

A. Current risk
B. Residual risk
C. Inherent risk
D. Total risk

Q31: Explanation

Correct Answer: B

Residual risk = Inherent Risk - Controls. It is the risk remaining after controls are implemented.

Option Analysis

- **A - Incorrect:** Current risk is point-in-time
- **B - Correct:** Residual risk remains after controls
- **C - Incorrect:** Inherent risk is before controls
- **D - Incorrect:** Total risk is before controls

Q32: Current Risk

Question

The risk after implementing controls in a real-time scenario against threats is called:

A. Residual risk
B. Inherent risk
C. Current risk
D. Total risk

Q32: Explanation

Correct Answer: C

Current risk is the residual risk in a real-time threat scenario at a specific point in time.

Option Analysis

- **A - Incorrect:** Residual is not real-time
- **B - Incorrect:** Inherent is before controls
- **C - Correct:** Current is real-time residual risk
- **D - Incorrect:** Total risk is before controls

Q33: Risk Owner Purpose

Question

The primary reason for having a risk owner is:

A. Leverage their resources
B. Ensure accountability
C. Provide flexibility
D. Seek assistance

Q33: Explanation

Correct Answer: B

The risk owner drives accountability in risk remediation.

Option Analysis

- **A - Incorrect:** Resources are secondary
- **B - Correct:** Accountability is primary
- **C - Incorrect:** Flexibility is not primary
- **D - Incorrect:** Assistance is secondary

Q34: NOT a Risk Response Strategy

Question

Which is NOT a risk response strategy?

A. Accept
B. Transfer
C. Treat
D. Mitigate

Q34: Explanation

Correct Answer: C

"Treat" is sometimes used interchangeably but is not a formal risk response strategy. The four strategies are Accept, Transfer, Mitigate, and Avoid.

Option Analysis

- **A - Incorrect:** Accept is a strategy
- **B - Incorrect:** Transfer is a strategy
- **C - Correct:** Treat is not a formal strategy
- **D - Incorrect:** Mitigate is a strategy

Q35: Compensating Controls

Question

A risk manager determines primary controls are insufficient and implements compensating controls. This is:

A. Risk mitigation
B. Risk acceptance
C. Risk sharing
D. Risk avoidance

Q35: Explanation

Correct Answer: A

Implementing additional controls is an example of risk mitigation.

Option Analysis

- **A - Correct:** Adding controls is mitigation
- **B - Incorrect:** Acceptance would do nothing
- **C - Incorrect:** Sharing would involve third party
- **D - Incorrect:** Avoidance would terminate activity

Q36: Insurance as Risk Response

Question

Senior management buys insurance for an earthquake-prone site. This is:

A. Risk mitigation
B. Risk acceptance
C. Risk sharing
D. Risk avoidance

Q36: Explanation

Correct Answer: C

Insurance transfers/sharing the risk with the insurance company.

Option Analysis

- **A - Incorrect:** Mitigation would reduce risk
- **B - Incorrect:** Acceptance would retain risk
- **C - Correct:** Sharing through insurance
- **D - Incorrect:** Avoidance would close site

Q37: Risk Avoidance

Question

Management terminates onboarding a new tool as it doesn't adapt to changing requirements. This is:

A. Risk mitigation
B. Risk acceptance
C. Risk sharing
D. Risk avoidance

Q37: Explanation

Correct Answer: D

Terminating a project to eliminate risk is risk avoidance.

Option Analysis

- **A - Incorrect:** Mitigation would modify the tool
- **B - Incorrect:** Acceptance would proceed with risk
- **C - Incorrect:** Sharing would involve third party
- **D - Correct:** Avoidance eliminates the risk

Q38: Remote Work as Risk Response

Question

An organization allows employees to work remotely due to geographical risks. This is:

A. Risk mitigation
B. Risk acceptance
C. Risk sharing
D. Risk avoidance

Q38: Explanation

Correct Answer: A

Allowing remote work reduces the impact of geographical risks - this is mitigation.

Option Analysis

- **A - Correct:** Reducing impact through remote work
- **B - Incorrect:** Acceptance would do nothing
- **C - Incorrect:** Sharing would transfer to another
- **D - Incorrect:** Avoidance would close location

Q39: SLA Breach

Question

Which would bind a third party to provide monetary credits in case of service failure?

A. Master service agreement
B. Service-level agreement
C. Non-disclosure agreement
D. External audit

Q39: Explanation

Correct Answer: B

A breach in the SLA allows the organization to demand monetary credit.

Option Analysis

- **A - Incorrect:** MSA is general framework
- **B - Correct:** SLA defines service levels and penalties
- **C - Incorrect:** NDA protects confidentiality
- **D - Incorrect:** Audit is verification

Q40: NDA Purpose

Question

Which should be signed with third party to protect intellectual property?

- A Master service agreement
- B Service-level agreement
- C Non-disclosure agreement
- D External audit

Q40: Explanation

Correct Answer: C

NDAs protect intellectual property and interests of the organization.

Option Analysis

- **A - Incorrect:** MSA is general framework
- **B - Incorrect:** SLA defines service levels
- **C - Correct:** NDA protects IP and confidentiality
- **D - Incorrect:** Audit is verification

Q41: External Audit Output

Question

Which is NOT the final output of an external audit?

- A SOC 2 report
- B ISO 27001 certification
- C HITRUST certification
- D Non-disclosure agreement

Q41: Explanation

Correct Answer: D

Non-disclosure agreements are signed internally, not the output of an external audit.

Option Analysis

- **A - Incorrect:** SOC 2 is audit output
- **B - Incorrect:** ISO 27001 is audit output
- **C - Incorrect:** HITRUST is audit output
- **D - Correct:** NDA is not an audit output

Q42: Exception Review Frequency

Question

The risk practitioner should review and verify granted exceptions are still required at least:

A. Weekly
B. Monthly
C. Quarterly
D. Annually

Q42: Explanation

Correct Answer: D

Granted exceptions should be verified at least annually.

Option Analysis

- **A - Incorrect:** Weekly is too frequent
- **B - Incorrect:** Monthly is too frequent
- **C - Incorrect:** Quarterly is too frequent
- **D - Correct:** Annual review is standard

Q43: CAB Composition

Question

The CAB should consist of which of the following?

A. Only IT
B. IT and engineering
C. IT, engineering, and security
D. All relevant stakeholders

Q43: Explanation

Correct Answer: D

CAB should consist of all relevant stakeholders.

Option Analysis

- **A - Incorrect:** IT alone is insufficient
- **B - Incorrect:** Engineering alone is insufficient
- **C - Incorrect:** Security is needed but not sufficient
- **D - Correct:** All relevant stakeholders needed

Q44: Control Categories

Question

Which is NOT a control category?

A. Additive
B. Preventive
C. Deterrent
D. Detective

Q44: Explanation

Correct Answer: A

Additive is not a control category. The categories are Preventive, Detective, Corrective, Deterrent, Compensating.

Option Analysis

- **A - Correct:** Additive is not a control category
- **B - Incorrect:** Preventive is a category
- **C - Incorrect:** Deterrent is a category
- **D - Incorrect:** Detective is a category

Q45: Proactive Control

Question

Implementing controls proactively based on root cause analysis is an example of:

A. Preventive
B. Detective
C. Corrective
D. Compensating

Q45: Explanation

Correct Answer: A

Implementing controls proactively is an example of preventive control.

Option Analysis

- **A - Correct:** Preventive stops issues before they occur
- **B - Incorrect:** Detective finds issues after
- **C - Incorrect:** Corrective fixes issues after
- **D - Incorrect:** Compensating compensates for weaknesses

Q46: Detective Control

Question

Reviewing audit logs in a SIEM tool is an example of:

A. Corrective control
B. Detective control
C. Compensating control
D. Deterrent control

Q46: Explanation

Correct Answer: B

Reviewing audit logs is detective control - it identifies issues after they occur.

Option Analysis

- **A - Incorrect:** Corrective fixes issues
- **B - Correct:** Detective identifies issues
- **C - Incorrect:** Compensating compensates
- **D - Incorrect:** Deterrent discourages actions

Q47: Deterrent Control

Question

Installing security cameras to secure a data center is:

- A Corrective control
- B Detective control
- C Compensating control
- D Deterrent control

Q47: Explanation

Correct Answer: D

Security cameras are a deterrent control - they discourage malicious activity.

Option Analysis

- **A - Incorrect:** Corrective would fix issues
- **B - Incorrect:** Detective would identify issues
- **C - Incorrect:** Compensating would compensate
- **D - Correct:** Deterrent discourages activity

Q48: Compensating Control

Question

A risk manager introduced additional oversight of an accounting system where logical controls are not implemented. This is:

- A Corrective control
- B Detective control
- C Compensating control
- D Deterrent control

Q48: Explanation

Correct Answer: C

Additional oversight compensating for missing logical controls is a compensating control.

Option Analysis

- **A - Incorrect:** Corrective would fix the issue
- **B - Incorrect:** Detective would identify
- **C - Correct:** Compensating compensates for weakness
- **D - Incorrect:** Deterrent would discourage

Q49: Corrective Control

Question

An IT system failed during changes and lost data. Risk manager advises restoring from backups. This is:

A. Corrective control
B. Detective control
C. Compensating control
D. Deterrent control

Q49: Explanation

Correct Answer: A

Restoring from backups to fix an issue is a corrective control.

Option Analysis

- **A - Correct:** Corrective fixes the issue
- **B - Incorrect:** Detective would identify
- **C - Incorrect:** Compensating would compensate
- **D - Incorrect:** Deterrent would discourage

Q50: Post-Incident Controls

Question

Which control categories are used after the incident has happened?

A. Corrective, compensating
B. Corrective, deterrent
C. Corrective, detective
D. Deterrent, preventive

Q50: Explanation

Correct Answer: C

Detective and corrective controls are used after the incident has happened.

Option Analysis

- **A - Incorrect:** Compensating is ongoing
- **B - Incorrect:** Deterrent is before
- **C - Correct:** Detective and corrective are after
- **D - Incorrect:** Deterrent/preventive are before

Q51: Parallel Changeover

Question

Risk manager overseeing critical system upgrade with no downtime. Recommendation should be:

A. Parallel
B. Phased
C. Abrupt
D. Any of the above

Q51: Explanation

Correct Answer: A

Parallel changeover allows both systems to run simultaneously with no downtime.

Option Analysis

- **A - Correct:** Parallel ensures no downtime
- **B - Incorrect:** Phased may have downtime
- **C - Incorrect:** Abrupt has high risk
- **D - Incorrect:** Parallel is best for no downtime

Q52: Phased Changeover

Question

System upgrading per module with no dependencies. Most efficient method?

- A Parallel
- B Phased
- C Abrupt
- D Any of the above

Q52: Explanation

Correct Answer: B

Phased changeover is most efficient when modules are independent.

Option Analysis

- **A - Incorrect:** Parallel is expensive
- **B - Correct:** Phased works well with independent modules
- **C - Incorrect:** Abrupt is too risky
- **D - Incorrect:** Phased is most efficient

Q53: Post-Implementation Audience

Question

Who should be the target audience for a post-implementation review?

A. Developers
B. Risk manager
C. Risk owner
D. All major stakeholders

Q53: Explanation

Correct Answer: D

All major stakeholders should participate in post-implementation review.

Option Analysis

- **A - Incorrect:** Developers alone insufficient
- **B - Incorrect:** Risk manager alone insufficient
- **C - Incorrect:** Risk owner alone insufficient
- **D - Correct:** All stakeholders needed

Q54: Log Aggregation Purpose

Question

What is the primary purpose of log aggregation in an organization?

- A Identify and analyze important events
- B Synchronize clocks
- C Eliminate need for logging
- D Provide centralized storage only

Q54: Explanation

Correct Answer: A

Log aggregation helps identify and analyze important events and potential incidents.

Option Analysis

- **A - Correct:** Identification and analysis of events
- **B - Incorrect:** Clock sync is separate
- **C - Incorrect:** Doesn't eliminate logging
- **D - Incorrect:** Storage is not primary purpose

Q55: SIEM Tool

Question

Which is a commonly used tool for log aggregation and analysis?

A. SIEM system
B. Vulnerability assessment tool
C. Penetration testing tool
D. Heat map generator

Q55: Explanation

Correct Answer: A

SIEM systems are commonly used for log aggregation and analysis.

Option Analysis

- **A - Correct:** SIEM handles log aggregation
- **B - Incorrect:** VA tools find vulnerabilities
- **C - Incorrect:** Pen testing finds exploits
- **D - Incorrect:** Heat maps are visualization

Q56: KRI Role

Question

What is the role of KRIs in risk monitoring?

- A Predict risks that may breach thresholds
- B Measure effectiveness of controls
- C Indicate weaknesses in controls
- D Assess control performance

Q56: Explanation

Correct Answer: A

KRIs predict risks that may breach predefined thresholds.

Option Analysis

- **A - Correct:** KRIs predict risk breaches
- **B - Incorrect:** KPIs measure effectiveness
- **C - Incorrect:** KCIs indicate weaknesses
- **D - Incorrect:** KPIs assess performance

Q57: Dashboard Characteristics

Question

Which format of risk reporting is known for flexibility in combining qualitative and quantitative metrics?

A. Executive summary
B. Heat map
C. Scorecard
D. Dashboard

Q57: Explanation

Correct Answer: D

Dashboards combine qualitative and quantitative metrics with flexibility.

Option Analysis

- **A - Incorrect:** Summary is text-based
- **B - Incorrect:** Heat map is qualitative only
- **C - Incorrect:** Scorecard is qualitative
- **D - Correct:** Dashboard is flexible

Q58: SMART Metrics

Question

What are the key characteristics of a SMART metric?

A. Specific, Measurable, Attainable, Relevant, Timely

B. Standardized, Meaningful, Achievable, Realistic, Timeless

C. Secure, Measurable, Aligned, Reliable, Trustworthy

D. Significant, Measurable, Accurate, Relevant, Timed

Q58: Explanation

Correct Answer: A

SMART stands for Specific, Measurable, Attainable, Relevant, Timely.

Option Analysis

- **A - Correct:** Standard SMART definition
- **B - Incorrect:** Not standard SMART
- **C - Incorrect:** Not standard SMART
- **D - Incorrect:** Not standard SMART

Q59: Penetration Testing

Question

Which technique involves simulating a real attack to identify undiscovered vulnerabilities?

- A Self-assessment
- B Internal audit
- C Vulnerability assessment
- D Penetration testing

Q59: Explanation

Correct Answer: D

Penetration testing simulates real attacks to identify vulnerabilities.

Option Analysis

- **A - Incorrect:** Self-assessment is internal review
- **B - Incorrect:** Audit is compliance review
- **C - Incorrect:** VA finds known vulnerabilities
- **D - Correct:** Penetration test simulates attacks

Q60: Technology Architecture

Question

Networking devices, storage, and software are components of:

A. Business architecture
B. Technology architecture
C. Data architecture
D. Application architecture

Q60: Explanation

Correct Answer: B

Networking devices, storage, and software are components of technology architecture.

Option Analysis

- **A - Incorrect:** Business architecture defines processes
- **B - Correct:** Technology architecture covers infrastructure
- **C - Incorrect:** Data architecture covers data management
- **D - Incorrect:** Application architecture covers software solutions

Q61: CMM Defined Process

Question

Which is NOT a property of the Defined process in CMM?

A. Well characterized and understood
B. Defined at organizational level
C. Proactive
D. Unpredictable

Q61: Explanation

Correct Answer: D

Unpredictable is not a property of Defined process in CMM.

Option Analysis

- **A - True:** Well characterized
- **B - True:** Defined at organizational level
- **C - True:** Proactive
- **D - Not True:** Defined processes are predictable

Q62: TCP/IP Model Layers

Question

Which is Layer 3 of the TCP/IP model?

- A Physical
- B Data link
- C Network
- D Application

Q62: Explanation

Correct Answer: C

Network layer is Layer 3 of the TCP/IP model.

Option Analysis

- **A - Incorrect:** Physical is Layer 1
- **B - Incorrect:** Data link is Layer 2
- **C - Correct:** Network is Layer 3
- **D - Incorrect:** Application is Layer 5

Q63: OSI Model Session Layer

Question

Which is Layer 5 of the OSI model?

- A Physical
- B Application
- C Session
- D Transport

Q63: Explanation

Correct Answer: C

Session layer is Layer 5 of the OSI model.

Option Analysis

- **A - Incorrect:** Physical is Layer 1
- **B - Incorrect:** Application is Layer 7
- **C - Correct:** Session is Layer 5
- **D - Incorrect:** Transport is Layer 4

Q64: VPN Protocol

Question

Which protocol is used to implement a VPN?

A. DNS
B. IPSec
C. SSL
D. SSO

Q64: Explanation

Correct Answer: B

IPSec protocol is commonly used to implement VPNs.

Option Analysis

- **A - Incorrect:** DNS is domain name service
- **B - Correct:** IPSec enables VPN
- **C - Incorrect:** SSL is for web encryption
- **D - Incorrect:** SSO is single sign-on

Q65: IaaS

Question

Which is an example of on-demand compute, network, and storage services?

A. PaaS
B. SaaS
C. IaaS
D. NaaS

Q65: Explanation

Correct Answer: C

IaaS provides on-demand compute, network, and storage services.

Option Analysis

- **A - Incorrect:** PaaS provides platform
- **B - Incorrect:** SaaS provides software
- **C - Correct:** IaaS provides infrastructure
- **D - Incorrect:** NaaS provides network services

Q66: SaaS Example

Question

An online platform for video games is an example of:

A. PaaS
B. SaaS
C. IaaS
D. NaaS

Q66: Explanation

Correct Answer: B

Online video game platform that lets users play without installing software is SaaS.

Option Analysis

- **A - Incorrect:** PaaS provides development platform
- **B - Correct:** SaaS provides ready-to-use software
- **C - Incorrect:** IaaS provides infrastructure
- **D - Incorrect:** NaaS provides network

Q67: Private Cloud

Question

In which deployment model are underlying cloud services NOT shared with other customers?

A. Public
B. Private
C. Community
D. Hybrid

Q67: Explanation

Correct Answer: B

Private cloud resources are dedicated to a single organization.

Option Analysis

- **A - Incorrect:** Public is shared
- **B - Correct:** Private is dedicated
- **C - Incorrect:** Community is shared with similar orgs
- **D - Incorrect:** Hybrid combines models

Q68: Community Cloud

Question

In which deployment model are underlying cloud services shared with similar customers?

A. Public
B. Private
C. Community
D. Hybrid

Q68: Explanation

Correct Answer: C

Community cloud lets similar organizations share resources.

Option Analysis

- **A - Incorrect:** Public is open to all
- **B - Incorrect:** Private is dedicated
- **C - Correct:** Community is for similar orgs
- **D - Incorrect:** Hybrid combines models

Q69: BIA Input for BCP

Question

Which acts as an input for the BCP?

A. Recovery objectives
B. DR test
C. BIA
D. BC test

Q69: Explanation

Correct Answer: C

BIA is the input to creating a BCP.

Option Analysis

- **A - Incorrect:** Recovery objectives are output of BIA
- **B - Incorrect:** DR test validates recovery
- **C - Correct:** BIA inputs BCP
- **D - Incorrect:** BC test validates BCP

Q70: RPO

Question

Risk manager confirms application can't lose more than four hours of data. Which objective is this?

A. MTD
B. RPO
C. RTO
D. BIA

Q70: Explanation

Correct Answer: B

RPO is the maximum acceptable data loss - in this case, 4 hours.

Option Analysis

- **A - Incorrect:** MTD is total downtime
- **B - Correct:** RPO measures data loss tolerance
- **C - Incorrect:** RTO measures downtime tolerance
- **D - Incorrect:** BIA is the assessment process

Q71: RTO and MTD

Question

An application can tolerate four hours of downtime but must be recovered within six hours. Which metrics are correct?

- A RPO - 4h, RTO - 6h
- B MTD - 4h, RTO - 6h
- C MTD - 6h, RPO - 4h
- D RTO - 4h, MTD - 6h

Q71: Explanation

Correct Answer: D

RTO is maximum acceptable downtime (4h). MTD is maximum total downtime before material impact (6h).

Option Analysis

- **A - Incorrect:** RPO is data loss, not downtime
- **B - Incorrect:** MTD should be 6h, not 4h
- **C - Incorrect:** MTD is 6h not 4h
- **D - Correct:** RTO=4h (downtime tolerance), MTD=6h (total before impact)

Q72: Data Classification

Question

Healthcare records and driver's licenses - most appropriate classification?

A. Sensitive (PII and PHI)
B. Public
C. PII
D. PHI

Q72: Explanation

Correct Answer: A

Contains both PII and PHI, so classification should be Sensitive.

Option Analysis

- **A - Correct:** Sensitive covers both PII and PHI
- **B - Incorrect:** Public is for non-sensitive data
- **C - Incorrect:** PII alone doesn't cover health records
- **D - Incorrect:** PHI alone doesn't cover driver's licenses

Q73: Data Destruction

Question

Which stage of data life cycle includes disposal of data?

A. Destruction
B. Archival
C. Use
D. Storage

Q73: Explanation

Correct Answer: A

Destruction stage includes disposal of data.

Option Analysis

- **A - Correct:** Destruction is disposal
- **B - Incorrect:** Archival is long-term storage
- **C - Incorrect:** Use is processing
- **D - Incorrect:** Storage is saving data

Q74: Data Labeling Purpose

Question

Data labeling is important for which of the following?

A. Data archival
B. Data destruction
C. DLP
D. All of the above

Q74: Explanation

Correct Answer: D

Data labeling is important for archival, destruction, and DLP.

Option Analysis

- **A - Incorrect:** Archival alone not complete
- **B - Incorrect:** Destruction alone not complete
- **C - Incorrect:** DLP alone not complete
- **D - Correct:** All functions benefit from labeling

Q75: SDLC Budget Phase

Question

A project is budgeted in which phase of the SDLC?

- A Development
- B Disposal
- C Initiation
- D Maintenance

Q75: Explanation

Correct Answer: C

Budgeting occurs in the initiation phase of SDLC.

Option Analysis

- **A - Incorrect:** Development is coding
- **B - Incorrect:** Disposal is retirement
- **C - Correct:** Initiation includes budgeting
- **D - Incorrect:** Maintenance is ongoing support

Q76: User Training Phase

Question

End user training is an integral part of which phase of the SDLC?

- A Development
- B Disposal
- C Initiation
- D Implementation

Q76: Explanation

Correct Answer: D

End users are trained in the implementation phase.

Option Analysis

- **A - Incorrect:** Development is coding
- **B - Incorrect:** Disposal is retirement
- **C - Incorrect:** Initiation is planning
- **D - Correct:** Implementation includes training

Q77: SDLC Final Stage

Question

Which is the final stage of the SDLC?

- A Development
- B Disposal
- C Initiation
- D Maintenance

Q77: Explanation

Correct Answer: B

Disposal is the final phase of the SDLC.

Option Analysis

- **A - Incorrect:** Development is early phase
- **B - Correct:** Disposal is final phase
- **C - Incorrect:** Initiation is first phase
- **D - Incorrect:** Maintenance is ongoing

Q78: Project Risk vs SDLC Risk

Question

Key difference between project risk and SDLC risk is:

A. Project risk relates to objectives, SDLC relates to time
B. Project risk relates to objectives, SDLC relates to development
C. Project risk relates to development, SDLC relates to objectives
D. There is no difference

Q78: Explanation

Correct Answer: B

Project risk relates to project objectives; SDLC risk relates to development objectives.

Option Analysis

- **A - Incorrect:** SDLC risk is not just time
- **B - Correct:** Different focuses
- **C - Incorrect:** Reversed relationship
- **D - Incorrect:** They are different

Q79: Certification Requirement

Question

Which is a must to achieve certification?

- A. A risk manager
- B. An internal audit team
- C. Policies
- D. An external audit firm

Q79: Explanation

Correct Answer: D

An external audit firm is required to certify a product.

Option Analysis

- **A - Incorrect:** Risk manager may not be required
- **B - Incorrect:** Internal audit cannot certify externally
- **C - Incorrect:** Policies alone don't certify
- **D - Correct:** External audit firm is required

Q80: BYOD Policy

Question

Practice of allowing employees to use personal laptops to access organizational resources is called:

A. Remote working
B. BYOD
C. Virtual computing
D. Cloud computing

Q80: Explanation

Correct Answer: B

BYOD (Bring Your Own Device) allows personal devices to access organization resources.

Option Analysis

- **A - Incorrect:** Remote working is broader
- **B - Correct:** BYOD specifically allows personal devices
- **C - Incorrect:** Virtual computing is different
- **D - Incorrect:** Cloud computing is different

Q81: Quantum Computing

Question

Which technology has potential to break current encryption algorithms?

- A AI
- B Blockchain
- C Quantum computing
- D IoT

Q81: Explanation

Correct Answer: C

Quantum computing has the potential to break current encryption algorithms.

Option Analysis

- **A - Incorrect:** AI doesn't break encryption
- **B - Incorrect:** Blockchain is distributed ledger
- **C - Correct:** Quantum computing breaks encryption
- **D - Incorrect:** IoT doesn't break encryption

Q82: Encryption Keys

Question

Which keys are required for asymmetric key encryption?

A. Only public key
B. Only private key
C. Any public or private key
D. Public and private key pair

Q82: Explanation

Correct Answer: D

Asymmetric encryption requires both a public key and a private key.

Option Analysis

- **A - Incorrect:** Public key alone insufficient
- **B - Incorrect:** Private key alone insufficient
- **C - Incorrect:** Need both keys
- **D - Correct:** Both keys are required

Q83: Symmetric Encryption

Question

Which key is required for symmetric key encryption?

A. Public and private key
B. A single key for encryption and decryption
C. Only public key and hash
D. Only private key and hash

Q83: Explanation

Correct Answer: B

Symmetric encryption uses a single key for both encryption and decryption.

Option Analysis

- **A - Incorrect:** That's asymmetric
- **B - Correct:** Single key for both
- **C - Incorrect:** Public key is asymmetric
- **D - Incorrect:** Private key is asymmetric

Q84: Integrity Definition

Question

Integrity of information means that:

A. Information is available to authorized users only
B. Information is available at all times
C. Information has not been tampered with
D. All of these

Q84: Explanation

Correct Answer: C

Integrity means information has not been tampered with.

Option Analysis

- **A - Incorrect:** That's confidentiality
- **B - Incorrect:** That's availability
- **C - Correct:** Integrity is no tampering
- **D - Incorrect:** Only C is correct

Q85: Confidentiality Definition

Question

Confidentiality of information means that:

A. Information is available to authorized users only
B. Information is available at all times
C. Information has not been tampered with
D. All of these

Q85: Explanation

Correct Answer: A

Confidentiality means information is available to authorized users only.

Option Analysis

- **A - Correct:** Confidentiality limits access
- **B - Incorrect:** That's availability
- **C - Incorrect:** That's integrity
- **D - Incorrect:** Only A is correct

Q86: Availability Definition

Question

Availability of information means that:

A. Information is available to authorized users only
B. Information is available at all times to authorized users
C. Information has not been tampered with
D. All of these

Q86: Explanation

Correct Answer: B

Availability means information is accessible when needed by authorized users.

Option Analysis

- **A - Incorrect:** That's confidentiality
- **B - Correct:** Availability is timely access
- **C - Incorrect:** That's integrity
- **D - Incorrect:** Only B is correct

Q87: Accountability

Question

Which access control principle speaks to logging and monitoring of user activities?

A. Identification
B. Authentication
C. Authorization
D. Accountability

Q87: Explanation

Correct Answer: D

Accountability deals with logging and monitoring of user activities.

Option Analysis

- **A - Incorrect:** Identification is unique ID
- **B - Incorrect:** Authentication is verification
- **C - Incorrect:** Authorization is permissions
- **D - Correct:** Accountability is logging/monitoring

Q88: Identification

Question

Which access control principle requires each user to have a separate unique name?

A. Identification
B. Authentication
C. Authorization
D. Accountability

Q88: Explanation

Correct Answer: A

Identification requires all users to have a unique ID.

Option Analysis

- **A - Correct:** Identification requires unique ID
- **B - Incorrect:** Authentication verifies identity
- **C - Incorrect:** Authorization sets permissions
- **D - Incorrect:** Accountability logs activity

Q89: Segregation of Duties

Question

SOD principle ensures that:

A. All admin access to a single user
B. Access to approve transactions is distributed
C. Confidentiality is maintained
D. Identification is in place

Q89: Explanation

Correct Answer: B

SOD ensures no single user has sole access to approve transactions.

Option Analysis

- **A - Incorrect:** SOD prevents single control
- **B - Correct:** SOD distributes authority
- **C - Incorrect:** Confidentiality is separate
- **D - Incorrect:** Identification is separate

Q90: Hashing Characteristics

Question

Which is true about hashing?

A. Provides unique output for each input
B. Is non-reversible
C. Helps maintain integrity
D. All of these

Q90: Explanation

Correct Answer: D

All options are true for hashing - unique output, non-reversible, and integrity.

Option Analysis

- **A - True:** Unique output
- **B - True:** Non-reversible
- **C - True:** Integrity verification
- **D - Correct:** All are true

Q91: Digital Signatures

Question

Which is NOT provided by digital signatures?

- A Integrity
- B Non-repudiation
- C Authenticity
- D Confidentiality

Q91: Explanation

Correct Answer: D

Digital signatures do NOT provide confidentiality on their own.

Option Analysis

- **A - Incorrect:** Integrity is provided
- **B - Incorrect:** Non-repudiation is provided
- **C - Incorrect:** Authenticity is provided
- **D - Correct:** Confidentiality is not provided

Q92: Encryption and Confidentiality

Question

Sender wants only receiver to decrypt data. Which should sender use?

A. Receiver's public key
B. Sender's public key
C. Receiver's private key
D. Sender's private key

Q92: Explanation

Correct Answer: A

Use receiver's public key to encrypt so only receiver can decrypt with their private key.

Option Analysis

- **A - Correct:** Receiver's public key ensures only receiver decrypts
- **B - Incorrect:** Anyone with sender's public key
- **C - Incorrect:** Receiver's private key is not shared
- **D - Incorrect:** Sender's private key would allow anyone

Q93: Signed and Encrypted

Question

Which cryptographic mechanism provides confidentiality, integrity, and non-repudiation?

A. Signed, not encrypted
B. Encrypted, not signed
C. Signed, encrypted
D. Signed, hashed

Q93: Explanation

Correct Answer: C

Signed and encrypted provides confidentiality, integrity, and non-repudiation.

Option Analysis

- **A - Incorrect:** No confidentiality
- **B - Incorrect:** No integrity/non-repudiation
- **C - Correct:** All three provided
- **D - Incorrect:** No confidentiality

Q94: PKI SPOF

Question

Which could be a SPOF in the PKI ecosystem?

A. Certificate
B. CA
C. Requester
D. Browser

Q94: Explanation

Correct Answer: B

CA could be a SPOF if its private key is compromised.

Option Analysis

- **A - Incorrect:** Individual certificate isn't SPOF
- **B - Correct:** CA compromise affects all
- **C - Incorrect:** Requester isn't SPOF
- **D - Incorrect:** Browser isn't SPOF

Q95: Security Awareness Primary Goal

Question

Most important aspect of security awareness training is:

A. Train on latest threats
B. Show compliance with audits
C. Create security-conscious culture
D. Upskill employees

Q95: Explanation

Correct Answer: C

Most important goal is to create a security-conscious culture.

Option Analysis

- **A - Incorrect:** Latest threats change
- **B - Incorrect:** Compliance is secondary
- **C - Correct:** Culture is primary
- **D - Incorrect:** Upskilling is secondary

Q96: Data Privacy

Question

Data privacy should be:

A. Each individual's right
B. Supported by security controls
C. Embedded into system design
D. All of these

Q96: Explanation

Correct Answer: D

Data privacy should be each individual's right, supported by controls, and embedded in design.

Option Analysis

- **A - Incorrect:** Right alone not enough
- **B - Incorrect:** Controls alone not enough
- **C - Incorrect:** Design alone not enough
- **D - Correct:** All aspects are needed

Q97: Data Security vs Privacy

Question

Which statement is true about data security and data privacy?

- A They are the same thing
- B Security is protecting data; privacy is protecting personal information
- C Privacy is protecting data; security is protecting personal information
- D Not important for organizations

Q97: Explanation

Correct Answer: B

Data security protects data from unauthorized access; data privacy protects personal information from misuse.

Option Analysis

- **A - Incorrect:** They are different
- **B - Correct:** Security vs privacy distinction
- **C - Incorrect:** Reversed
- **D - Incorrect:** Both are important

Q98: Privacy Compliance

Question

Company collecting customer data for marketing. Which measure ensures compliance with privacy regulations?

A. Use encryption
B. Obtain consent
C. Implement firewalls
D. Train employees

Q98: Explanation

Correct Answer: B

Obtaining consent is critical for compliance with GDPR, CCPA, and other privacy regulations.

Option Analysis

- **A - Incorrect:** Encryption is security, not privacy
- **B - Correct:** Consent is required
- **C - Incorrect:** Firewalls are security
- **D - Incorrect:** Training is important but not primary

Q99: Vulnerability Management KPI

Question

Which KPI is most appropriate to measure vulnerability management program effectiveness?

A. Number of vulnerabilities found and remediated

B. Number of security incidents reported

C. Percentage of employees trained

D. Average incident response time

Q99: Explanation

Correct Answer: A

Number of vulnerabilities found and remediated measures vulnerability management effectiveness.

Option Analysis

- **A - Correct:** Direct measure of VM program
- **B - Incorrect:** Measures incident response
- **C - Incorrect:** Measures training program
- **D - Incorrect:** Measures IR effectiveness

Q100: Security Program KPI

Question

Which KPI is most useful to evaluate security program effectiveness over time?

- A Number of employees trained
- B Number of security incidents reported
- C Average detection and response time
- D Percentage reduction in data breaches

Q100: Explanation

Correct Answer: D

Percentage reduction in data breaches directly measures program impact over time.

Option Analysis

- **A - Incorrect:** Training completion not a direct measure
- **B - Incorrect:** Incidents may change
- **C - Incorrect:** Response time is operational
- **D - Correct:** Direct measure of program success

CRISC Key Takeaways

Essential Concepts

- Governance provides oversight and direction from Board
- Risk identification is the first step - "You can't protect what you don't know"
- Risk Appetite = willingness to accept risk
- Risk Tolerance = acceptable variation from appetite
- Risk Capacity = maximum risk before existence threatened
- RPO is backward-looking; RTO is forward-looking

CRISC Key Takeaways (continued)

More Essential Concepts

- 3LoD: First = Operations, Second = Oversight, Third = Audit
- Residual Risk = Inherent Risk - Controls
- Risk Response: Mitigate, Accept, Transfer, Avoid
- SMART: Specific, Measurable, Attainable, Relevant, Timely
- CIA: Confidentiality, Integrity, Availability
- Digital signatures: Integrity, Non-repudiation, Authenticity (NOT confidentiality)

Final Advice

Exam Preparation

Remember:

- Understand the *why* behind each concept
- Know control categories and their differences
- Understand recovery objectives (RPO, RTO, MTD)
- Know risk appetite vs tolerance vs capacity
- Practice scenario-based questions

Good Luck on Your CRISC Exam!