Databricks ML Associate

Questions 601–700 (Seventh 100)

Practice Exam Deck

How to Use This Deck

100 new questions (Q601–Q700), none repeated from Q1–Q600.

Each question slide has four options (A–D).

The next slide gives the correct answer and explains why the right option is right and why each wrong option is wrong.

This set emphasizes serving payloads and auth, Feature Store time-series and streaming, clustering/recommendation evaluators, Databricks SQL in ML, Delta Sharing, and governance/compliance.

Question 601

Which format is commonly used to send requests to a Databricks model serving endpoint?

A. JSON

B. XML only

C. CSV only

D. YAML only

Answer 601

Correct: A — serving endpoints accept JSON payloads.

Wrong:

B, C, D are not the primary payload format.

Question 602

Which HTTP method is used to query a serving endpoint?

A. POST

B. GET with no body

C. PUT

D. DELETE

Answer 602

Correct: A — serving endpoints are queried with POST.

Wrong:

B, C, D are not the standard query method.

Question 603

Which request field typically holds the model input records?

A. `dataframe_records` or `inputs`

B. `model_id`

C. `endpoint_name`

D. `workspace_id`

Answer 603

Correct: A — inputs are passed via record fields.

Wrong:

B, C, D are metadata, not inputs.

Question 604

What is a common authentication method for a serving endpoint?

A. A personal access token or OAuth token

B. A username and password in the URL

C. Anonymous access

D. A shared notebook

Answer 604

Correct: A — PATs or OAuth tokens authenticate requests.

Wrong:

B, C, D are insecure or unsupported.

Question 605

What does a serving endpoint return on a successful request?

A. Predictions in a JSON response

B. A model artifact

C. A notebook

D. A cluster

Answer 605

Correct: A — predictions are returned in JSON.

Wrong:

B, C, D are not returned.

Question 606

What is a serving endpoint's route optimization used for?

A. Choosing the best route to a ready endpoint
B. Training a model
C. Registering a model
D. Deleting a model

Answer 606

Correct: A — route optimization picks healthy endpoints.

Wrong:

B, C, D are unrelated.

Question 607

What is a model serving endpoint's query latency?

A. The time to produce a prediction

B. The training time

C. The storage size

D. The feature count

Answer 607

Correct: A — latency is prediction time.

Wrong:

B, C, D are unrelated.

Question 608

What is a serving endpoint's throughput?

A. The number of predictions per unit time
B. The training time
C. The storage size
D. The feature count

Answer 608

Correct: A — throughput is predictions per time.

Wrong:

B, C, D are unrelated.

Question 609

What is the purpose of a serving endpoint's provisioned concurrency?

A. To keep capacity ready to handle requests

B. To train models

C. To register models

D. To store data

Answer 609

Correct: A — provisioned concurrency keeps capacity ready.

Wrong:

B, C, D are unrelated.

Question 610

What is a Feature Store time-series feature table used for?

A. Storing features with timestamps for point-in-time joins
B. Training a model
C. Serving an endpoint
D. Registering a model

Answer 610

Correct: A — time-series tables enable point-in-time joins.

Wrong:

B, C, D are unrelated.

Question 611

Which key is required for a time-series feature table?

A. A timestamp key

B. A foreign key

C. A model key

D. A cluster key

Answer 611

Correct: A — time-series tables need a timestamp key.

Wrong:

B, C, D are unrelated.

Question 612

What is a streaming feature table used for?

A. Continuously updated features for streaming inference
B. Offline training only
C. Model registration
D. Notebook storage

Answer 612

Correct: A — streaming tables support live features.

Wrong:

B, C, D are unrelated.

Question 613

What is a Feature Store backfill?

A. Computing historical feature values

B. Training a model

C. Serving a model

D. Deleting features

Answer 613

Correct: A — backfills compute historical values.

Wrong:

B, C, D are unrelated.

Question 614

What is a feature freshness SLA?

A. A guarantee on how recently features were updated

B. A model metric

C. A cluster setting

D. A notebook

Answer 614

Correct: A — freshness SLAs bound feature staleness.

Wrong:

B, C, D are unrelated.

Question 615

What is a feature ingestion pipeline?

A. A workflow that updates features from source data

B. A model

C. A cluster

D. A notebook

Answer 615

Correct: A — ingestion pipelines update features.

Wrong:

B, C, D are unrelated.

Question 616

What does a Spark ML `ClusteringEvaluator` compute?

A. Silhouette score

B. RMSE

C. AUC

D. F1

Answer 616

Correct: A — ClusteringEvaluator computes silhouette.

Wrong:

B, C, D are other metrics.

Question 617

What does the silhouette score measure in clustering?

A. How similar points are to their own cluster vs. the nearest other cluster
B. Model accuracy
C. Feature importance
D. The number of clusters

Answer 617

Correct: A — silhouette measures cohesion and separation.

Wrong:

B, C, D are unrelated.

Question 618

What does a higher silhouette score indicate?

A. Better-defined clusters

B. Worse clusters

C. More features

D. Fewer rows

Answer 618

Correct: A — higher silhouette means better clusters.

Wrong:

B, C, D are false.

Question 619

What is a clustering evaluation's ideal silhouette range?

A. Close to 1

B. Close to -1

C. Close to 0

D. Exactly 0

Answer 619

Correct: A — higher (closer to 1) is better.

Wrong:

B, C, D are not ideal.

Question 620

What does a Spark ML ALS model produce?

A. Recommendations or ratings predictions
B. Clusters
C. Dimensions
D. Categories

Answer 620

Correct: A — ALS produces recommendations/ratings.

Wrong:

B, C, D are other tasks.

Question 621

What evaluation metric is used for ALS rating prediction?

A. RMSE

B. Silhouette

C. AUC

D. Accuracy

Answer 621

Correct: A — RMSE measures rating error.

Wrong:

B, C, D are other metrics.

Question 622

What is a recommendation system's cold start problem?

A. Making recommendations for new users or items with no history
B. Training too long
C. Serving too fast
D. Storing too much data

Answer 622

Correct: A — cold start involves no user/item history.

Wrong:

B, C, D are unrelated.

Question 623

What is a content-based recommendation?

A. Recommending items similar to a user's past items
B. Recommending based on other users
C. Recommending randomly
D. Recommending based on clusters

Answer 623

Correct: A — content-based uses item similarity.

Wrong:

B is collaborative filtering.

C, D are not methods.

Question 624

What is collaborative filtering?

A. Recommending based on patterns across users
B. Recommending based on item content
C. Recommending randomly
D. Recommending based on clusters

Answer 624

Correct: A — collaborative filtering uses cross-user patterns.

Wrong:

B is content-based.

C, D are not methods.

Question 625

What does a Databricks SQL dashboard show?

A. Visualizations of SQL query results
B. Model weights
C. Feature tables
D. Cluster logs

Answer 625

Correct: A — dashboards visualize query results.

Wrong:

B, C, D are unrelated.

Question 626

What is a Databricks SQL query used for in an ML workflow?

A. Exploring and preparing data

B. Training a model

C. Serving a model

D. Registering a model

Answer 626

Correct: A — SQL queries support exploration and prep.

Wrong:

B, C, D are other steps.

Question 627

What is a Databricks SQL alert used for?

A. Notifying when a query result meets a condition
B. Training a model
C. Serving a model
D. Registering a model

Answer 627

Correct: A — alerts notify on query conditions.

Wrong:

B, C, D are unrelated.

Question 628

What is a Databricks SQL parameter?

A. A runtime value passed to a query

B. A model type

C. A feature table

D. A cluster

Answer 628

Correct: A — parameters pass runtime values to queries.

Wrong:

B, C, D are unrelated.

Question 629

What is Delta Sharing used for?

A. Sharing data across organizations securely
B. Training a model
C. Serving a model
D. Registering a model

Answer 629

Correct: A — Delta Sharing shares data securely.

Wrong:

B, C, D are unrelated.

Question 630

What is a Delta Sharing recipient?

A. An organization or user who receives shared data

B. A model

C. A feature table

D. A cluster

Answer 630

Correct: A — recipients receive shared data.

Wrong:

B, C, D are unrelated.

Question 631

What is a Delta Sharing share?

A. A collection of tables shared with a recipient

B. A model

C. A feature table

D. A cluster

Answer 631

Correct: A — a share groups shared tables.

Wrong:

B, C, D are unrelated.

Question 632

What is a data governance policy?

A. A rule set governing data access and use

B. A model

C. A feature table

D. A notebook

Answer 632

Correct: A — governance policies define data rules.

Wrong:

B, C, D are unrelated.

Question 633

What is data privacy in ML?

A. Protecting sensitive information used in training and inference
B. Training faster
C. Serving faster
D. Registering more models

Answer 633

Correct: A — privacy protects sensitive data.

Wrong:

B, C, D are unrelated.

Question 634

What is differential privacy?

A. A technique that adds noise to protect individual records

B. A model type

C. A feature table

D. A cluster

Answer 634

Correct: A — differential privacy protects individuals.

Wrong:

B, C, D are unrelated.

Question 635

What is PII?

A. Personally identifiable information

B. A model metric

C. A feature table

D. A cluster type

Answer 635

Correct: A — PII is personally identifiable information.

Wrong:

B, C, D are unrelated.

Question 636

Why should PII be masked in ML datasets?

A. To protect privacy and comply with regulations

B. To train faster

C. To serve faster

D. To register more models

Answer 636

Correct: A — masking protects privacy and compliance.

Wrong:

B, C, D are false.

Question 637

What is a regulatory compliance requirement in ML?

A. Following data protection and fairness laws

B. Training faster

C. Serving faster

D. Registering more models

Answer 637

Correct: A — compliance follows legal requirements.

Wrong:

B, C, D are unrelated.

Question 638

What is model explainability?

A. The ability to explain model predictions
B. The model size
C. The training time
D. The storage size

Answer 638

Correct: A — explainability clarifies predictions.

Wrong:

B, C, D are unrelated.

Question 639

Why is explainability important in regulated industries?

A. Decisions must be justified to regulators and users
B. It improves accuracy
C. It reduces storage
D. It speeds training

Answer 639

Correct: A — regulated decisions require justification.

Wrong:

B, C, D are not the reason.

Question 640

What is a bias audit in ML?

A. An assessment of whether a model unfairly disadvantages groups

B. A model type

C. A feature table

D. A cluster

Answer 640

Correct: A — bias audits check fairness.

Wrong:

B, C, D are unrelated.

Question 641

What is a protected attribute?

A. A characteristic that should not lead to discrimination

B. A model metric

C. A cluster setting

D. A feature table

Answer 641

Correct: A — protected attributes must not cause discrimination.

Wrong:

B, C, D are unrelated.

Question 642

What is disparate impact?

A. A model that disproportionately harms a group

B. A model metric

C. A cluster setting

D. A feature table

Answer 642

Correct: A — disparate impact is unequal harm.

Wrong:

B, C, D are unrelated.

Question 643

What is a model card's intended audience?

A. Stakeholders, auditors, and users

B. Only developers

C. Only the model

D. Only the cluster

Answer 643

Correct: A — model cards inform a broad audience.

Wrong:

B, C, D are too narrow or invalid.

Question 644

What is a data sheet?

A. A document describing a dataset's contents and intended use

B. A model artifact

C. A cluster setting

D. A notebook

Answer 644

Correct: A — data sheets describe datasets.

Wrong:

B, C, D are unrelated.

Question 645

What is a model risk management framework?

A. A process for identifying and mitigating model risks

B. A model type

C. A feature table

D. A cluster

Answer 645

Correct: A — frameworks manage model risk.

Wrong:

B, C, D are unrelated.

Question 646

What is model validation in risk management?

A. Independent review of model performance and assumptions
B. Training a model
C. Serving a model
D. Registering a model

Answer 646

Correct: A — validation is independent review.

Wrong:

B, C, D are other steps.

Question 647

What is model drift detection?

A. Monitoring when model performance degrades over time
B. Training a model
C. Serving a model
D. Registering a model

Answer 647

Correct: A — drift detection monitors degradation.

Wrong:

B, C, D are other steps.

Question 648

What is a model retraining trigger?

A. A condition that starts retraining, such as drift or schedule

B. A model type

C. A feature table

D. A cluster

Answer 648

Correct: A — triggers start retraining.

Wrong:

B, C, D are unrelated.

Question 649

What is a champion-challenger setup?

A. Comparing a production model against a challenger model

B. Training two models

C. Deleting two models

D. Registering two models

Answer 649

Correct: A — champion-challenger compares production vs. challenger.

Wrong:

B, C, D are not the setup.

Question 650

What is shadow deployment?

A. Running a new model alongside production without affecting users

B. Training a model

C. Serving a model

D. Deleting a model

Answer 650

Correct: A — shadow deployment runs without user impact.

Wrong:

B, C, D are unrelated.

Question 651

What is a canary deployment?

A. Releasing a model to a small subset of traffic
B. Training a model
C. Serving a model
D. Deleting a model

Answer 651

Correct: A — canary releases go to limited traffic.

Wrong:

B, C, D are unrelated.

Question 652

What is a blue-green deployment?

A. Running two environments and switching traffic between them

B. Training two models

C. Deleting two models

D. Registering two models

Answer 652

Correct: A — blue-green switches between environments.

Wrong:

B, C, D are unrelated.

Question 653

What is a rollback plan?

A. A procedure to revert to a previous model version

B. A training plan

C. A serving plan

D. A registration plan

Answer 653

Correct: A — rollback plans revert deployments.

Wrong:

B, C, D are other plans.

Question 654

What is an SLA for model serving?

A. A commitment on latency and availability

B. A training metric

C. A feature table

D. A cluster

Answer 654

Correct: A — SLAs define service commitments.

Wrong:

B, C, D are unrelated.

Question 655

What is an SLO for model serving?

A. An internal objective for service quality

B. A model type

C. A feature table

D. A cluster

Answer 655

Correct: A — SLOs are internal quality targets.

Wrong:

B, C, D are unrelated.

Question 656

What is a model's p99 latency?

A. The latency below which 99% of requests fall
B. The average latency
C. The maximum latency
D. The minimum latency

Answer 656

Correct: A — p99 is a high-percentile latency.

Wrong:

B, C, D are different statistics.

Question 657

What is a model's p50 latency?

A. The median latency

B. The maximum latency

C. The minimum latency

D. The training latency

Answer 657

Correct: A — p50 is the median.

Wrong:

B, C, D are different statistics.

Question 658

Why are percentile latencies preferred over averages for serving SLAs?

A. They capture tail behavior experienced by users
B. They are easier to compute
C. They are always lower
D. They ignore outliers

Answer 658

Correct: A — percentiles capture tail latency.

Wrong:

B, C, D are false.

Question 659

What is a model's error rate in serving?

A. The fraction of requests that return errors

B. The training loss

C. The feature count

D. The cluster size

Answer 659

Correct: A — error rate measures failed requests.

Wrong:

B, C, D are unrelated.

Question 660

What is a model's availability in serving?

A. The fraction of time the endpoint is reachable

B. The training time

C. The feature count

D. The cluster size

Answer 660

Correct: A — availability is uptime.

Wrong:

B, C, D are unrelated.

Question 661

What is a Databricks SQL warehouse's serverless mode?

A. Compute that starts quickly without cluster management

B. A model type

C. A feature table

D. A cluster policy

Answer 661

Correct: A — serverless SQL starts quickly.

Wrong:

B, C, D are unrelated.

Question 662

What is a Databricks SQL warehouse's classic mode?

A. Compute that requires cluster configuration

B. A model type

C. A feature table

D. A cluster policy

Answer 662

Correct: A — classic SQL uses configured clusters.

Wrong:

B, C, D are unrelated.

Question 663

What is a Databricks SQL warehouse's size used for?

A. Controlling compute capacity

B. Controlling model size

C. Controlling feature count

D. Controlling storage

Answer 663

Correct: A — size controls SQL compute capacity.

Wrong:

B, C, D are unrelated.

Question 664

What is a Databricks SQL warehouse's auto-stop setting?

A. The idle time before the warehouse shuts down
B. The maximum runtime
C. The number of queries
D. The number of users

Answer 664

Correct: A — auto-stop shuts down idle warehouses.

Wrong:

B, C, D are other settings.

Question 665

What is a Databricks SQL warehouse's auto-start setting?

A. Whether it starts automatically when queried
B. The maximum runtime
C. The number of queries
D. The number of users

Answer 665

Correct: A — auto-start starts the warehouse on demand.

Wrong:

B, C, D are other settings.

Question 666

What is a Databricks SQL query's result cache?

A. Stored results reused for repeated queries

B. A model artifact

C. A feature table

D. A cluster

Answer 666

Correct: A — result caches reuse query results.

Wrong:

B, C, D are unrelated.

Question 667

What is a Databricks SQL query's parameter marker?

A. A placeholder for a runtime value

B. A model metric

C. A cluster setting

D. A feature table

Answer 667

Correct: A — markers are runtime placeholders.

Wrong:

B, C, D are unrelated.

Question 668

What is a Databricks SQL dashboard's refresh schedule?

A. How often the dashboard updates

B. The model retraining schedule

C. The cluster schedule

D. The feature schedule

Answer 668

Correct: A — refresh schedules update dashboards.

Wrong:

B, C, D are unrelated.

Question 669

What is a Databricks SQL dashboard's embed?

A. Including the dashboard in an external site
B. Training a model
C. Serving a model
D. Registering a model

Answer 669

Correct: A — embedding adds dashboards to sites.

Wrong:

B, C, D are unrelated.

Question 670

What is a Databricks SQL dashboard's permissions model?

A. It controls who can view or edit the dashboard

B. It trains models

C. It serves models

D. It registers models

Answer 670

Correct: A — permissions control dashboard access.

Wrong:

B, C, D are unrelated.

Question 671

What is a Delta Sharing provider?

A. The organization that shares data

B. The model

C. The feature table

D. The cluster

Answer 671

Correct: A — providers share data.

Wrong:

B, C, D are unrelated.

Question 672

What is a Delta Sharing recipient token used for?

A. Authenticating the recipient's access
B. Training a model
C. Serving a model
D. Registering a model

Answer 672

Correct: A — tokens authenticate recipient access.

Wrong:

B, C, D are unrelated.

Question 673

What is a Delta Sharing profile file?

A. A file with credentials to access shared data

B. A model artifact

C. A feature table

D. A cluster

Answer 673

Correct: A — profile files hold sharing credentials.

Wrong:

B, C, D are unrelated.

Question 674

What is a data contract?

A. An agreement on data schema and quality expectations

B. A model type

C. A feature table

D. A cluster

Answer 674

Correct: A — data contracts define schema and quality.

Wrong:

B, C, D are unrelated.

Question 675

What is a data owner in governance?

A. The person accountable for a dataset

B. A model

C. A feature table

D. A cluster

Answer 675

Correct: A — owners are accountable for datasets.

Wrong:

B, C, D are unrelated.

Question 676

What is a data steward in governance?

A. A person who manages data quality and policy

B. A model

C. A feature table

D. A cluster

Answer 676

Correct: A — stewards manage data quality and policy.

Wrong:

B, C, D are unrelated.

Question 677

What is a data lineage graph?

A. A visual of upstream and downstream data dependencies

B. A model metric

C. A feature table

D. A cluster

Answer 677

Correct: A — lineage graphs show dependencies.

Wrong:

B, C, D are unrelated.

Question 678

What is a data catalog?

A. A searchable inventory of data assets and metadata

B. A model type

C. A feature table

D. A cluster

Answer 678

Correct: A — catalogs inventory data assets.

Wrong:

B, C, D are unrelated.

Question 679

What is a metadata tag in a data catalog?

A. A label that classifies data assets

B. A model metric

C. A feature table

D. A cluster

Answer 679

Correct: A — tags classify assets.

Wrong:

B, C, D are unrelated.

Question 680

What is a data classification?

A. Categorizing data by sensitivity or type
B. Training a model
C. Serving a model
D. Registering a model

Answer 680

Correct: A — classification labels data by sensitivity/type.

Wrong:

B, C, D are unrelated.

Question 681

What is a data retention policy?

A. Rules for how long data is kept
B. Training a model
C. Serving a model
D. Registering a model

Answer 681

Correct: A — retention policies define data lifetimes.

Wrong:

B, C, D are unrelated.

Question 682

What is data deletion in governance?

A. Removing data according to policy or request

B. Training a model

C. Serving a model

D. Registering a model

Answer 682

Correct: A — deletion follows policy or request.

Wrong:

B, C, D are unrelated.

Question 683

What is the right to be forgotten?

A. A user's right to have their data deleted

B. A model type

C. A feature table

D. A cluster

Answer 683

Correct: A — it is a right to data deletion.

Wrong:

B, C, D are unrelated.

Question 684

What is consent management?

A. Tracking and honoring user permissions for data use
B. Training a model
C. Serving a model
D. Registering a model

Answer 684

Correct: A — consent management tracks permissions.

Wrong:

B, C, D are unrelated.

Question 685

What is a data processing agreement?

A. A contract governing how data is handled

B. A model type

C. A feature table

D. A cluster

Answer 685

Correct: A — DPAs govern data handling.

Wrong:

B, C, D are unrelated.

Question 686

What is anonymization?

A. Removing identifying information from data
B. Training a model
C. Serving a model
D. Registering a model

Answer 686

Correct: A — anonymization removes identifiers.

Wrong:

B, C, D are unrelated.

Question 687

What is pseudonymization?

A. Replacing identifiers with pseudonyms
B. Training a model
C. Serving a model
D. Registering a model

Answer 687

Correct: A — pseudonymization replaces identifiers.

Wrong:

B, C, D are unrelated.

Question 688

What is tokenization in privacy?

A. Replacing sensitive values with tokens
B. Training a model
C. Serving a model
D. Registering a model

Answer 688

Correct: A — tokenization replaces sensitive values.

Wrong:

B, C, D are unrelated.

Question 689

What is data masking?

A. Hiding sensitive values from unauthorized users
B. Training a model
C. Serving a model
D. Registering a model

Answer 689

Correct: A — masking hides sensitive values.

Wrong:

B, C, D are unrelated.

Question 690

What is encryption at rest?

A. Encrypting stored data
B. Encrypting data in transit
C. Training a model
D. Serving a model

Answer 690

Correct: A — at-rest encryption protects stored data.

Wrong:

B is in transit.

C, D are unrelated.

Question 691

What is encryption in transit?

A. Encrypting data while it moves between systems
B. Encrypting stored data
C. Training a model
D. Serving a model

Answer 691

Correct: A — in-transit encryption protects moving data.

Wrong:

B is at rest.

C, D are unrelated.

Question 692

What is a key management service?

A. A service that manages encryption keys

B. A model

C. A feature table

D. A cluster

Answer 692

Correct: A — KMS manages encryption keys.

Wrong:

B, C, D are unrelated.

Question 693

What is a customer-managed key?

A. An encryption key managed by the customer

B. A model metric

C. A feature table

D. A cluster

Answer 693

Correct: A — CMKs are managed by the customer.

Wrong:

B, C, D are unrelated.

Question 694

What is a Databricks audit log used for?

A. Tracking workspace activity for compliance

B. Training a model

C. Serving a model

D. Registering a model

Answer 694

Correct: A — audit logs track activity.

Wrong:

B, C, D are unrelated.

Question 695

What is a compliance report?

A. A document demonstrating compliance with regulations

B. A model metric

C. A feature table

D. A cluster

Answer 695

Correct: A — compliance reports demonstrate adherence.

Wrong:

B, C, D are unrelated.

Question 696

What is a security review in ML?

A. An assessment of security risks in the ML workflow

B. A model type

C. A feature table

D. A cluster

Answer 696

Correct: A — security reviews assess ML risks.

Wrong:

B, C, D are unrelated.

Question 697

What is a vulnerability assessment?

A. Identifying security weaknesses
B. Training a model
C. Serving a model
D. Registering a model

Answer 697

Correct: A — vulnerability assessments find weaknesses.

Wrong:

B, C, D are unrelated.

Question 698

What is adversarial robustness?

A. A model's ability to resist malicious inputs

B. The model size

C. The training time

D. The feature count

Answer 698

Correct: A — adversarial robustness resists malicious inputs.

Wrong:

B, C, D are unrelated.

Question 699

What is an adversarial example?

A. An input designed to fool a model

B. A training metric

C. A feature table

D. A cluster

Answer 699

Correct: A — adversarial examples fool models.

Wrong:

B, C, D are unrelated.

Question 700

What is the best practice for handling sensitive data in ML workflows?

A. Apply governance, masking, and access controls

B. Log raw data everywhere

C. Share data publicly

D. Skip validation

Answer 700

Correct: A — governance, masking, and controls protect data.

Wrong:

B, C, D are unsafe.