

Functional Movement Screen

and Corrective Strategies

Weak Links

Most RT (and sport) injuries are the result of microtrauma

Microtrauma is caused by either:

Overtraining

Doing too much of a good thing, not allowing sufficient rest and recovery

Poor biomechanics

Movement mistakes where the body compensates and uses suboptimal joint alignment, muscle coordination, and posture

Weak links is a term used to identify any physical limitation to performance

Commonly viewed as: strength | endurance | power | speed | limited athletic skill

Could also be poor biomechanics due to: inadequate movement patterns | faulty coordination | lack of flexibility

Energy Leaks

An energy leak occurs when all of the energy generated to perform a certain task or movement does not go specifically into that task or movement

Energy not used for movement may cause unnecessary work or movement in other parts of the body (limbs/spine), stressing muscles, tendons, ligaments and joints

Poor form almost always result from energy leaks (good ex. is swimming)


Someone may perform well even when poor form is used, but eventually breakdown, inconsistency, fatigue, soreness, and injury results

Ultimately energy leaks indicates poor efficiency as well as stress


Training should encourage and reinforce efficient movement

Allows for more training with less stress

Athletic Performance Pyramid




Overpowered Performance Pyramid



Many highly skilled and well-trained athletes follow this distribution


Untapped performance and resistance to injury limited by movement foundation

Underpowered Performance Pyramid



Training should focus on strength, endurance, power, and speed production without negatively affecting movement patterns

Underskilled Performance Pyramid



Athlete would benefit from technique training to refine or improve mechanics or to develop a greater awareness of the movement needed to perform skills at a higher level

Functional Movement Screen

Developed by Gray Cook (PT) & Lee Burton (AT)

A tool used to evaluate movement ability and quality

Aim is to reveal limitations and/or asymmetries in healthy individuals with respect to basic movement patterns

Helps predict poor movement efficiency and breakdown

Poor efficiency → fatigue early → poor form → increase potential for injury

Creates a feedback system



Functional Movement Screen

The screen involves extreme positions where weaknesses and imbalances become noticeable if appropriate stability and mobility is not utilized

Mobility

Represents muscle flexibility, joint range of motion, and multi-segmental interaction of body parts in functional positions and movement patterns

Stability (demonstration of body control)

Static stability: maintenance of posture and balance

Dynamic stability: instantaneous integrity in the presence of full range of motion, components include:

Mobility and flexibility | Strength | Coordination | Local muscle endurance | Cardiovascular fitness

Must co-exist to create efficient movement

Functional Movement Screen

A baseline for movement

1. Deep Squat
2. Hurdle Step
3. In-line Lunge
4. Shoulder mobility
5. Straight leg Raise
6. Push-up
7. Rotatory Stability



Functional Movement Screen

Scoring

- 3 = ability to complete movement w/out compensation
- 2 = ability to complete movement with compensation(s)
- 1 = inability to complete movement
- 0 = presence of pain, regardless of movement performance

Interpretation

- 3 = appropriate/optimal mobility
- 2 = identifies priority of flexibility/mobility training
- 1 = poor functional base; 'help' is needed
- 0 = Sports medicine professional to identify source of pain

FMS – Deep Squat

While full deep squat is not often required in daily life, exercise or sport, its basic components are still required for efficient movement

It is used to assess bilateral, symmetrical and functional mobility of the ankles, knees, hips and shoulder.

Starting position:

- Instep shoulder width apart

- Elbows flexed 90° when dowel placed on top of head


What to look for:

- Upper torso is parallel with tibia or toward vertical

- Femur is below horizontal

- Knees are aligned over feet

- Dowel is aligned over feet



FMS – Hurdle Step

The movement requires proper coordination and stability between the hips and torso during the stepping motion as well as single leg stance stability

Assesses bilateral functional mobility and stability of the hips, knees and ankles while maintaining posture and balance

Starting position:

Hurdle adjusted to the height of tibial tuberosity

What to look for:

Hips, knees, and ankles remain aligned in the sagittal plane

Minimal to no movement is noted in the lumbar spine

Dowel and hurdle remain parallel



FMS – In-line Lunge

This pattern places the body in a position that will focus on the stresses seen during rotational, decelerating and lateral-type movements

Challenges lower limb stability and mobility as well as latissimus dorsi and rectus femoris flexibility

Starting position:

- Note opposite arm and leg position


- Dowel touches head, thoracic spine and sacrum

What to look for:

- Minimal to no torso movement

- Feet remain in sagittal plane

- Knee touches behind heel of front foot



FMS – Shoulder Mobility

This pattern demonstrates the natural complementary rhythm of the scapular-thoracic region, thoracic spine and rib cage during reciprocal shoulder movements

Starting position:

- Determine hand length from wrist crease to tip of longest digit

- Make fist with thumbs inside the fingers

What to look for:

- Fists are within one hand length



FMS – Straight Leg Raise

Tests the ability to disassociate the lower extremity while maintaining core stability

Assesses active hamstring and gastroc-soleus flexibility while maintaining a stable pelvis and active extension of the opposite leg

Starting position:


- Arms to the side with palms up

- Board under knee, toes vertical

- Lift leg from that position

What to look for:

- Dowel resides between mid-thigh and ASIS



FMS – Trunk Stability Push-up

The pushup is used to assess reflexive core stabilization and is not a test or measure of upper-body strength

Trunk stability is required to transfer forces symmetrically from the upper extremities to the lower extremities and vice versa


Starting position:

Males: thumbs aligned with the top of the forehead

Females: thumbs aligned with the chin

What to look for:

The body should be lifted as a unit with no sway in the spine



FMS – Rotational Stability

Assesses multi-plane asymmetric trunk stability in sagittal and transverse planes during a combined upper and lower extremity motion

Starting position:


- Shoulders, hips, knees, and ankles in a 90° position

- Hands in open position, thumb and toes touching the board

What to look for:

- Flex and extend elbow to knee while remaining in line with board

- The spine is allowed to flex during motion



Movement Corrective Strategies

Faulty movement patterns do not only require corrective exercises

Habits/exercise programs/activities/occupational duties that perpetuate faulty movement need to be addressed

Hierarchy in corrective approach

1. *Straight-leg raise*
2. *Shoulder mobility*
3. *Rotary stability*
4. *Push-up*
5. *Inline lunge*
6. *Hurdle step*
7. *Deep squat*

Movement Corrective Strategies

Corrective exercises fall into 3 categories

Mobility – targets freedom of movement

Stability – targets basic motor control

Movement Pattern Retraining – targets functional movement patterns utilizing both mobility and stability

The lower the score on a screen the greater the importance of flexibility training

Straight-leg Raise Corrective Exercises

Any hamstring stretch


Partner straight leg raise stretch

Sit-and-reach

Any hip flexor stretch

Can add knee flexion to stretch rectus femoris m.

Any glute stretch




Straight-leg Raise Corrective Exercises

Single leg lowering progression (maintain normal lumbar curve)

Lower one leg at a time to bolster (progress to remove bolster)

1. *Using table or doorway assistance*
2. *Unassisted*



Straight-leg Raise Corrective Exercises




Toe touch progression

Rolled up towel between knees, squeeze when feeling tightness

Forefoot elevated

Repeat w/ heels elevated

Chop & lift




Shoulder Mobility Corrective Exercises

Trunk rotation with shoulder internal/external traction

Hips & knees flexed 90°, rotated one way while traction is applied on the opposite arm

Note this stretch can be performed on the floor with cable assistance



Wall sit with shoulder press

Arm bar



Wall sit w/ shoulder press

Back of hand maintains contact with wall

Arms move up and down

Rotary Stability Corrective Exercises

Rolling

Maintain close proximity with the knee and elbow while supporting the head on the opposite, flexed shoulder



Soft-Roll

Movement is performed with upper body, lower body is completely passive

Use head rotation to accomplish action (neck action reflexively stabilizes the core)

An elastic may be used to encourage proper axis within body



Rotary Stability Corrective Exercises

Quadruped with elastics

Extend one arm or leg at a time progress to opposite arm and leg


Chop & lift cable exercises

Bear walk exercise

Resistance can be added with sleds

Asymmetrical loading

Superman position



Push-up Corrective Exercises

Incline pushup progression

Chop & lift exercises

Pushup walk outs

Walk hands out as far as possible without losing neutral lumbar spine. Walk hands back towards body

Coreboard (wobble board) static or dynamic pushup




Inline Lunge Corrective Exercises

Stretches as performed for the straight-leg raise corrective exercises

Plus calf stretch (leg straight & knee bent)

Spiderman stretch

Cook hip lift



Inline Lunge Corrective Exercises

Medicine Ball Progressions

Half kneeling position first then standing lunge position

Chop open (Lateral diagonal down)

Lift closed (Lateral diagonal up)



Hurdle Step Corrective Exercises

Stretches as performed for the straight-leg raise corrective exercises

Plus stride with spinal rotation

Mountain climber

Advanced variation: one-arm



Deep Squat Corrective Exercises

All other screens must be cleared (score at least 2) before addressing squat corrections



Ankle dorsiflexion flexibility

- Place dowel along lateral aspect of foot

- Shift forward, front knee tracking outside dowel

- The heel should remain down

Standing rectus stretch



Deep Squat Corrective Exercises

Pattern building

Pulling the body down into squat

Using tubing around knees

Squat facing wall

Toes & nose on the wall go as low as possible, important to kick knees out

