

Home Maintenance Troubleshooting Knowledge Base

Curated troubleshooting knowledge for the TrustConnect AI/RAG prototype. Entries are organized as customer problem → likely causes → recommended action → relevant service. This document is intended as a knowledge source, not a substitute for professional diagnosis.

Electrical

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
MCB keeps tripping	Overload, short circuit, faulty appliance, or wiring fault	Disconnect recently added appliances and avoid repeatedly resetting MCB. If it continues to trip, investigate further.	MCB/Fuse Fixing. Have an electrician inspect the circuit.
Lights are flickering	Loose connection, overloaded circuit, failing switch, or faulty fixture	Switch off the affected circuit if there is heat/sparking and arrange prompt inspection.	Electrical inspection/ wiring repair
Socket is not working	Tripped breaker, loose connection, damaged wiring, or faulty outlet	Check the relevant circuit breaker once. Do not open live electrical fittings; if the issue persists, seek professional help.	Electrical repair/ electrician for diagnosis
Switch or socket feels hot	Loose connection, overload, damaged components, or faulty wiring	Stop using the fitting and switch off the circuit if safe. Arrange prompt inspection.	Electrical inspection.
Burning smell or sparks	Electrical fault, damaged insulation, loose connections, or overloaded circuit	Turn off power to the affected circuit if safe and seek professional electrical assistance immediately.	Electrical wire/ conduit repair/ rewiring
Fan not working	Power/switch issue, capacitor, regulator, wiring, or fan motor failure	Check power availability; further diagnosis and component replacement may be required.	Fan repair/ be done by an electrician.
Fan runs slowly	Weak capacitor, low voltage, mechanical resistance, or fan motor issue	Have the fan motor and capacitor inspected rather than replacing parts blindly.	Fan repair
Geyser not heating	Power supply, thermostat, heating element, or faulty wiring	Switch off power before any inspection. A technician should test the geyser and its components.	Geyser installation/ repair/ components.
Tube light not working	Lamp, starter/driver, holder, ballast, or wiring issue	Check the lamp only when power is off; use an electrician for wiring or tube light fitting.	Tube Light Fitting
Door bell not working	Power supply, switch, wiring, transformer, or faulty bell	Check the switch/breaker; electrician can test the low-voltage circuit.	Door Bell Installation/repair
TV has no power after installation	Power outlet, plug, cable, mounting/installation, or faulty TV	Check outlet and device faults without opening the TV. Professional inspection is recommended for wiring issues.	Television installation/ wiring issues
MCB/fuse replacement needed	Repeated failure may indicate an underlying fault	Do not install a higher rated fuse. Identify the cause and fix the fault with professional help.	MCB/Fuse Fixing

Plumbing

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
Tap / faucet is leaking	Worn washer, damaged cartridge, loose connection, or faulty tap	Shut off tap supply if leakage is severe; inspect washer/cartridge and tighten or replace as needed.	Tap/Wash damaged repair/ Tap Lock
Water dripping after tap is closed	Worn washer/cartridge or damaged valve seat	Replace the worn internal component; persistent leakage needs plumber.	Tap Wash/ Cartridge Jumper
Drain is blocked	Accumulated debris, grease, hair, or blockage in pipe/trap	Remove pipe/trap debris and avoid unsafe chemical mixing. Persistent blockage requires professional help.	Drain blockage cleaning/ require professional
Low water pressure	Partially closed valve, clogged aerator/filter, or issues with main supply/pressure	Check aerator/side supply/aerator. If pressure remains low, inspect the plumbing system.	Pipe/Plumb Fitting/ inspection
Wash basin is leaking	Loose connection, worn seal, trap/pipe issue, or faulty waste line	Identify the leaking joint and replace the failed seal/fitting; professional assistance may be required.	Wash Basin Installation/ Pipeline Fixing
Water tank leaking	Cracked tank, faulty outlet, loose fitting, or pipe damage	Stop adding water supply if necessary and inspect tank and connections.	Water Tank Installation
Toilet is leaking	Worn seal, flush component, closet bend, or pipe issue	Stop adding water supply if needed and inspect the flush/connection.	Washroom/ Closets/ Closet Bend repair
Toilet is not flushing properly	Blocked trap, faulty flush mechanism, poor water supply, or clogged pipe	Check supply and flush mechanism; blockage or component failure may require plumber.	Washroom/ Required service.
Shower has weak flow	Blocked shower head, low supply pressure, or issues with shower valve	Clean or replace shower head and check supply; persistent low flow requires fitting.	Shower Fitting/ inspection.
Water is backing up in bathroom	Blocked drain/trap or restricted waste line.	Stop adding water and arrange drain inspection/cleaning; pressure-maintaining traps may be required.	Water Backing / Main Drain Cleaning
Pipe connection is leaking	Loose joint, failed washer/seal, cracked fitting, or pipe damage	Turn off the relevant water supply and repair/replace the faulty connection.	Pipeline Fixing / Pipe Fitting
Wall has damp patch near bathroom	Concealed plumbing leak, failed waterproofing, or moisture seepage	Identify and stop the leak, ensure proper waterproofing, and repaint before repainting; concealed leaks require professional inspection.	Leakage Repair/ waterproofing/ inspection/ related

AC Technician

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
AC is running but not cooling	Dirty filter/coil, restricted airflow, low refrigerant, or faulty compressor	Start with filter/coil inspection and cleaning; if tooling remains poor, check refrigerant levels and compressor health.	Regular Service/ Deep Chemical Wash
AC leaking water indoors	Clogged condensate drain, frozen evaporator, or faulty drain pan	Stop the restricted airflow if necessary and arrange drain coil inspection.	Regular Service/ repairing leakage.
AC making loud or unusual noise	Indoor/outdoor fan issue, loose component, or motor problem	Turn off the unit to prevent damage; arrange technician diagnosis.	Component Repair / Fan Motor Replacement
AC has weak airflow	Dirty filter/coil, blocked airflow path, fan problem, or duct issues	Clean or access the filter and arrange professional service if airflow remains weak.	Regular Service / Deep Chemical Wash

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
AC freezes or develops ice	Restricted airflow, dirty filter/coil, or low refrigerant	Turn off cooling and allow ice to melt; technician should identify the underlying cause	Regular Service / Gas Refill
AC gas/refrigerant may be low	Leakage or insufficient refrigerant charge can reduce efficiency	A technician should check for leakage and refrigerant pressure rather than simply adding gas repeatedly.	Gas Refill
AC outdoor unit not running	Power supply, electrical control, capacitor, fan motor issues	Check the dedicated power supply is safe; component diagnosis should be performed	Component Repair
AC turns on and off frequently	Thermostat/sensor issue, airflow restriction, incorrect sizing	Check for airflow issues and arrange technician diagnosis if cycling continues	Regular Service / Component Repair
AC has bad smell	Dirty filter/coil, moisture, drain issue, or microbial growth	Clean/inspect filters and indoor components; persistent odor requires professional service	Regular Service / Deep Chemical Wash
AC remote not controlling unit	Weak batteries, remote issue, sensor issue, or unit malfunction	Replace/charge battery and test; if the unit still does not respond, arrange service inspection.	Service

Carpentry

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
Door is sagging or not closing smoothly	Loose/worn hinges, misalignment, or frame movement	Loosen and tighten/replace hinges and realign the door as required.	New Hinges Fitting / Door Repair
Door hinge is squeaking	Dry, rusty, or worn hinge hardware.	Lubrication can help minor squeaking; worn hinges should be serviced or replaced.	Hinges replaced.
Door hinge is loose	Stripped screw holes or loose fasteners.	Secure the hinge appropriately; damaged mounting points may need to be reinforced	Hinges / Door Repair
Door lock is difficult to operate	Misalignment, worn lock, loose hardware, or old lock mechanism	Check alignment and hardware; replace/repair the lock if worn.	Cylindrical Lock / Latch Fitting
Drawer is difficult to open	Damaged/misaligned channel, debris, swelling in wood, or worn runners	Inspect the drawer and channels; replace damaged channel hardware	Channel Fitting In Drawer
Drawer door is loose/damaged	Loose fasteners, damaged board, or hinge/fitting problems	Tighten or repair fittings; replace damaged parts where necessary.	Drawer Door Work
Window/door mesh is damaged	Torn or detached mesh/frame.	Replace the damaged mesh and secure it to the frame.	Jaali Replacement
Curtain rod is loose	Weak fixing, unsuitable anchor, or damaged wall	Reinstall with appropriate anchors and ensure the wall can support the load	Curtain Rod Placement
Furniture lock/latch is broken	Worn or damaged lock/latch mechanism.	Replace or refit the appropriate lock/latch.	Latch / Furniture Lock Fitting
Minor bed/furniture repair needed	Loose joints, damaged fittings, or wear from use	Inspect joints and hardware; repair or refit affected components.	Bed Repair / Furniture repair

Painting

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
Paint is peeling	Poor adhesion, dampness, contamination, incompatible coats	Remove loose paint, correct the moisture/surface problem, prepare the surface properly	Painting / Waterproofing / Plastering
Paint is cracking	Surface movement, ageing, moisture changes, thick paint	Identify and address the underlying surface/moisture issue; thin or reapply a suitable coating system	Painting
Paint is blistering/bubbling	Trapped moisture/gases, damp wall, thick coating	Identify and eliminate moisture source, remove damaged coating, allow surface to dry properly	Painting / Waterproofing / Plastering
White powder appears on wall (efflorescence)	Moisture carries soluble salts to the surface.	Eliminate the moisture source, clean/prepare the surface, and use an appropriate primer	Painting / Waterproofing / Plastering
Wall has damp patches	Plumbing leak, rain/external seepage, terrace floor and drainage issues	Fix the leak and ensure moisture is properly drained away before painting; repainting alone is insufficient	Painting / Leakage Repair.
Paint colour is fading	Ageing, environmental exposure, substrate/colour mismatch	Assess exposure and coating application, prepare the surface and use appropriate paint	Painting
Wall has mould/fungal growth	Persistent moisture, condensation, or poor ventilation	Address moisture/ventilation first, clean the affected surface safely, then repoint/recoat	Painting / Plastering / Waterproofing
Wall surface is chalky/powdery	Coating deterioration or application on porous surface	Remove loose material, prepare the substrate and apply suitable primer	Painting.

Pest Management

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
Cockroaches are appearing	Food/water access, cracks/harbourage areas, waste, and entry points	Waste sanitation, points of food storage, seal entry points, and use of baits	Cockroach Control
Ant infestation	Accessible food/water and entry points or nest nearby	Remove food sources, clean trails, seal entry points, and seek professional treatment	Ant Treatment
Termite signs	Wood/structural damage, mud tubes, hollow-sounding wood	Identify and discard damaged areas, professional inspection, remediation	Termite Control
Bed bugs are present	Bed bugs can hide in mattress seams, furniture, cracks, and other untreated areas	Proper cleaning and treatment are often required. Wash/dry suitable items at high heat and avoid spread	Bed Bug Control
Rats/rodents are entering	Food sources, openings, waste, and shelter	Seal entry points, remove food access and arrange professional rodent control	Rat Control
General pest infestation	Multiple pest species may have different harbours and needs	Identify the pests first, remove food/water sources, improve sanitation, and use professional control	General Pest Management

Furniture

Problem	Possible Causes	Recommended Solution / Action	Relevant Service
Bed is loose or unstable	Loose joints, fasteners, damaged components	Loosen and tighten/refit joints; replace damaged hardware or parts where possible	Bed Move/Disassemble / Furniture Rep
Bed needs dismantling before shifting	Large assembled sections may not pass through doorways	Disassemble safely, retain hardware, and protect components	Disassemble Single/Double/Bunk Bed
Bed needs assembly after shifting	Disassembled components need correct alignment	Reassemble fastening to the original construction and verify stability before use	Reassemble Single/Double/Bunk Bed
Showcase installation is difficult	Wall condition, mounting hardware, alignment	Use weight load charts and verify the wall/support can carry the load; professional installation is recommended	Professional Installation
Chimney installation issue	Mounting, alignment, ducting, electrical connections	Installation should be checked for correct mounting and connections; use qualified service where electrical	Chimney Installation
New door installation issue	Frame alignment, hinge position, measurements	Check opening/frame measurements and hinge/lock alignment; carpenter adjustment may be required.	Door Adjustment

Source basis: troubleshooting concepts were researched from manufacturer/professional guidance, including Carrier guidance for AC water leakage and Asian Paints guidance for paint defects and wall dampness, plus EPA guidance for household pest management. The entries have been summarized for this project's knowledge-base format rather than copied as source text.