

RI.UVT.RO Redesign

Role 4 — Week 4 Plan

Directia de Relatii Internationale
West University of Timisoara

Role: UI Designer + Frontend Implementer

Focus: Produce the three missing design system documents, build the three unbuilt atoms (Divider, Icon, LanguageSwitcher), and establish visual consistency rules across the component library.

Technology Stack: WordPress CMS + REST API + React + Vite + TypeScript

Team Q-UW9 | Week 4

Contents

1	Context Entering Week 4	2
1.1	Current Token State in Code	2
2	Priority Order This Week	2
3	Week 3 Carry-Overs — Priority Zero	2
3.1	Design System Draft Document	3
3.2	Typography, Spacing, and Color Rules Document	3
3.3	Core Wireframes Notes	4
4	Week 4 Implementation Tasks	4
4.1	Design Token Completion	4
4.2	Missing UI Atoms	5
4.3	Responsive Visual Behavior	5
4.4	Accessibility-Friendly Visual Patterns	6
5	Deliverables Checklist	6
5.1	Week 3 Carry-Overs (Produce First)	6
5.2	Week 4 Implementation Deliverables	6
6	Dependencies	7
7	Definition of Done	7

1. Context Entering Week 4

Role 4 produced no documents in Week 3. Design tokens exist in `tailwind.config.js` and base typographic styles exist in `globals.css`, but there is no design system document, no typography specification, no spacing rules, and no wireframes. Token authorship is unconfirmed — they may have been written by Role 5.

1.1 Current Token State in Code

Token	Location	Value	Status
uvt-blue	tailwind.config.js	#005BBB	In code, no doc
uvt-navy	tailwind.config.js	#002147	In code, no doc
uvt-gold	tailwind.config.js	#F2B705	In code, no doc
uvt-gray	tailwind.config.js	#F5F5F5	In code, no doc
section spacing	tailwind.config.js	6rem	In code, no doc
container width	tailwind.config.js	1280px	In code, no doc
Heading weight	globals.css	font-weight: 700	In code, no doc
Heading tracking	globals.css	letter-spacing: -0.02em	In code, no doc

Typography scale hardcoded in `Typography.tsx`: `h1 = text-5xl`, `h2 = text-4xl`, `h3 = text-2xl` — not tokenised.

2. Priority Order This Week

1. Produce the three carry-over documents — blocks all implementation work
2. Build missing atoms: Divider, Icon, LanguageSwitcher
3. Document existing design tokens
4. Implement responsive rules and accessibility checks

No further visual implementation should proceed until the design system document exists. Components built without a specification drift from each other and cannot be consistently reviewed.

3. Week 3 Carry-Overs — Priority Zero

3.1 Design System Draft Document

File: docs/design-system-draft.md

Formalise the visual language of the platform using existing tokens as source of truth.

Colors to document:

- Primary: `uvt-blue`: #005BBB — main brand, interactive elements, links
- Deep: `uvt-navy`: #002147 — backgrounds, footer, dark sections
- Accent: `uvt-gold`: #F2B705 — secondary CTA, highlights, badges
- Background: `uvt-gray`: #F5F5F5 — page backgrounds, card backgrounds
- Usage rules: when to use each color, what is never allowed (e.g. gold text on white — contrast check required)

Typography to document:

- Font family: specify the font stack (Tailwind default or custom)
- Heading scale: `h1` (`text-5xl` = 48px), `h2` (`text-4xl` = 36px), `h3` (`text-2xl` = 24px)
- Body: `text-base` = 16px, line-height 1.75
- Caption: `text-sm` = 14px, color gray-500
- Button text: `text-sm` (sm), `text-base` (md), `text-lg` (lg)
- Heading weight: 700, letter-spacing: -0.02em

Spacing to document:

- Section padding: `6rem` (96px) vertical
- Container max-width: 1280px
- Card spacing: document the padding used across Card, AccordionSection, PageLayout
- Grid gap: document the gap value used in ContentGrid

Additional:

- Elevation / shadow: document any box-shadow usage or lack thereof
- Border radius: specify standard values (`rounded-xl` on cards and accordions — confirm rule)

3.2 Typography, Spacing, and Color Rules Document

File: docs/typography-spacing-color-rules.md

A concise reference card formatted as tables, not a narrative. Cover:

- Heading scale with pixel values, Tailwind class, and usage context
- Paragraph line-height values per context
- Link styles (default, hover, visited, focus)
- Button text sizing per button size
- Section padding values (desktop, tablet, mobile)
- Card internal padding
- Grid gap values per grid type
- Mobile overrides (which spacing values change below `md`: breakpoint)
- Color usage table: color name → hex → use case → forbidden use

This is the reference Role 5 and Role 4 use when building new components to ensure visual consistency.

3.3 Core Wireframes Notes

File: docs/core-wireframes-notes.md

Produce wireframe descriptions (text or annotated sketches) for each layout type below. These do not need to be polished — they must specify component composition and content hierarchy.

Homepage: Navbar at top → HeroSection with audience-oriented CTAs → Featured content sections (news, open calls, key programmes) → Footer.

Internal section page (e.g. Erasmus overview, About): Navbar → Page title + breadcrumb → Body content (static WP Page content) → Optional sidebar or CTA block → Footer.

Listing page (Programmes / Calls / Resources): Navbar → SectionHeader with title and optional filter → ContentGrid of Cards → Footer.

Detail page (single Programme / single Call): Navbar → Page title + metadata (deadline, language, ACF fields) → Body content → Structured sections (AccordionSection for application steps, DocumentDownloadList) → Footer.

Contact page: Navbar → Contact card(s) → Form or CTA → Footer.

4. Week 4 Implementation Tasks

4.1 Design Token Completion

- ✔ Color tokens — `uvt-blue`, `uvt-navy`, `uvt-gold`, `uvt-gray` defined in `tailwind.config.js`
- ❶ Typography tokens — hardcoded in `Typography.tsx` as Tailwind utility classes; should be moved to custom Tailwind `fontSize` config entries

- Spacing tokens — **section** and **container** defined; card and grid spacing ad-hoc; standardise and document
- Responsive breakpoint rules — document which layouts change at **sm** (640px), **md** (768px), **lg** (1024px), **xl** (1280px)

4.2 Missing UI Atoms

These three atoms were in the Week 3 plan and were not built.

Divider atom (`components/atoms/Divider/Divider.tsx`)

- Horizontal rule between sections
- Props: **variant** (solid / dashed), **className**
- Should use a Tailwind border color that respects the design system

Icon atom (`components/atoms/Icon/Icon.tsx`)

- Wrapper for SVG icons
- Props: **name** (icon key), **size** (sm/md/lg), **className**
- Decide on icon library — Heroicons recommended (already compatible with Tailwind) or inline SVGs. Record the decision.
- Must be accessible: **aria-hidden** when decorative, **aria-label** when meaningful

LanguageSwitcher atom

(`components/atoms/LanguageSwitcher/LanguageSwitcher.tsx`)

- Dropdown or toggle between language options (RO / EN minimum)
- Props: **currentLocale**, **onLocaleChange**
- Must work alongside the locale routing strategy agreed between Role 1 and Role 5
- Do not hard-wire to a routing implementation — accept locale value and change handler as props

4.3 Responsive Visual Behavior

- Test Button atom at all 3 sizes across desktop / tablet / mobile
- Test Typography atom at all 5 variants across breakpoints
- Test Navbar collapse behavior at **md**: breakpoint
- Test ContentGrid column collapse (4 col desktop → 2 col tablet → 1 col mobile)
- Test AccordionSection on mobile — verify touch targets are large enough
- Check spacing consistency — section padding should reduce on mobile

- ☐ Check layout readability at 375px (iPhone SE baseline)

4.4 Accessibility-Friendly Visual Patterns

- Visible focus states — Button has `focus:ring-2 focus:ring-uvt-blue`. Check Navbar links, Footer links, AccordionSection trigger, and TabsSection tabs — all interactive elements must have a visible focus indicator.
- ☐ Contrast check — `uvt-blue #005BBB` on white: WCAG AA requires 4.5:1 for normal text. Verify. `uvt-gold #F2B705` on white likely fails — document and restrict to large text or decorative use only.
- Hover states — Navbar and Footer links have hover; check all interactive elements
- ☐ Active states — Button has no explicit active style; add `active:` class
- ☐ Confirm `aria-expanded` on AccordionSection is correct
- ☐ WCAG 2.1 AA compliance — document target in `accessibility-implementation-standards.md` (co-authored with Role 1)

5. Deliverables Checklist

5.1 Week 3 Carry-Overs (Produce First)

- ☐ `design-system-draft.md` — colors, typography, spacing, elevation, border radius
- ☐ `typography-spacing-color-rules.md` — concise reference tables
- ☐ `core-wireframes-notes.md` — 5 layout types described

5.2 Week 4 Implementation Deliverables

- ☐ `design-token-implementation.md` — current token state, tokenised vs hardcoded, what still needs tokenising
- ☐ `ui-atoms-checklist.md` — status of every atom: Button, Typography, Divider, Icon, LanguageSwitcher
- ☐ Divider atom built and committed
- ☐ Icon atom built and committed (with icon library decision recorded)
- ☐ LanguageSwitcher atom built and committed
- ☐ Responsive behavior tested and documented
- ☐ `accessibility-implementation-standards.md` co-produced with Role 1

6. Dependencies

What Role 4 needs from other roles:

Role	Needed	When
Role 1	Accessibility standards guidance and WCAG target	Before accessibility work
Role 2	UX feedback on wireframes and visual patterns	As wireframes are produced
Role 5	Confirmation of which Tailwind classes are in use across existing components	Before token standardisation

What other roles need from Role 4:

Role	Needed	When
Role 1	Design system document — needed for architectural validation	Start of week
Role 5	Typography tokens, responsive breakpoint rules, LanguageSwitcher atom	Before locale routing work
Role 2	Wireframes — needed for page-template alignment feedback	Before Role 2 produces page-template doc

7. Definition of Done

- ☐ `design-system-draft.md` committed as a standalone document
- ☐ `typography-spacing-color-rules.md` committed
- ☐ `core-wireframes-notes.md` committed (5 layout types covered)
- ☐ Divider, Icon, LanguageSwitcher atoms committed and accessible
- ☐ `ui-atoms-checklist.md` committed reflecting current state of all 5 atoms
- ☐ Contrast check on `uvt-blue` and `uvt-gold` documented
- ☐ All interactive elements confirmed to have visible focus states