

ri.uvt.ro WordPress Structure Proposal

Date: 2026-05-04

Scope: Phase 2 proposal for how the WordPress backend should be organized to support the future public platform and React frontend.

1. Backend goals

- align WordPress content structure with the proposed React route system
- preserve editorial flexibility without allowing structural chaos
- reduce duplication across pages, files, and yearly offers
- create reusable content blocks and records for future growth

2. Proposed backend model

Pages

Use `Pages` for all navigational and evergreen hub content.

Recommended page groups:

- home
- about pages
- Erasmus overview and journey pages
- international student overview and journey pages
- partnerships pages
- programme landing page
- contact
- search
- sitemap
- legal pages

Posts

Use `Posts` only for dated news and institutional announcements.

Recommended scope:

- official updates
- news
- editorial announcements

Custom Post Types

Recommended CPTs:

- `call`
- `story`
- `resource`
- `programme`
- optional `person`

Purpose of each CPT:

- `call`
opportunities, scholarships, training weeks, yearly calls
- `story`
testimonials and mobility stories
- `resource`
forms, downloadable files, methodologies, calendars, guides
- `programme`
AUF, Fulbright, DAAD, ACBS, and similar recurring programmes
- `person`
staff and coordinator records if the team needs reusable contact management

3. Recommended menu structure

Primary navigation

- Home
- About
- Erasmus
- International Students
- Programmes
- Partnerships
- Calls
- Stories
- Contact

Secondary utility navigation

- Resources
- News
- Search
- Sitemap
- Legal

Section navigation

Local section navigation should be derived from page hierarchy inside:

- About
- Erasmus
- International Students
- Partnerships

4. Taxonomy proposal

Shared custom taxonomies should power filters and related-content modules.

Recommended taxonomies:

- audience

- admission-path
- programme-family
- content-topic
- academic-year

Use built-in categories and tags only for the `Post` type.

5. Structured fields proposal

Use structured field groups for reusable page and collection data.

Suggested field groups:

- page hero block
- CTA card group
- process steps repeater
- document checklist repeater
- deadlines repeater
- FAQ repeater
- related content relationship fields
- contact card fields
- external application and reference links
- SEO fields

Recommended implementation:

- ACF or an equivalent structured-field tool
- shared field groups across pages and CPTs where possible

6. React alignment

Route groups

Recommended React route groups:

- `/(<locale>)/`
- `/(<locale>)/about/*`
- `/(<locale>)/erasmus/*`
- `/(<locale>)/international-students/*`
- `/(<locale>)/programmes/*`
- `/(<locale>)/partnerships/*`
- `/(<locale>)/calls/*`
- `/(<locale>)/stories/*`
- `/(<locale>)/news/*`
- `/(<locale>)/resources/*`
- `/(<locale>)/contact`
- `/(<locale>)/search`
- `/(<locale>)/sitemap`

Backend-to-frontend mapping

- `Pages` map to static route templates based on WordPress ancestry
- `Posts` map to `/news` and `/news/:slug`
- `call` maps to `/calls` and `/calls/:slug`
- `story` maps to `/stories` and `/stories/:slug`
- `resource` maps to `/resources` and `/resources/:slug`
- `programme` maps to `/programmes/:slug` or filtered programme listings

Logic rules

- React should resolve navigation pages by path and locale
- React should resolve collection items by type, slug, and locale
- breadcrumbs should come from ancestry for Pages and archive context for collections
- hub pages should pull related calls, resources, and stories via taxonomy relationships

7. Editorial workflow implications

- editors manage structure through Pages
- news editors manage announcements through Posts
- programme managers manage calls and opportunities through CPTs
- translators mirror the same structural model across languages
- frontend developers get a predictable API shape for route rendering

8. Cleanup and migration rules

- retire all public test and example pages
- redirect legacy Erasmus routes into one canonical branch
- replace file-bucket pages with structured HTML pages plus attached resources
- remove duplicate year pages where a `call` entry is the correct model
- keep one canonical slug for each public topic

9. Final recommendation

WordPress should act as a disciplined content source, not as a loose page repository. The best model for this project is a hybrid of hierarchical pages, narrowly scoped news posts, structured CPT collections, shared taxonomies, and reusable field groups that map directly onto the React route system.