

On-screen Bible — Functionality & Use Cases

1) Purpose

Manual, on-screen scripture search that mirrors the Hands-free Bible Companion's data source, with fast switching between **six configurable Bible versions**. Optimized for **live use** (low-latency, minimal clicks).

The **On-screen Bible** is Q-Worship's manual scripture search designed for those who prefer hands-on control or as a backup to the **Hands-free Bible Companion**. It uses the same Bible database, providing users with fast switching between **six configurable Bible versions**. Much like the song function, Adding the Hands-free Bible item requires that users select the service item first and then open the Add item menu, from the item menu, they click Hands-free Bible which creates a generic 'Bible' item in the selected service section and generates a Generic Bible slide thumbnail in the slide section, all this while loading the Bible search Editor (UI attached) in the Edit & Preparation section, to allow the user to search their desired scripture.

Again much like the song item, once the scriptural is searched and obtained, the generic title in the Service section and slide navigation section is replaced with the scripture reference e.g Jn 3:16 as entered by the similar to the song item

Again, like the Song item, separate verses automatically create separate slide thumbnails in the slide navigation section.

Key capabilities:

- **Instant Scripture Search:** Type a Bible reference directly into the search bar to fetch the passage instantly.
- **Multiple Bible Versions:** Switch between six popular Bible translations without leaving the interface, by simply clicking on the Bible version tabs : KJV, NKJV, MSG, etc
- **Flexible Input Formats:** Supports a wide range of common formats, including:
 - John 8:12 → Fetches John Chapter 8, Verse 12
 - John 8:12-17 → Fetches John Chapter 8, Verses 12 to 17
 - Matthew 7,7 → Fetches Matthew Chapter 7, Verse 7
 - Matthew 7,7-10 → Fetches Matthew Chapter 7, Verses 7 to 10
 - John 3 16 → Fetches John Chapter 3, Verse 16
 - John 3 16-17 → Fetches John Chapter 3, Verses 16 to 17

2) Core User Actions (Step-by-step)

A. Search & Fetch

1. **Focus** the search field (placeholder: "Type scripture reference").
2. **User types** a reference (examples below) and presses **Enter** (or clicks ).

3. **Parser normalizes** the input (see §5) and produces a structured query.
4. **Request** scripture from Bible service.
5. **Render preview** (in the content section below the search bar and parametres) with current **display options** (see §3).
6. **Generate slides** according to split rules (one verse per slide / by paragraphs).
7. **Ready to project** (Preview or On Air).

B. Switch Bible Version (tabs: e.g., KJV, NKJV, NIV, MSG, AMP, +1)

1. Click a **version tab**.
2. **Re-query** same passage with the selected version.
3. **Re-render** preview & slides (preserve current display options).

C. Toggle Display Options (left checklist in UI)

- Show Bible reference **on: Every slide | First slide only | None**.
- Show Bible version **on: Every slide | First slide only | None**.
- **One verse per slide** (checkbox).
- **Include verse numbers** (checkbox).
- **Break slides on paragraphs** (checkbox).
- **Display options** dropdown (future styles/layout presets).

On change → preview & slide set update immediately.

D. Slide Animation

- Dropdown (e.g., **Fade in** default).
- Persist per-item; apply on “Go Live”.

E. Go Live & Navigate

- Click **ON AIR** (global control) or “Show” in item header.
- Use **Next/Previous** to advance generated slides.
- Changing version or options **hot-updates** remaining slides without exiting live.

F. Error Recovery

- Invalid reference → inline error with **suggested formats**.
- Empty result → “No passage found” + quick examples to try.

3) Display Options (behavior rules)

- **Reference Label:** Format “John 8:12–17” (en-dash) in a small caption area; position per theme.
- **Version Label:** Abbrev (e.g., NIV) next to reference or in footer.
- **Verse Numbers:** If enabled, prefix each verse with superscript or smallcaps number.
- **Slide Split Order** (apply in this priority):
 1. If *One verse per slide* = ON → split strictly by verse.

2. Else if *Break slides on paragraphs* = ON → group verses by paragraph markers from API.
 3. Else → auto-fit: pack consecutive verses until max characters/lines reached.
- **Typography:** Use current theme (font, size); auto-shrink long lines; ensure 4:5 line-height min.
-

4) Supported Input (examples)

Normalize to be forgiving; accept common punctuation & spacing.

Accepted patterns (from your requirements):

- John 8:12 → ch:8 v:12
- John 8:12-17 → ch:8 v:12-17
- Matthew 7,7 (*also "Mathew 7,7"*) → ch:7 v:7
- Matthew 7,7-10 → ch:7 v:7-10
- John 3 16 → ch:3 v:16
- John 3 16-17 → ch:3 v:16-17

Optional quality-of-life (nice-to-have, can be Phase 2):

- Book abbreviations: Jn 3:16, 1 Cor 13:4-7
- Whole chapter: Psalm 23
- Multiple discrete verses: John 3:16,18

Verse range spilling chapters: John 7:53-8:11

Bible Books & Abbreviations Reference

Old Testament

1. Genesis – Ge, Gen
2. Exodus – Ex, Exo
3. Leviticus – Le, Lev
4. Numbers – Nu, Num
5. Deuteronomy – Dt, Deut
6. Joshua – Jos, Josh
7. Judges – Jdg, Judg
8. Ruth – Ru, Ruth
9. 1 Samuel – 1Sa, 1Sam
10. 2 Samuel – 2Sa, 2Sam
11. 1 Kings – 1Ki, 1Kgs
12. 2 Kings – 2Ki, 2Kgs
13. 1 Chronicles – 1Ch, 1Chr
14. 2 Chronicles – 2Ch, 2Chr
15. Ezra – Ezr, Ezra
16. Nehemiah – Ne, Neh
17. Esther – Es, Est
18. Job – Job

19. Psalms – Ps, Psa, Psalms
 20. Proverbs – Pr, Prov
 21. Ecclesiastes – Ec, Ecc, Eccles
 22. Song of Solomon – So, Song, SOS
 23. Isaiah – Isa, Is
 24. Jeremiah – Jer
 25. Lamentations – La, Lam
 26. Ezekiel – Eze, Ezek
 27. Daniel – Da, Dan
 28. Hosea – Ho, Hos
 29. Joel – Joe, Joel
 30. Amos – Am, Amos
 31. Obadiah – Ob, Obad
 32. Jonah – Jon, Jonah
 33. Micah – Mic
 34. Nahum – Na, Nah
 35. Habakkuk – Hab
 36. Zephaniah – Zep, Zeph
 37. Haggai – Hag
 38. Zechariah – Zec, Zech
 39. Malachi – Mal
-

New Testament

40. Matthew – Mt, Matt
41. Mark – Mk, Mar, Mrk
42. Luke – Lk, Luk
43. John – Jn, Joh, Jhn
44. Acts – Ac, Act
45. Romans – Ro, Rom
46. 1 Corinthians – 1Co, 1Cor
47. 2 Corinthians – 2Co, 2Cor
48. Galatians – Ga, Gal
49. Ephesians – Eph
50. Philippians – Php, Phil
51. Colossians – Col
52. 1 Thessalonians – 1Th, 1Thess
53. 2 Thessalonians – 2Th, 2Thess
54. 1 Timothy – 1Ti, 1Tim
55. 2 Timothy – 2Ti, 2Tim
56. Titus – Tit
57. Philemon – Phm, Philem
58. Hebrews – Heb
59. James – Jas, Jam
60. 1 Peter – 1Pe, 1Pet
61. 2 Peter – 2Pe, 2Pet
62. 1 John – 1Jn, 1John
63. 2 John – 2Jn, 2John
64. 3 John – 3Jn, 3John
65. Jude – Jud, Jude

66. Revelation – Re, Rev

This means that in the input field, users can use either the book name or the abbreviation followed by the chapter and number, eg:

Matt 3:16 for Matthew 3:16

5) Parsing & Normalization (implementation sketch)

Normalization steps (in order):

1. Trim & collapse multiple spaces.
2. Fix common misspells: Mathew → Matthew (map list).
3. Convert **comma after chapter** to colon: 7,7 → 7:7.
4. Convert **space between chapter & verse** to colon: 3 16 → 3:16.
5. Standardize range dash to **en-dash** for display; keep - for query.
6. Resolve book name/abbrev via lookup table (case-insensitive).
7. Extract {book, chapter, startVerse, endVerse?}.

Regex hint (simplified):

```
^([1-3]?[s]?[A-Za-z\.\ ]+)\s+(\d+)(?:[:|,|\s)?(\d+)?(?:[--](\d+))?$
```

Fail soft: if no verse → default to whole chapter (Phase 2) or show hint.

Normalized query payload (example):

```
{
  "book": "John",
  "chapter": 8,
  "from": 12,
  "to": 17,
  "version": "NIV"
}
```

6) Data Contract (Bible service)

Request

- GET /passage?book=John&chapter=8&from=12&to=17&version=NIV

Response

```
{
  "book": "John",
  "chapter": 8,
  "version": "NIV",
  "verses": [
    {"v": 12, "t": "...", "p": 1},
    {"v": 13, "t": "...", "p": 1},
  ]
}
```

```

    ...,
  ],
  "paragraphs": [{"start":12,"end":13}, {"start":14,"end":17}]
}

```

- `p` = paragraph id; use for paragraph-based splitting.
- Include small footnote markers stripped by default.

7) Slide Generation (pseudo)

```

input: verses[], options { oneVersePerSlide, breakOnParagraphs,
includeVerseNumbers }
slides = []

if oneVersePerSlide:
  for each verse in verses:
    slides.push(text = fmt(verse, options))
else if breakOnParagraphs:
  for each para in paragraphs:
    group = verses where v in [para.start..para.end]
    slides.push(text = fmt(group, options))
else:
  pack verses into slides up to maxLines/maxChars; push each pack

apply captions:
- referenceLabel per visibility rule
- versionLabel per visibility rule

```

8) UI Elements (from attached mock)

- **Version Tabs:** KJV, NKJV, NIV, MSG, AMP, + Add more (configurable; default 6).
- **Search Input:** full-width; placeholder “Type scripture reference”.
- **Option Checkboxes:** as listed in §3.
- **Selects:** “Show Bible reference on...”, “Show Bible version on...”, “Display options”.
- **Slide Animation:** dropdown (default “Fade in”).
- **Preview Panel:** live render; reflects theme; shows pagination.
- **Info icon:** opens short help with accepted input patterns.

9) Use Cases

1. **Single Verse (fast fetch)**
 - Input: `John 8:12` → NIV → One verse per slide ON → Project.
 - **Result:** One slide with verse 12, caption “John 8:12 • NIV”.
2. **Verse Range (teaching flow)**
 - Input: `John 8:12-17` → NKJV → Break on paragraphs ON.
 - **Result:** 2–3 slides grouped by paragraph markers.
3. **Comma Notation (forgiving input)**
 - Input: `Matthew 7,7` → auto-normalize → fetch `Matthew 7:7`.

4. **Space Notation (forgiving input)**
 - Input: `John 3 16` → auto-normalize → fetch `John 3:16`.
 5. **Switch Version On The Fly (live)**
 - While On Air, click **MSG** tab → slides update to MSG text; navigation continues.
 6. **Display Tuning Mid-Service**
 - Uncheck “Include verse numbers” → preview & live update text without numbers.
 7. **Error Handling**
 - Input: `Jhn 3:16` → suggest: “Did you mean **John 3:16**?” (click to apply).
 8. **Long Passage Management**
 - Input: `Psalms 119:1-16` → auto-fit rule splits across multiple slides with consistent captions.
 9. **Backup Flow (Hands-free fails)**
 - Presenter types reference quickly → On-screen Bible projects immediately; later re-enable hands-free.
 10. **Add A Version**
 - Click **Add more** → choose ESV (example) → appears as a tab → re-query current passage.
-

10) Performance & UX Requirements

- **Latency target:** ≤250ms parse, ≤800ms fetch & render for typical ranges.
 - **Debounce** search (300ms) but execute immediately on **Enter**.
 - **Keyboard:** Enter (search), Ctrl+←/→ (prev/next slide), 1–6 to switch version tabs.
 - **Accessibility:** Tabs & checkboxes keyboard-navigable; ARIA labels for controls.
 - **Resilience:** Cache last N passages per version; retry fetch (exponential backoff).
 - **Localization:** English UI; book name mapping supports common abbreviations.
-

11) Acceptance Criteria (high level)

- Entering **any** of the six example formats returns the correct passage and renders slides according to selected options.
 - Switching versions updates content without leaving live mode.
 - Toggling any display option updates preview within 150ms and live output within 300ms.
 - Invalid inputs display helpful, actionable guidance without breaking the session.
 - Slide animation applies consistently on live transition.
-

12) Config Notes

- **Bible versions list is configurable** (default 6). Examples: KJV, NKJV, NIV, MSG, AMP, NLT (confirm exact set).

- Inherits **theme/background** from the current presentation item (no audio/video).
 - Logging: record queries (book, chapter, range, version, success/error) for QA.
-

This should be everything your devs need to implement the On-screen Bible cleanly and predictably. If you want, I can convert this into Jira epics/stories with task breakdowns and story-point ranges.

You said: