Test execution results (detailed)

Test Cycle

Key	ED-R1	**Name**	Project_Round#1		
Description	-				
Planned start date	01/Oct/26 1:50 am	**Planned end date**	01/Oct/26 1:50 am	**Iteration**	no iteration
Status	DONE	**Release version**	-		

Test Executions

Key	ED-T47	**Status**	PASS	**Name**	TC9 — Enforce Customer and Admin route protection
Objective	Verify that guests cannot access Customer pages and Customers cannot access the Admin area.				
Precondition	A valid Customer account exists. The tester can perform checks while signed out and signed in as a Customer.				
Coverage (issues)	ED-1, ED-14				
Coverage (web links)					
Actual end date	07/Oct/26 3:35 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS

	Details	Sign out and open the Cart page directly.
	Test Data	/cart
	Expected Result	The visitor is redirected to Login.
	Actual Result	The visitor is redirected to Login.
	Issues	-
2	**Status**	**PASS**
	Details	Repeat the test with other protected Customer pages.
	Test Data	/checkout, /orders, /wishlist
	Expected Result	The visitor is redirected to Login for every protected page.
	Actual Result	The visitor is redirected to Login for every protected page.
	Issues	-
3	**Status**	**PASS**
	Details	Sign in using a Customer account.
	Test Data	Valid Customer credentials
	Expected Result	The customer is signed in successfully.
	Actual Result	The customer is signed in successfully.
	Issues	-
4	**Status**	**PASS**
	Details	Enter the Admin page URL directly in the browser.
	Test Data	/admin
	Expected Result	The Customer cannot access the Admin page and is redirected or shown an Access Denied message.
	Actual Result	The Customer cannot access the Admin page and is redirected or shown an Access Denied message.
	Issues	-

5	**Status**	PASS
	Details	Check the navigation menu.
	Test Data	Signed-in Customer
	Expected Result	Admin options are not displayed to the Customer.
	Actual Result	Admin options are not displayed to the Customer.
	Issues	-

Key	ED-T1	**Status**	PASS	**Name**	TC1 — Validate Required Registration Fields
Objective	Verify that every mandatory registration field is enforced before account creation.				
Precondition	The visitor is signed out. The Register page is available.				
Coverage (issues)	ED-1, ED-10				
Coverage (web links)					
Actual end date	01/Oct/26 2:22 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the Register page.
	Test Data	Register navigation link.
	Expected Result	The registration form opens and shows First Name, Last Name, Email, Password, and Confirm Password.

	Actual Result	The Register page opened successfully. The form displayed First Name, Last Name, Email, Password, and Confirm Password fields.
	Issues	-
2	**Status**	**PASS**
	Details	Leave First Name blank and complete all other fields with valid values.
	Test Data	Last Name: Quraan; Email: unique valid email; Password/Confirm: Valid1!
	Expected Result	The form remains ready for validation and First Name is the only missing required value.
	Actual Result	The form accepted all entered valid values. First Name was the only required field left blank, and the form remained ready for submission.
	Issues	-
3	**Status**	**PASS**
	Details	Select Register.
	Test Data	Current form values.
	Expected Result	Registration is blocked and a clear First Name required validation message is shown.
	Actual Result	Registration was blocked. A clear validation message indicating that First Name is required was displayed, and no account was created.
	Issues	-
4	**Status**	**PASS**
	Details	Verify Required Field Validation for Last Name.
	Test Data	Leave Last Name blank. Enter valid values in First Name, Email, Password, and Confirm Password.
	Expected Result	Registration is blocked and a clear Last Name required validation message is shown.
	Actual Result	Registration was blocked and a clear Last Name required validation message was displayed.
	Issues	-
5	**Status**	**PASS**
	Details	Verify Required Field Validation for Email.

	Test Data	Leave Email blank. Enter valid values in First Name, Last Name, Password, and Confirm Password.
	Expected Result	Registration is blocked and a clear Email required validation message is shown.Registration is blocked and a clear Email required validation message is shown.
	Actual Result	Registration was blocked and a clear Email required validation message was displayed.
	Issues	-
6	**Status**	**PASS**
	Details	Verify Required Field Validation for Password.
	Test Data	Leave Password blank. Enter valid values in First Name, Last Name, Email, and Confirm Password.Leave Password blank. Enter valid values in First Name, Last Name, Email, and Confirm Password.
	Expected Result	Registration is blocked and a clear Password required validation message is shown.
	Actual Result	Registration was blocked and a clear Password required validation message was displayed.
	Issues	-
7	**Status**	**PASS**
	Details	Verify Required Field Validation for Confirm Password.
	Test Data	Leave Confirm Password blank. Enter valid values in First Name, Last Name, Email, and Password.
	Expected Result	Registration is blocked and a clear Confirm Password required validation message is shown.
	Actual Result	Registration was blocked and a clear Confirm Password required validation message was displayed.
	Issues	-

Key	ED-T10	**Status**	**PASS**	**Name**	TC10 — Search Products by Name or Description Without

					Case Sensitivity
Objective	Verify keyword search matches product name or description regardless of letter casing.				
Precondition	Products exist with known searchable words in their names and descriptions.				
Coverage (issues)	ED-2, ED-16				
Coverage (web links)					
Actual end date	01/Oct/26 6:06 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the catalog search interface.
	Test Data	Catalog search box.
	Expected Result	The search control is available.
	Actual Result	The catalog search control was available and ready for use.ر
	Issues	-
2	**Status**	PASS
	Details	Search using a keyword contained in a product name.
	Test Data	Keyword from known product name.
	Expected Result	Matching products whose names contain the keyword are returned.
	Actual Result	Products with names containing the entered keyword were returned.
	Issues	-
3	**Status**	PASS
	Details	Repeat the search using different letter casing.

	Test Data	Same keyword in uppercase/lowercase.
	Expected Result	The same matching set is returned regardless of letter casing.
	Actual Result	The same matching products were returned regardless of letter casing.
	Issues	-
4	**Status**	PASS
	Details	Search using a word that exists only in a product description.
	Test Data	Keyword from known product description.
	Expected Result	Products with the keyword in their descriptions are returned.
	Actual Result	Products containing the keyword in their descriptions were returned.
	Issues	-

Key	ED-T11	**Status**	PASS	**Name**	TC11 — Filter and Sort Product Results Correctly
Objective	Verify category filtering is case-insensitive, price boundaries are inclusive, and results can be sorted in both directions.				
Precondition	Multiple products exist across categories and prices. At least two products share the same category.				
Coverage (issues)	ED-2, ED-16				
Coverage (web links)					
Actual end date	01/Oct/26 6:09 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS

	Details	Filter the catalog by a known category name.
	Test Data	Category: Electronics.
	Expected Result	Only products in the selected category are shown.
	Actual Result	Only products from the selected category were displayed.
	Issues	-
2	**Status**	**PASS**
	Details	Repeat the category filter using lowercase and uppercase variants.
	Test Data	electronics; ELECTRONICS.
	Expected Result	Each casing returns the identical set of category products.
	Actual Result	Both lowercase and uppercase inputs returned the same set of category products.
	Issues	-
3	**Status**	**PASS**
	Details	Apply minimum and maximum price values equal to known product prices.
	Test Data	MinPrice = exact lower product price; MaxPrice = exact upper product price.
	Expected Result	Products priced exactly at both boundaries are included.
	Actual Result	Products priced exactly at both minimum and maximum boundaries were included.
	Issues	-
4	**Status**	**PASS**
	Details	Sort the filtered results by name ascending and descending.
	Test Data	Sort field: name.
	Expected Result	The result order reverses correctly between ascending and descending.
	Actual Result	The result order was correctly reversed between ascending and descending name order.
	Issues	-
5	**Status**	**PASS**
	Details	Repeat sorting by price and newest.

	Test Data	Sort fields: price and newest.
	Expected Result	Each field supports ascending and descending ordering as requested.
	Actual Result	Price and newest sorting supported both ascending and descending order as requested.
	Issues	-

Key	ED-T12	**Status**	FAIL	**Name**	TC12 — Show Complete Product Detail and Handle Removed Products Cleanly	
Objective	Verify product detail contains the required information and a removed product produces a clean not-found state.					
Precondition	One active product has stock, a category, discount, and reviews. One removed product ID is known.					
Coverage (issues)	ED-2, ED-17					
Coverage (web links)						
Actual end date	01/Oct/26 6:16 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00	
Assigned to	-	**Environment**	-	**Type**	Manual execution	
Executed by	Rahaf AlQura'an					
Issues	ED-82					

Test Script		
1	**Status**	PASS
	Details	Open the active product's detail page.
	Test Data	Known active product.
	Expected Result	The product detail page opens successfully.
	Actual Result	The active product detail page opened successfully.

	Issues	-
2	**Status**	PASS
	Details	Inspect the product information and reviews.
	Test Data	Known category, stock, discount, reviewer names and ratings.
	Expected Result	Description, category, current stock, reviews with reviewer name and star rating, and correct discounted price are displayed.
	Actual Result	The product description, category, current stock, reviews with reviewer names and ratings, and discounted price were displayed correctly.
	Issues	-
3	**Status**	FAIL
	Details	Open the removed product's former detail address.
	Test Data	Known removed product ID or URL.
	Expected Result	A clean not-found state is shown instead of a broken product page.
	Actual Result	The removed product did not display the expected clean not-found state.
	Issues	-

Key	ED-T13	**Status**	PASS	**Name**	TC13 — Calculate Discounted Prices to Two Decimals
Objective	Verify displayed discounted prices use the required arithmetic and rounding.				
Precondition	A product can be configured with a known list price and discount percentage.				
Coverage (issues)	ED-2, ED-18				
Coverage (web links)					
Actual end date	01/Oct/26 6:18 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution

Executed by	Rahaf AlQura'an	
Issues	-	

Test Script		
1	**Status**	**PASS**
	Details	Open a product priced at 249.99 with a 15% discount.
	Test Data	List price: 249.99; Discount: 15%.
	Expected Result	The product page displays the discounted price field.
	Actual Result	The product page displayed the discounted price field.
	Issues	-
2	**Status**	**PASS**
	Details	Calculate the expected price independently.
	Test Data	249.99 × (1 - 15/100).
	Expected Result	The independent calculation rounds to 212.49.
	Actual Result	The calculated discounted price was 212.49.
	Issues	-
3	**Status**	**PASS**
	Details	Compare the displayed discounted price with the calculation.
	Test Data	Displayed price vs 212.49.
	Expected Result	The displayed discounted price is 212.49.
	Actual Result	The displayed discounted price matched the calculated value of 212.49.
	Issues	-
4	**Status**	**PASS**
	Details	Verify a product with a 0% discount.
	Test Data	List price: 39.99; Discount: 0%.
	Expected Result	The displayed current price remains 39.99.
	Actual Result	The displayed current price remained 39.99.
	Issues	-

Key	ED-T14	**Status**	**FAIL**	**Name**	TC14 — Create a Product with Valid Data and Enforce Product Validation
Objective	Verify an Admin can create a valid product and that required fields, price, stock, and discount limits are enforced.				
Precondition	An Admin is signed in. At least one active category exists.				
Coverage (issues)	ED-2, ED-19				
Coverage (web links)					
Actual end date	07/Oct/26 2:01 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	**PASS**
	Details	Open the Admin Create Product form.
	Test Data	Admin product management.
	Expected Result	The create form opens with Name, Description, Price, Stock, Category, and Discount controls.
	Actual Result	The Create Product form opened successfully and displayed the mandatory fields: Name, Description, Price, Stock, Category, and Discount.
	Issues	-
2	**Status**	**PASS**
	Details	Create a product using valid values.

	Test Data	Name: QA Product; Description: Test item; Price: 50.00; Stock: 5; valid Category; Discount: 10.
	Expected Result	The product is created successfully and appears as an active product.
	Actual Result	The product is created successfully and appears as an active product.
	Issues	-
3	**Status**	**PASS**
	Details	Attempt creation with one mandatory field blank.
	Test Data	Omit Name, Description, Price, Stock, or Category one at a time.
	Expected Result	Each incomplete submission is rejected and no invalid product is created.
	Actual Result	Each incomplete submission was rejected, and no invalid product was created.
	Issues	-
4	**Status**	**PASS**
	Details	Attempt creation with zero or negative price.
	Test Data	Price: 0, then -1.
	Expected Result	Each invalid price is rejected.
	Actual Result	Products with zero or negative prices were rejected.
	Issues	-
5	**Status**	**FAIL**
	Details	Attempt creation with negative stock.
	Test Data	Stock: -1.
	Expected Result	Negative stock is rejected.
	Actual Result	Products with negative stock values were not rejected.
	Issues	-
6	**Status**	**PASS**
	Details	Attempt creation with discount below 0 and above 100.
	Test Data	Discount: -1, then 101.
	Expected Result	Each out-of-range discount is rejected.
	Actual Result	Discounts below 0 or above 100 were rejected.
	Issues	-

Key	ED-T15	**Status**	**FAIL**	**Name**	TC15 — Apply Create Validation Rules When Editing a Product
Objective	Verify editing a product enforces the same validation rules as creation, including rejection of negative stock.				
Precondition	An Admin is signed in. An active product exists and can be edited.				
Coverage (issues)	ED-2, ED-20				
Coverage (web links)					
Actual end date	01/Oct/26 6:23 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-83				

Test Script		
1	**Status**	**PASS**
	Details	Open the existing product in Edit mode.
	Test Data	Known active product.
	Expected Result	The edit form loads the current product values.
	Actual Result	The edit form loaded with the current product values.
	Issues	-
2	**Status**	**PASS**
	Details	Change a valid field and save.
	Test Data	Updated description or price with valid values.
	Expected Result	The valid update is saved and displayed.
	Actual Result	The valid update was saved and displayed successfully.
	Issues	-

3	**Status**	FAIL
	Details	Set Stock to a negative number and submit.
	Test Data	Stock: -1.
	Expected Result	The update is rejected and the negative stock value is not saved.
	Actual Result	The negative stock value was not rejected and the invalid update was saved.
	Issues	-
4	**Status**	PASS
	Details	Try another value that would be invalid during product creation.
	Test Data	Price: 0 or Discount: 101.
	Expected Result	The edit is rejected using the same validation rule as Create.
	Actual Result	The edit is rejected using the same validation rule as Create.
	Issues	-

Key	ED-T16	**Status**	PASS	**Name**	TC16 — Remove a Product from All Shopper Discovery Surfaces
Objective	Verify a removed product immediately disappears from browsing, search, filtering, and direct detail access.				
Precondition	An Admin is signed in. An active product exists and is discoverable in catalog, search, and its category.				
Coverage (issues)	ED-2, ED-21				
Coverage (web links)					
Actual end date	01/Oct/26 6:26 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				

Issues	-

Test Script		
1	**Status**	PASS
	Details	Record the product name, category, and detail address.
	Test Data	Known active product.
	Expected Result	The product can be uniquely checked after removal.
	Actual Result	The product name, category, and detail address were recorded successfully for later verification.
	Issues	-
2	**Status**	PASS
	Details	Remove the product from the Admin product management area.
	Test Data	Selected active product.
	Expected Result	The removal action completes successfully.
	Actual Result	The product was removed successfully from the Admin product management area.
	Issues	-
3	**Status**	PASS
	Details	Browse the catalog and search for the removed product.
	Test Data	Recorded product name.
	Expected Result	The removed product is absent from browsing and search results.
	Actual Result	The removed product was absent from the catalog and search results.
	Issues	-
4	**Status**	PASS
	Details	Filter by the product's former category.
	Test Data	Recorded category.
	Expected Result	The removed product is not included in the category results.
	Actual Result	The removed product was not included in the category results.
	Issues	-
5	**Status**	PASS

	Details	Open the recorded product detail address.
	Test Data	Recorded product URL/ID.
	Expected Result	A clean not-found state is shown.
	Actual Result	A clean not-found state was displayed instead of the removed product details.
	Issues	-

Key	ED-T17	**Status**	PASS	**Name**	TC17 — Preserve Historical Product Details in Existing Orders
Objective	Verify orders placed before product removal continue to show the purchased product's historical details.				
Precondition	A Customer has an existing order containing a product. An Admin can remove that product after the order is placed.				
Coverage (issues)	ED-2, ED-21				
Coverage (web links)					
Actual end date	01/Oct/26 6:29 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the existing order and record the product details.
	Test Data	Order containing the target product.
	Expected Result	The order shows the product name and historical order details.

	Actual Result	The order displayed the product name and its historical details correctly.
	Issues	-
2	**Status**	PASS
	Details	As Admin, remove the product from sale.
	Test Data	Target product from the existing order.
	Expected Result	The product becomes unavailable to shoppers.
	Actual Result	The product became unavailable to shoppers.
	Issues	-
3	**Status**	PASS
	Details	Return to the previously placed order.
	Test Data	Same historical order.
	Expected Result	The order still opens normally.
	Actual Result	The historical order opened normally.
	Issues	-
4	**Status**	PASS
	Details	Inspect the removed product line in the order.
	Test Data	Historical order line.
	Expected Result	The product's historical details remain visible and correct.
	Actual Result	The product’s historical details remained visible and correct.
	Issues	-

Key	ED-T18	**Status**	PASS	**Name**	TC18 — Create a Category with a Unique Required Name
Objective	Verify an Admin can create a category with a valid unique name and cannot create a category without a name.				
Precondition	An Admin is signed in. Category management is available.				
Coverage (issues)	ED-3, ED-22				

Coverage (web links)					
Actual end date	07/Oct/26 2:24 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	**PASS**
	Details	Open Category Management.
	Test Data	Admin navigation.
	Expected Result	The category list and create controls are displayed.
	Actual Result	The category list and create controls were displayed successfully.
	Issues	-
2	**Status**	**PASS**
	Details	Create a category with a unique name.
	Test Data	Name: QA Accessories.
	Expected Result	The category is created and appears in the category list.
	Actual Result	The category is created and appears in the category list.
	Issues	-
3	**Status**	**PASS**
	Details	Attempt to create another category with the Name left blank.
	Test Data	Name: blank.
	Expected Result	Creation is blocked and a required-name validation message is shown.
	Actual Result	Creation was blocked, and a required-name validation message was displayed.
	Issues	-

Key	ED-T19	**Status**	PASS	**Name**	TC19 — Reject Duplicate Category Names Regardless of Case
Objective	Verify category names are unique without regard to letter casing.				
Precondition	An Admin is signed in. A category named Electronics already exists.				
Coverage (issues)	ED-3, ED-22				
Coverage (web links)					
Actual end date	07/Oct/26 2:25 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the Create Category control.
	Test Data	Existing category: Electronics.
	Expected Result	The create category form is ready.
	Actual Result	The Create Category form opened and was ready for input.
	Issues	-
2	**Status**	PASS
	Details	Enter the existing category name using different casing.
	Test Data	Name: electronics.
	Expected Result	The duplicate-name value is entered.
	Actual Result	The existing category name was entered using different letter casing.
	Issues	-

3	**Status**	PASS
	Details	Submit the new category.
	Test Data	Current category data.
	Expected Result	Creation is rejected as a duplicate and no second equivalent category is added.
	Actual Result	Creation is rejected as a duplicate and no second equivalent category is added.
	Issues	-

Key	ED-T2	**Status**	PASS	**Name**	TC2 — Validate Registration Email, Password, and Confirmation Rules
Objective	Verify that registration rejects invalid email format, weak passwords, and a mismatched password confirmation.				
Precondition	The visitor is signed out. The Register page is available.				
Coverage (issues)	ED-1, ED-10				
Coverage (web links)					
Actual end date	01/Oct/26 5:38 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the Register page.

	Test Data	Register page.
	Expected Result	The registration form is displayed.
	Actual Result	**The Register page opened successfully and the registration form was displayed.**
	Issues	-
2	**Status**	**PASS**
	Details	Enter an invalid email with otherwise valid registration values.
	Test Data	Email: not-an-email; valid names and password Valid1!.
	Expected Result	The invalid email value is entered and the form can be submitted for validation.
	Actual Result	**The invalid email value was entered successfully, and the form accepted it for validation.**
	Issues	-
3	**Status**	**PASS**
	Details	Submit the form.
	Test Data	Current invalid-email registration data.
	Expected Result	Registration is blocked and a clear invalid-email message is shown.
	Actual Result	Registration was blocked and a clear invalid-email validation message was displayed.
	Issues	-
4	**Status**	**PASS**
	Details	Replace the email with a unique valid email and enter a password missing one required character type.
	Test Data	Password examples: abcdef1! (no uppercase), ABCDEF1! (no lowercase), Abcdef! (no digit), Abcdef1 (no symbol).
	Expected Result	The selected weak-password variant is entered.
	Actual Result	**The selected weak-password variant was entered successfully.**
	Issues	-
5	**Status**	**PASS**
	Details	Submit each weak-password variant.

	Test Data	One weak-password variant per run.
	Expected Result	Each invalid password is rejected with a clear reason.
	Actual Result	**The weak password was rejected with a clear password-validation message.**
	Issues	-
6	**Status**	**PASS**
	Details	Enter a valid password but a different Confirm Password, then submit.
	Test Data	Password: Valid1!; Confirm Password: Valid2!.
	Expected Result	Registration is blocked before account creation because Password and Confirm Password do not match.
	Actual Result	**Registration was blocked because the Password and Confirm Password values did not match.**
	Issues	-

Key	ED-T20	**Status**	**FAIL**	**Name**	TC20 — Prevent Renaming a Category to Another Existing Name
Objective	Verify an Admin cannot rename one category so that its name collides with another existing category.				
Precondition	An Admin is signed in. Categories Electronics and Books both exist.				
Coverage (issues)	ED-3, ED-23				
Coverage (web links)					
Actual end date	01/Oct/26 6:34 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				

Issues	-

Test Script		
1	**Status**	PASS
	Details	Open the Books category for editing.
	Test Data	Category: Books.
	Expected Result	The current category name is displayed in edit mode.
	Actual Result	The current category name was displayed in edit mode.
	Issues	-
2	**Status**	FAIL
	Details	Change the name to a casing variant of Electronics.
	Test Data	New name: ELECTRONICS.
	Expected Result	The new name is entered for validation.
	Actual Result	The system did not identify ELECTRONICS as a duplicate of Electronics.
	Issues	-
3	**Status**	BLOCKED
	Details	Save the rename.
	Test Data	Current edit values.
	Expected Result	The rename is rejected as a duplicate and the original Books category remains unchanged.
	Actual Result	Duplicate-name validation was not triggered, so the expected rejection could not be verified.
	Issues	-

Key	ED-T21	**Status**	FAIL	**Name**	TC21 — Block or Warn Before Deleting a Category with Active Products
Objective	Verify category deletion does not silently orphan active products from category filtering.				

Precondition	An Admin is signed in. A category exists with one or more active products assigned to it.				
Coverage (issues)	ED-3, ED-24				
Coverage (web links)					
Actual end date	01/Oct/26 6:39 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-88				

Test Script		
1	**Status**	PASS
	Details	Open Category Management and select a category that contains active products.
	Test Data	Category with active assigned products.
	Expected Result	The category is selected for deletion.
	Actual Result	The category containing active products was selected successfully.
	Issues	-
2	**Status**	FAIL
	Details	Choose Delete.
	Test Data	Selected populated category.
	Expected Result	The system warns the Admin or blocks deletion because active products are assigned.
	Actual Result	The system did not block deletion, even though active products were assigned to the category.
	Issues	-
3	**Status**	FAIL
	Details	Inspect the affected products and category filtering.

	Test Data	Products assigned to the selected category.
	Expected Result	No active product is silently left orphaned from category filtering.
	Actual Result	Active products were no longer correctly associated with the category and were silently orphaned from category filtering.
	Issues	-

Key	ED-T22	**Status**	**PASS**	**Name**	TC22 — Block Cart Quantity Above Available Stock
Objective	Verify a shopper cannot add a quantity greater than the product's current stock.				
Precondition	A Customer is signed in. Product ID 1 is active with stock quantity 5. The cart does not contain Product ID 1.				
Coverage (issues)	ED-4, ED-25				
Coverage (web links)					
Actual end date	07/Oct/26 2:55 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	**PASS**
	Details	Open Product ID 1.
	Test Data	Product ID 1; stock = 5.
	Expected Result	The product page opens and shows that five units are available.
	Actual Result	The product page opened and showed that five units were available.
	Issues	-

2	**Status**	PASS
	Details	Set the requested quantity above available stock.
	Test Data	Quantity = 6.
	Expected Result	The requested quantity is ready for validation.
	Actual Result	The quantity of six units was entered and ready for validation.
	Issues	-
3	**Status**	PASS
	Details	Select Add to Cart.
	Test Data	Product ID 1; quantity 6.
	Expected Result	The addition is blocked and the cart is not increased beyond available stock.
	Actual Result	The addition is blocked and the cart is not increased beyond available stock.
	Issues	-

Key	ED-T23	**Status**	PASS	**Name**	TC23 — Add an Item and Merge the Duplicate Line
Objective	Verify that adding the same product more than once increases the quantity of its existing cart line instead of creating a duplicate line.				
Precondition	The customer is signed in. Product ID 1 is active. Product ID 1 has at least five units in stock. The customer's cart does not currently contain Product ID 1.				
Coverage (issues)	ED-4, ED-25				
Coverage (web links)					
Actual end date	01/Oct/26 6:45 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution

Executed by	Rahaf AlQura'an	
Issues	-	

Test Script		
1	**Status**	PASS
	Details	Open the product details page.
	Test Data	Product ID 1.
	Expected Result	The product page opens and shows that at least five units are available.
	Actual Result	The product page opened and showed that at least five units were available.
	Issues	-
2	**Status**	PASS
	Details	Set the requested quantity.
	Test Data	Quantity = 2.
	Expected Result	The quantity is accepted and ready to be added.
	Actual Result	The quantity of two units was accepted and ready to be added.
	Issues	-
3	**Status**	PASS
	Details	Select Add to Cart.
	Test Data	Product ID 1, quantity 2.
	Expected Result	The product is added to the cart successfully.
	Actual Result	The product was added to the cart successfully.
	Issues	-
4	**Status**	PASS
	Details	Open the shopping cart.
	Test Data	Current customer cart.
	Expected Result	One line for Product ID 1 is displayed with a quantity of 2.
	Actual Result	One line for Product ID 1 was displayed with a quantity of 2.
	Issues	-

5	**Status**	PASS
	Details	Return to the same product and add it again.
	Test Data	Product ID 1, quantity 3.
	Expected Result	The addition succeeds and the existing cart line is updated.
	Actual Result	The addition succeeded, and the existing cart line was updated.
	Issues	-
6	**Status**	PASS
	Details	Open the shopping cart again.
	Test Data	Current customer cart.
	Expected Result	Only one cart line exists for Product ID 1, with a total quantity of 5.
	Actual Result	Only one cart line existed for Product ID 1, with a total quantity of 5.
	Issues	-

Key	ED-T24	**Status**	FAIL	**Name**	TC24 — Check Combined Cart Quantity Against Stock
Objective	Verify stock validation considers the quantity already in the cart plus the quantity being added.				
Precondition	A Customer is signed in. A product has stock quantity 5. The cart already contains quantity 3 of that product.				
Coverage (issues)	ED-4, ED-25				
Coverage (web links)					
Actual end date	01/Oct/26 6:47 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				

Issues	ED-89

Test Script		
1	**Status**	PASS
	Details	Open the product that already exists in the cart.
	Test Data	Product stock = 5; cart quantity = 3.
	Expected Result	The product page opens while the cart retains quantity 3.
	Actual Result	The product page opened while the cart retained a quantity of 3.
	Issues	-
2	**Status**	PASS
	Details	Request three additional units.
	Test Data	Additional quantity = 3.
	Expected Result	The requested addition would make the combined quantity 6.
	Actual Result	The requested addition would have resulted in a combined quantity of 6.
	Issues	-
3	**Status**	FAIL
	Details	Select Add to Cart.
	Test Data	Existing 3 + additional 3; stock 5.
	Expected Result	The addition is blocked because the combined quantity would exceed stock.
	Actual Result	The addition was not blocked even though the combined quantity exceeded the stock of 5.
	Issues	-
4	**Status**	PASS
	Details	Open the cart.
	Test Data	Current cart.
	Expected Result	The existing product line remains at quantity 3.
	Actual Result	The existing product line remained at quantity 3 after the attempted addition.
	Issues	-

Key	ED-T25	**Status**	FAIL	**Name**	TC25 — Update Cart Quantity Within Allowed Limits and Stock
Objective	Verify an existing cart line can be updated only within 1–100 and no higher than current product stock.				
Precondition	A Customer is signed in. The cart contains a product with current stock of at least 20.				
Coverage (issues)	ED-4, ED-26				
Coverage (web links)					
Actual end date	07/Oct/26 3:02 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-91				

Test Script		
1	**Status**	PASS
	Details	Open the shopping cart.
	Test Data	Existing cart line.
	Expected Result	The current quantity control is visible.
	Actual Result	The existing cart line and quantity control were visible.
	Issues	-
2	**Status**	PASS
	Details	Set the line quantity to a valid value.
	Test Data	Quantity = 10; stock >= 20.
	Expected Result	The quantity updates to 10 successfully.
	Actual Result	The quantity was updated successfully to 10.
	Issues	-

3	**Status**	PASS
	Details	Attempt to set the quantity to 0.
	Test Data	Quantity = 0.
	Expected Result	The invalid quantity is rejected because cart quantity must be at least 1.
	Actual Result	The invalid quantity is rejected because cart quantity must be at least 1.
	Issues	-
4	**Status**	PASS
	Details	Attempt to set the quantity to 101.
	Test Data	Quantity = 101.
	Expected Result	The invalid quantity is rejected because cart quantity cannot exceed 100.
	Actual Result	The invalid quantity is rejected because cart quantity cannot exceed 100.
	Issues	-
5	**Status**	FAIL
	Details	Attempt to set quantity above current stock.
	Test Data	Quantity = stock + 1.
	Expected Result	The update is rejected and the saved quantity does not exceed current stock.
	Actual Result	The update was not rejected, and the saved quantity did exceed the current stock.
	Issues	-

Key	ED-T26	**Status**	PASS	**Name**	TC26 — Remove One Cart Line and Clear the Entire Cart
Objective	Verify removing a line affects only that product and clearing the cart removes all remaining items.				
Precondition	A Customer is signed in. The cart contains at least three different product lines.				
Coverage (issues)	ED-4, ED-26				

Coverage (web links)					
Actual end date	07/Oct/26 3:01 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the shopping cart.
	Test Data	Cart with Product A, Product B, Product C.
	Expected Result	All three cart lines are displayed.
	Actual Result	All three cart lines for Product A, Product B, and Product C were displayed.
	Issues	-
2	**Status**	PASS
	Details	Remove Product B.
	Test Data	Selected line: Product B.
	Expected Result	Product B disappears while Product A and Product C remain.
	Actual Result	Product B disappeared, while Product A and Product C remained in the cart.
	Issues	-
3	**Status**	PASS
	Details	Select Clear Cart.
	Test Data	Remaining cart contents.
	Expected Result	All remaining product lines are removed.
	Actual Result	All remaining product lines are removed.
	Issues	-

4	**Status**	PASS
	Details	Inspect the cart state.
	Test Data	Current cart after clearing.
	Expected Result	The cart is empty.
	Actual Result	The cart is empty.
	Issues	-

Key	ED-T27	**Status**	FAIL	**Name**	TC27 — Calculate Line Subtotals, Cart Total, and Item Count Correctly
Objective	Verify cart arithmetic remains correct for multi-line carts and quantities greater than 10.				
Precondition	A Customer is signed in. Products with known prices and discounts are available. The cart can hold more than 10 units on a line.				
Coverage (issues)	ED-4, ED-27				
Coverage (web links)					
Actual end date	01/Oct/26 6:58 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-93				

Test Script		
1	**Status**	PASS
	Details	Add 11 units of a product priced at 10.00 with no discount.
	Test Data	Unit price 10.00; quantity 11.

	Expected Result	The line is added with quantity 11.
	Actual Result	The product line was added with a quantity of 11.
	Issues	-
2	**Status**	**PASS**
	Details	Inspect the line subtotal.
	Test Data	10.00 × 11.
	Expected Result	The line subtotal is 110.00.
	Actual Result	The line subtotal was displayed as 110.00.
	Issues	-
3	**Status**	**PASS**
	Details	Add another product with a known discounted unit price.
	Test Data	Second product with known discount and quantity.
	Expected Result	A second cart line is added.
	Actual Result	A second product line was added to the cart.
	Issues	-
4	**Status**	**PASS**
	Details	Calculate the expected combined total independently.
	Test Data	Sum of each discounted unit price × quantity.
	Expected Result	An independent expected cart total is obtained.
	Actual Result	An independent expected total was calculated from the discounted unit prices and quantities.
	Issues	-
5	**Status**	**FAIL**
	Details	Compare the displayed cart total and badge.
	Test Data	Displayed cart total; sum of all line quantities.
	Expected Result	The cart total equals the sum of line subtotals and the badge equals the total quantity across all lines.
	Actual Result	The displayed cart total and item-count badge did not match the sum of all line subtotals and quantities.
	Issues	-

Key	ED-T28	**Status**	FAIL	**Name**	TC28 — Restore the Correct Cart Badge Immediately After Load or Login
Objective	Verify the cart item-count badge reflects the saved cart as soon as the application loads or the user logs in.				
Precondition	A Customer has a saved cart containing multiple quantities. The Customer is signed out before the check.				
Coverage (issues)	ED-4, ED-28				
Coverage (web links)					
Actual end date	01/Oct/26 6:59 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-94				

Test Script		
1	**Status**	PASS
	Details	Record the expected total quantity in the Customer's saved cart.
	Test Data	Example saved quantities: 2 + 3 = 5.
	Expected Result	The expected badge value is known before login.
	Actual Result	The expected saved quantity was recorded as 5 units.
	Issues	-
2	**Status**	PASS
	Details	Sign in as the Customer.
	Test Data	Valid Customer credentials.
	Expected Result	The storefront loads the Customer's session.
	Actual Result	The storefront loaded the Customer’s session successfully.
	Issues	-

3	**Status**	FAIL
	Details	Inspect the cart icon before adding, updating, or removing any item.
	Test Data	Header cart badge.
	Expected Result	The badge immediately shows the true saved-cart quantity.
	Actual Result	The badge did not immediately display the true saved-cart quantity.
	Issues	-
4	**Status**	FAIL
	Details	Refresh the page and inspect the badge again.
	Test Data	Same saved cart.
	Expected Result	The badge remains correct after application load.
	Actual Result	The badge remained incorrect after the application was refreshed.
	Issues	-

Key	ED-T29	**Status**	PASS	**Name**	TC29 — Require Shipping Address and Payment Method at Checkout
Objective	Verify an order cannot be placed without both a shipping address and a payment method.				
Precondition	A Customer is signed in. The cart contains at least one in-stock product.				
Coverage (issues)	ED-5, ED-29				
Coverage (web links)					
Actual end date	01/Oct/26 2:52 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				

Issues	-

Test Script		
1	**Status**	**PASS**
	Details	Open Checkout with a non-empty cart.
	Test Data	Current Customer cart.
	Expected Result	The checkout form opens.
	Actual Result	**The checkout form opened successfully with the non-empty cart displayed.**
	Issues	-
2	**Status**	**PASS**
	Details	Leave Shipping Address blank, select a valid Payment Method, and attempt to place the order.
	Test Data	Shipping Address: blank.
	Expected Result	Order placement is blocked and a shipping-address validation message is shown.
	Actual Result	**Order placement was blocked, and the message “Shipping address is required” was displayed.ر**
	Issues	-
3	**Status**	**PASS**
	Details	Enter a valid Shipping Address, clear Payment Method, and attempt to place the order.
	Test Data	Valid address; Payment Method: none.
	Expected Result	Order placement is blocked and a payment-method validation message is shown.
	Actual Result	**Order placement was blocked, and a payment-method validation message was displayed.ر**
	Issues	-

Key	ED-T3	**Status**	PASS	**Name**	TC3 — Reject Duplicate Email and Create a Customer Session
Objective	Verify case-insensitive email uniqueness and confirm that successful public registration creates a Customer account and signs the user in immediately.				
Precondition	An account already exists with email Customer@Test.com. The visitor is signed out.				
Coverage (issues)	ED-1, ED-10				
Coverage (web links)					
Actual end date	01/Oct/26 5:46 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open Register and attempt to create another account using the existing email in different casing.
	Test Data	Email: customer@test.com; otherwise valid registration details.
	Expected Result	The form accepts the input for submission.
	Actual Result	**The existing email with different casing was accepted as input and the form was ready for submission.**
	Issues	-
2	**Status**	PASS
	Details	Submit the duplicate-email registration.
	Test Data	Existing email with different letter casing.

	Expected Result	Registration fails with a clear already-exists message and no duplicate account is created.
	Actual Result	**Registration was rejected with a clear already-exists message, and no duplicate account was created.Registration was rejected with a clear already-exists message, and no duplicate account was created.**
	Issues	-
3	**Status**	**PASS**
	Details	Replace the email with a new unique address and submit valid registration details.
	Test Data	Email: new.customer@example.com; Password/Confirm: Valid1!; valid names.
	Expected Result	The new account is created successfully.
	Actual Result	**The new account was created successfully using the unique email and valid registration details.**
	Issues	-
4	**Status**	**PASS**
	Details	Inspect the signed-in state immediately after registration.
	Test Data	Current browser session.
	Expected Result	The new user is already signed in without a separate Login action.
	Actual Result	**The new user was signed in automatically without requiring a separate login action.**
	Issues	-
5	**Status**	**PASS**
	Details	Inspect the new account role.
	Test Data	Current-user/profile information.
	Expected Result	The account role is Customer and no public registration option has created an Admin account.
	Actual Result	**The new account role was identified as Customer, and no public option to create an Admin account was available.The new account**

		role was identified as Customer, and no public option to create an Admin account was available.
	Issues	-

Key	ED-T30	**Status**	FAIL	**Name**	TC30 — Show Payment-Specific Fields When Payment Method Changes	
Objective	Verify Checkout reveals the fields or guidance required by each selected payment method.					
Precondition	A Customer is signed in. The cart contains at least one product. Checkout is open.					
Coverage (issues)	ED-5, ED-29					
Coverage (web links)						
Actual end date	01/Oct/26 7:02 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00	
Assigned to	-	**Environment**	-	**Type**	Manual execution	
Executed by	Rahaf AlQura'an					
Issues	ED-95					

Test Script		
1	**Status**	FAIL
	Details	Select Card as Payment Method.
	Test Data	Payment Method: Card.
	Expected Result	Card number, expiry, and CVV fields become visible.
	Actual Result	The required card number, expiry date, and CVV fields were not displayed correctly.

	Issues	-
2	**Status**	FAIL
	Details	Select PayPal.
	Test Data	Payment Method: PayPal.
	Expected Result	The form shows PayPal-specific guidance such as redirect information instead of card fields.
	Actual Result	The required card number, expiry date, and CVV fields were not displayed correctly.
	Issues	-
3	**Status**	FAIL
	Details	Select Bank Transfer.
	Test Data	Payment Method: Bank Transfer.
	Expected Result	Account or reference details needed for bank transfer are displayed.
	Actual Result	The required bank-transfer account or reference details were not displayed correctly.
	Issues	-
4	**Status**	PASS
	Details	Select Cash on Delivery.
	Test Data	Payment Method: Cash on Delivery.
	Expected Result	No unnecessary payment-detail fields are required.
	Actual Result	No unnecessary payment-detail fields were displayed.
	Issues	-

Key	ED-T31	**Status**	FAIL	**Name**	TC31 — Place an Order with Final Stock Check, Exact Total, and Cart Clearing
Objective	Verify successful checkout rechecks stock, decrements it, saves the exact discounted total, and empties the cart.				

Precondition	A Customer is signed in. The cart contains in-stock products, including one line with more than 10 units. A valid shipping address and payment method are available.				
Coverage (issues)	ED-5, ED-29				
Coverage (web links)					
Actual end date	01/Oct/26 7:03 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-96				

Test Script		
1	**Status**	**PASS**
	Details	Open Checkout and note current stock for each cart product.
	Test Data	Cart lines and current stock quantities.
	Expected Result	The stock values needed for post-order comparison are recorded.
	Actual Result	The current stock quantities were recorded successfully for comparison after placing the order.
	Issues	-
2	**Status**	**PASS**
	Details	Independently calculate the order total.
	Test Data	For each line: discounted unit price × quantity.
	Expected Result	The expected exact order total is known.
	Actual Result	The expected order total was calculated from each discounted unit price and quantity.
	Issues	-
3	**Status**	**PASS**
	Details	Enter a valid Shipping Address and Payment Method.

	Test Data	Valid checkout values.
	Expected Result	The form is ready to submit.
	Actual Result	The checkout form accepted the valid shipping address and payment method.
	Issues	-
4	**Status**	**PASS**
	Details	Place the order.
	Test Data	Current non-empty cart.
	Expected Result	The order is created successfully after stock is rechecked.
	Actual Result	The order was created successfully after the stock was rechecked.
	Issues	-
5	**Status**	**FAIL**
	Details	Open the placed order and compare its total.
	Test Data	Saved order total vs independent calculation.
	Expected Result	The order total exactly equals the calculated sum, including the line with more than 10 units.
	Actual Result	The order total did not exactly match the independent calculation, including the line with more than 10 units.
	Issues	-
6	**Status**	**PASS**
	Details	Check product stock after the order.
	Test Data	Recorded stock minus ordered quantities.
	Expected Result	Each ordered product's stock is decremented by the ordered quantity.
	Actual Result	Each ordered product's stock is decremented by the ordered quantity.
	Issues	-
7	**Status**	**PASS**
	Details	Open the cart.
	Test Data	Current Customer cart after successful order.
	Expected Result	The cart is empty.
	Actual Result	The cart was empty after the successful order.

	Issues	-

Key	ED-T32	**Status**	PASS	**Name**	TC32 — Enforce Order Visibility by Customer and Admin Role
Objective	Verify a Customer sees only their own orders while an Admin can see orders from all customers.				
Precondition	Customer A and Customer B have different orders. An Admin account exists.				
Coverage (issues)	ED-5, ED-30				
Coverage (web links)					
Actual end date	01/Oct/26 7:06 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Sign in as Customer A and open My Orders.
	Test Data	Customer A credentials.
	Expected Result	Only Customer A's orders are listed.
	Actual Result	Only Customer A’s orders were listed.
	Issues	-
2	**Status**	PASS
	Details	Attempt to open a known Customer B order by changing the order ID or address.
	Test Data	Customer B order identifier.

	Expected Result	Customer A cannot view Customer B's order.
	Actual Result	Customer A could not view Customer B’s order.
	Issues	-
3	**Status**	PASS
	Details	Sign out and sign in as Admin.
	Test Data	Admin credentials.
	Expected Result	The Admin session starts successfully.
	Actual Result	The Admin session starts successfully.
	Issues	-
4	**Status**	PASS
	Details	Open the Admin order list.
	Test Data	All store orders.
	Expected Result	Orders from both Customer A and Customer B are visible to the Admin.
	Actual Result	Orders from both Customer A and Customer B were visible to the Admin.
	Issues	-

Key	ED-T33	**Status**	FAIL	**Name**	TC33 — Save the Exact Selected Order Status Regardless of Order Size
Objective	Verify every valid fulfillment status can be saved exactly as selected, including for an order with four or more distinct products.				
Precondition	An Admin is signed in. An order exists with at least four distinct products.				
Coverage (issues)	ED-5, ED-31				
Coverage (web links)					
Actual end date	08/Oct/26 11:22 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00

Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-97				

Test Script		
1	**Status**	PASS
	Details	Open the target order in Admin order management.
	Test Data	Order containing 4+ distinct products.
	Expected Result	The current order status is displayed.
	Actual Result	The order containing four or more distinct products opened, and the current order status was displayed.
	Issues	-
2	**Status**	FAIL
	Details	Set the status to Processing.
	Test Data	Selected status: Processing.
	Expected Result	The order saves with status exactly Processing.
	Actual Result	The order status was saved as Shipped.
	Issues	-
3	**Status**	PASS
	Details	Open the target order in Admin order management.
	Test Data	Order containing <=3 distinct products.
	Expected Result	The current order status is displayed.
	Actual Result	The saved order status changed exactly to Shipped.
	Issues	-
4	**Status**	PASS
	Details	Set the status to Processing.
	Test Data	Selected status: Processing.
	Expected Result	The order saves with status exactly Processing.

	Actual Result	Each selected valid status was saved exactly as chosen and was not changed based on the product count.
	Issues	-

Key	ED-T34	**Status**	**PASS**	**Name**	TC34 — Validate Review Rating and Comment Input
Objective	Verify review submission requires a rating from 1 to 5 and a consistently enforced non-empty meaningful comment.				
Precondition	A Customer is signed in. The Customer has a Delivered order containing the target product.				
Coverage (issues)	ED-6, ED-32				
Coverage (web links)					
Actual end date	08/Oct/26 2:17 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
	Status	**PASS**
	Details	Open the purchased product's review form.
	Test Data	Delivered purchased product.
1	**Expected Result**	The rating and comment controls are displayed.
	Actual Result	The review form opened, and the rating and comment controls were displayed.
	Issues	-
2	**Status**	**PASS**

	Details	Attempt to submit without a rating.
	Test Data	Rating: blank; valid comment.
	Expected Result	Submission is rejected because rating is required.
	Actual Result	Submission was rejected because no rating was selected.
	Issues	-
3	**Status**	**PASS**
	Details	Verify that the rating control only allows selecting 1–5 stars.
	Test Data	Available star-rating options.
	Expected Result	Only ratings from 1 to 5 can be selected.
	Actual Result	The rating control allowed selecting only 1–5 stars.
	Issues	-
4	**Status**	**PASS**
	Details	Enter a valid rating but leave the comment blank or below the enforced minimum.
	Test Data	Rating: 5; invalid short/blank comment.
	Expected Result	Submission is rejected by the comment validation rule.
	Actual Result	Submission was rejected when the comment was blank or below the enforced minimum length.
	Issues	-
5	**Status**	**PASS**
	Details	Enter a valid rating and valid comment.
	Test Data	Rating: 5; meaningful comment.
	Expected Result	The review input passes field validation.
	Actual Result	The valid rating and comment passed field validation.
	Issues	-

Key	ED-T35	**Status**	**FAIL**	**Name**	TC35 — Allow Reviews Only After Completed Purchase and Only Once

Objective	Verify a Customer can review a product only after receiving it and cannot submit a second review for the same product.				
Precondition	Customer A has a Delivered order containing Product A. Customer A has a Pending or Processing order containing Product B. Customer A has never ordered Product C.				
Coverage (issues)	ED-6, ED-32				
Coverage (web links)					
Actual end date	01/Oct/26 7:24 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-99				

Test Script		
1	**Status**	**PASS**
	Details	Submit a valid review for Product A.
	Test Data	Delivered purchase; valid rating and comment.
	Expected Result	The review is accepted and saved.
	Actual Result	The valid review was accepted and saved successfully.
	Issues	-
2	**Status**	**FAIL**
	Details	Attempt to submit a second review for Product A.
	Test Data	Same Customer and Product A.
	Expected Result	The duplicate review is rejected with a clear message.
	Actual Result	The duplicate review was not rejected with the required clear message.
	Issues	-
3	**Status**	**PASS**

	Details	Attempt to review Product B before its order is delivered.
	Test Data	Pending/Processing purchase.
	Expected Result	The review is rejected because the purchase is not complete.
	Actual Result	-
	Issues	-
4	**Status**	PASS
	Details	Attempt to review Product C.
	Test Data	Product never ordered by the Customer.
	Expected Result	The review is rejected with a clear purchase-required message and is not saved.
	Actual Result	The review was rejected with a clear purchase-required message and was not saved.
	Issues	-

Key	ED-T36	**Status**	FAIL	**Name**	TC36 — Allow Review Deletion Only by the Author or an Admin
Objective	Verify review deletion is permitted for the review author and Admin but refused for other Customers.				
Precondition	Customer A has written a review. Customer B exists. An Admin account exists.				
Coverage (issues)	ED-6, ED-33				
Coverage (web links)					
Actual end date	01/Oct/26 7:24 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				

Issues	ED-100

Test Script		
1	**Status**	FAIL
	Details	Sign in as Customer B and attempt to delete Customer A's review.
	Test Data	Review authored by Customer A.
	Expected Result	Deletion is refused and the review remains.
	Actual Result	Customer B was able to delete the review instead of the deletion being refused.
	Issues	-
2	**Status**	PASS
	Details	Sign in as Customer A and delete their own review.
	Test Data	Same review or another review authored by Customer A.
	Expected Result	The author's review is deleted successfully.
	Actual Result	Customer A successfully deleted their own review.
	Issues	-
3	**Status**	PASS
	Details	Create or identify another Customer review, then sign in as Admin and delete it.
	Test Data	Review authored by a non-admin Customer.
	Expected Result	The Admin can delete the review successfully.
	Actual Result	The Admin successfully deleted the review.
	Issues	-

Key	ED-T37	Status	FAIL	Name	TC37 — Add Wishlist Items with Immediate Confirmation, Count, and No Duplicates
Objective	Verify adding a product to the wishlist gives visible confirmation, updates the header count immediately, and does not create duplicates.				

Precondition	A Customer is signed in. A product is not currently in the wishlist.				
Coverage (issues)	ED-7, ED-34				
Coverage (web links)					
Actual end date	01/Oct/26 7:32 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-101				

Test Script		
1	**Status**	PASS
	Details	Record the current wishlist count in the site header.
	Test Data	Current header wishlist badge.
	Expected Result	The starting count is known.
	Actual Result	The current wishlist count was recorded successfully.
	Issues	-
2	**Status**	FAIL
	Details	Add the product to the wishlist from the product listing.
	Test Data	Target product.
	Expected Result	Visible confirmation is shown and the wishlist count increases immediately by one.
	Actual Result	The visible confirmation is shown but there is no Wishlist-count is appeare.
	Issues	-
3	**Status**	FAIL
	Details	Open the product detail page and inspect wishlist state.

	Test Data	Same target product.
	Expected Result	The product is shown as already wishlisted.
	Actual Result	The product was not correctly shown as already wishlisted.
	Issues	-
4	**Status**	PASS
	Details	Attempt to add the same product again.
	Test Data	Same target product.
	Expected Result	No duplicate wishlist entry is created and no error is shown.
	Actual Result	No duplicate wishlist entry was created, and no error was displayed.
	Issues	-
5	**Status**	FAIL
	Details	Remove and re-add a product from another supported wishlist action location.
	Test Data	Product detail or wishlist page.
	Expected Result	The confirmation and counter behavior remain consistent across locations.
	Actual Result	The confirmation and counter behavior were not consistent across the available action locations.
	Issues	-

Key	ED-T38	**Status**	FAIL	**Name**	TC38 — Remove a Wishlist Item and Report a Missing Item Clearly
Objective	Verify removing a wishlisted product updates the wishlist and that removing a non-wishlisted product returns a specific message.				
Precondition	A Customer is signed in. Product A is wishlisted. Product B is not wishlisted.				

Coverage (issues)	ED-7, ED-35				
Coverage (web links)					
Actual end date	01/Oct/26 7:33 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-102				

Test Script		
1	**Status**	PASS
	Details	Open the wishlist and record the current count.
	Test Data	Wishlist containing Product A.
	Expected Result	Product A is listed and the starting count is known.
	Actual Result	The wishlist opened with Product A listed, and the starting count was recorded.
	Issues	-
2	**Status**	FAIL
	Details	Remove Product A.
	Test Data	Selected wishlisted product.
	Expected Result	Product A disappears and the header wishlist count decreases immediately.
	Actual Result	Product A was not removed correctly, and the wishlist count did not decrease immediately.
	Issues	-
3	**Status**	FAIL
	Details	Attempt to remove Product B, which is not in the wishlist.
	Test Data	Non-wishlisted Product B.

	Expected Result	A clear, specific message explains that the product is not in the wishlist rather than showing a generic failure.
	Actual Result	The system did not display a clear specific message explaining that Product B was not in the wishlist.
	Issues	-

Key	ED-T39	**Status**	**PASS**	**Name**	TC39 — Show a Friendly Empty Wishlist State
Objective	Verify an empty wishlist displays a useful empty state with a path back to product browsing.				
Precondition	A Customer is signed in. The Customer's wishlist is empty.				
Coverage (issues)	ED-7, ED-36				
Coverage (web links)					
Actual end date	01/Oct/26 7:34 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	**PASS**
	Details	Open My Wishlist.
	Test Data	Customer with no saved wishlist items.
	Expected Result	The wishlist page opens without an error.
	Actual Result	The wishlist page opened successfully without errors.
	Issues	-

2	**Status**	PASS
	Details	Inspect the empty state.
	Test Data	Empty wishlist.
	Expected Result	A friendly message explains that no products are currently saved.
	Actual Result	A friendly message explained that no products were currently saved.
	Issues	-
3	**Status**	PASS
	Details	Use the provided browse-products action or link.
	Test Data	Empty-state browse control.
	Expected Result	The Customer is taken to a product-browsing page.
	Actual Result	The Customer was taken to the product-browsing page successfully.
	Issues	-

Key	ED-T4	**Status**	PASS	**Name**	TC4 — Log In Successfully and Receive a Session
Objective	Verify that a registered user can log in with correct credentials and receives an authenticated session.				
Precondition	A registered Customer account exists. The user is signed out.				
Coverage (issues)	ED-1, ED-11				
Coverage (web links)					
Actual end date	01/Oct/26 5:48 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	**PASS**
	Details	Open the Login page.
	Test Data	Login navigation link.
	Expected Result	The Login form opens.
	Actual Result	**The Login page opened successfully.The Login page opened successfully.**
	Issues	-
2	**Status**	**PASS**
	Details	Enter the registered email and correct password.
	Test Data	Valid Customer email and password.
	Expected Result	The credentials are entered and ready for submission.
	Actual Result	**The registered email and correct password were entered successfully, and the credentials were ready for submission.**
	Issues	-
3	**Status**	**PASS**
	Details	Select Log In.
	Test Data	Current valid credentials.
	Expected Result	Login succeeds and the storefront changes to a signed-in state.
	Actual Result	**Login succeeded and the storefront changed to the signed-in state.Login succeeded and the storefront changed to the signed-in state.**
	Issues	-
4	**Status**	**PASS**
	Details	Inspect the authentication response or session details.
	Test Data	Successful login response/session.
	Expected Result	An access token with a 60-minute lifetime and a refresh token with a 7-day lifetime are issued.
	Actual Result	**An access token with a 60-minute lifetime and a refresh token with a 7-day lifetime were issued.**

	Issues	-

Key	ED-T40	**Status**	FAIL	**Name**	TC40 — Display the Required Store Overview Information
Objective	Verify that the Admin dashboard displays the required store totals, revenue information, pending orders, low-stock products, recent orders, and top-selling products.				
Precondition	An Admin account exists. The Admin is signed in. The store contains products, customers, and orders with different statuses. Some products have a stock quantity of 10 or fewer. Sufficient order data exists to display recent orders and top products.				
Coverage (issues)	ED-8, ED-37				
Coverage (web links)					
Actual end date	01/Oct/26 7:38 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-110, ED-130				

Test Script		
1	**Status**	PASS
	Details	Sign in using the Admin account.
	Test Data	Valid Admin credentials.
	Expected Result	The Admin signs in successfully.
	Actual Result	The Admin account signed in successfully.
	Issues	-

2	**Status**	PASS
	Details	Open the Admin Dashboard.
	Test Data	Admin navigation menu.
	Expected Result	The dashboard opens without an unexpected error.
	Actual Result	The Admin Dashboard opened without an unexpected error.
	Issues	-
3	**Status**	PASS
	Details	Inspect the summary cards.
	Test Data	Products, customers, orders, revenue, and pending-order totals.
	Expected Result	All required summary figures are displayed.
	Actual Result	All required summary figures are displayed.
	Issues	-
4	**Status**	PASS
	Details	Compare the pending-order figure with the visible pending orders.
	Test Data	Orders with Pending status.
	Expected Result	The displayed pending-order total is consistent with the order data.
	Actual Result	The displayed pending-order total is consistent with the order data.
	Issues	-
5	**Status**	FAIL
	Details	Inspect the low-stock information.
	Test Data	Products with stock quantities of 10 or fewer.
	Expected Result	The low-stock products whose stock is 10 or fewer must be flagged.
	Actual Result	The low-stock products whose stock is 10 or fewer not all flagged.
	Issues	-
6	**Status**	PASS
	Details	Inspect the Recent Orders section.
	Test Data	Store order data.

	Expected Result	Up to 10 of the most recent orders are displayed in the correct order.
	Actual Result	Up to 10 of the most recent orders are displayed in the correct order.
	Issues	-
7	**Status**	**FAIL**
	Details	Inspect the Top Products section.
	Test Data	Products with completed sales.
	Expected Result	Up to five best-selling products are displayed.
	Actual Result	The Top Products section did not display the correct best-selling products.
	Issues	-
8	**Status**	**PASS**
	Details	Refresh the dashboard.
	Test Data	Current Admin session.
	Expected Result	The dashboard reloads and continues to display consistent figures.
	Actual Result	The dashboard reloads and continues to display consistent figures.
	Issues	-

Key	ED-T41	**Status**	**FAIL**	**Name**	TC41 — Open and Review the Revenue Report as an Admin
Objective	Verify that an Admin can locate and open the revenue report and review the required revenue figures.				
Precondition	An Admin account exists. The Admin is signed in. The store contains completed orders from different dates. Revenue information is available for the current week, month, and previous months.				
Coverage (issues)	ED-8, ED-38				

Coverage (web links)					
Actual end date	01/Oct/26 7:40 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	ED-131				

Test Script		
1	**Status**	**PASS**
	Details	Sign in using the Admin account.
	Test Data	Valid Admin credentials.
	Expected Result	The Admin signs in successfully.
	Actual Result	The Admin account signed in successfully.
	Issues	-
2	**Status**	**PASS**
	Details	Open the Admin area.
	Test Data	Admin navigation.
	Expected Result	The Admin area is displayed.
	Actual Result	The Admin area was displayed successfully.
	Issues	-
3	**Status**	**FAIL**
	Details	Inspect the available navigation options.
	Test Data	Admin menu or dashboard tabs.
	Expected Result	A visible option for the revenue report is available.
	Actual Result	There is no Revenue Report option visible
	Issues	-
4	**Status**	**BLOCKED**
	Details	Select the Revenue Report option.

	Test Data	Revenue Report link or tab.
	Expected Result	The revenue report opens successfully.
	Actual Result	There is no Revenue Report option visible
	Issues	-

Key	ED-T42	**Status**	PASS	**Name**	TC42 — Prevent a Customer from Accessing the Revenue Report
Objective	Verify that a regular Customer cannot view the Admin revenue report or its information.				
Precondition	A Customer account exists. The Customer is signed in. The revenue report exists in the Admin area. The address of the revenue report page is known.				
Coverage (issues)	ED-8, ED-38				
Coverage (web links)					
Actual end date	01/Oct/26 7:43 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Sign in using the Customer account.
	Test Data	Valid Customer credentials.
	Expected Result	The Customer signs in successfully.

	Actual Result	The Customer account signed in successfully.
	Issues	-
2	**Status**	**PASS**
	Details	Inspect the main navigation.
	Test Data	Customer navigation menu.
	Expected Result	Admin Dashboard and Revenue Report options are not displayed.
	Actual Result	The Admin Dashboard and Revenue Report options were not displayed.
	Issues	-
3	**Status**	**PASS**
	Details	Attempt to open the Admin area using its known page address.
	Test Data	Admin-area page address.
	Expected Result	Access is denied or the Customer is redirected to an allowed page.
	Actual Result	Access was denied and the Customer was redirected to an allowed page.
	Issues	-
4	**Status**	**PASS**
	Details	Attempt to open the revenue report using its known page address.
	Test Data	Revenue-report page address.
	Expected Result	The report is not displayed.
	Actual Result	The Revenue Report was not displayed.
	Issues	-
5	**Status**	**PASS**
	Details	Inspect the displayed page or message.
	Test Data	Rejected access attempt.
	Expected Result	A clear access-denied message or safe redirection is presented.
	Actual Result	A clear access-denied message or safe redirection was presented.
	Issues	-
6	**Status**	**PASS**
	Details	Confirm that no revenue figures are visible.
	Test Data	Revenue totals and trends.
	Expected Result	No Admin revenue information is exposed to the Customer.

	Actual Result	No Admin revenue information was exposed to the Customer.
	Issues	-

Key	ED-T43	**Status**	PASS	**Name**	TC43 — Restrict Admin Pages and Actions to Administrators
Objective	Verify that Admin pages and operations cannot be accessed by Customers or signed-out visitors.				
Precondition	An Admin account exists. A Customer account exists. Admin pages and their page addresses are known. Products, categories, and orders exist for testing. The tester is initially signed in as a Customer.				
Coverage (issues)	ED-9, ED-39				
Coverage (web links)					
Actual end date	08/Oct/26 3:07 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Sign in using the Customer account.
	Test Data	Valid Customer credentials.
	Expected Result	The Customer signs in successfully.
	Actual Result	The Customer account signed in successfully.
	Issues	-

2	**Status**	PASS
	Details	Inspect the application navigation.
	Test Data	Customer navigation menu.
	Expected Result	Admin-management options are not displayed.
	Actual Result	Admin-management options were not displayed.
	Issues	-
3	**Status**	PASS
	Details	Attempt to open the Admin Dashboard directly.
	Test Data	Known Admin Dashboard address.
	Expected Result	Access is denied or the Customer is redirected safely.
	Actual Result	The Customer attempted to access the Admin Dashboard directly but was denied access and could not view the dashboard or its data.
	Issues	-
4	**Status**	PASS
	Details	Attempt to open the Admin Product Management page directly.
	Test Data	Known product-management address.
	Expected Result	The page and its management controls are not displayed.
	Actual Result	The Customer attempted to access the Admin Product Management page directly, but the page and its management controls were not accessible.
	Issues	-
5	**Status**	PASS
	Details	Attempt to open the Category and Order Management pages directly.
	Test Data	Known category and order-management addresses.
	Expected Result	Access is denied and no Admin operation is available.

	Actual Result	The Customer attempted to access the Category and Order Management pages directly. Access was denied, and no Admin management actions were available.
	Issues	-
6	**Status**	PASS
	Details	Sign out of the Customer account.
	Test Data	Current Customer session.
	Expected Result	The Customer is signed out successfully.
	Actual Result	The Customer was signed out successfully.
	Issues	-

Key	ED-T44	**Status**	FAIL	**Name**	TC44 — Display Clear Validation and Business-Rule Errors
Objective	Verify that invalid input, unavailable records, stock problems, and prohibited actions display clear messages without exposing technical details.				
Precondition	Customer and Admin accounts exist. Products, categories, cart items, and orders exist. At least one product is out of stock. At least one product or order identifier does not exist.				
Coverage (issues)	ED-9, ED-40				
Coverage (web links)					
Actual end date	01/Oct/26 7:49 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				

Issues	ED-108

Test Script		
1	**Status**	FAIL
	Details	Enter an invalid value in the field being tested.
	Test Data	Invalid field value.
	Expected Result	Validation failure returns a 4xx response with a human-readable explanation.
	Actual Result	The application prevented the invalid form submission but did not display a clear validation error message.
	Issues	-
2	**Status**	PASS
	Details	Send a request that violates a business rule.
	Test Data	Checkout containing Adjustable Dumbbells Set with insufficient stock for the requested quantity.
	Expected Result	The business-rule violation returns an appropriate 4xx response with a clear message.
	Actual Result	The order was rejected with HTTP 400 Bad Request and a clear insufficient-stock message.
	Issues	-
3	**Status**	PASS
	Details	Inspect the returned status code and JSON for the rejected checkout request.
	Test Data	Checkout API error response.
	Expected Result	The actual error JSON is inspected without assuming a fixed structure, and the response explains the failure.
	Actual Result	The checkout API returned HTTP 400 Bad Request with the message “Insufficient stock for 'Adjustable Dumbbells Set'
	Issues	-
4	**Status**	PASS
	Details	Confirm that the rejected checkout operation did not silently succeed.

	Test Data	Resulting order state.
	Expected Result	The rejected order is not completed or represented as a successful operation.
	Actual Result	The rejected order was not completed.
	Issues	-

Key	ED-T45	**Status**	**FAIL**	**Name**	TC45 — Protect Credentials and End Sessions Safely	
Objective	Verify that passwords are not displayed after submission, sign-out ends access to protected areas, and restricted pages never reveal partial information.					
Precondition	A Customer account exists. An Admin account exists. The tester knows the addresses of Customer and Admin protected pages. The Customer is initially signed out.					
Coverage (issues)	ED-9, ED-41					
Coverage (web links)						
Actual end date	08/Oct/26 11:11 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00	
Assigned to	-	**Environment**	-	**Type**	Manual execution	
Executed by	Rahaf AlQura'an					
Issues	-					

Test Script		
1	**Status**	**PASS**
	Details	Open the sign-in page and enter the password.
	Test Data	Valid Customer email and password.
	Expected Result	The password characters are masked.

	Actual Result	The password characters were masked.
	Issues	-
2	**Status**	**PASS**
	Details	Complete sign-in and open the account or profile page.
	Test Data	Valid Customer account.
	Expected Result	The user signs in successfully and no password value is displayed.
	Actual Result	The user signed in successfully and no password value was displayed.
	Issues	-
3	**Status**	**PASS**
	Details	Navigate through protected Customer pages.
	Test Data	Cart, wishlist, orders, and profile pages.
	Expected Result	Protected information is displayed only while the Customer is signed in.
	Actual Result	Protected information was displayed while the Customer was signed in.
	Issues	-
4	**Status**	**PASS**
	Details	Sign out from the application.
	Test Data	Current Customer session.
	Expected Result	The Customer is signed out and returned to a safe public page or sign-in page.
	Actual Result	The Customer was signed out and returned to a safe public page or the sign-in page.
	Issues	-
5	**Status**	**PASS**
	Details	Use the browser Back button after signing out.
	Test Data	Previously opened protected page.
	Expected Result	Protected information is not restored or displayed.
	Actual Result	After signing out, the Customer used the browser Back button. No protected account information was displayed, and the Customer remained signed out.

	Issues	-
6	**Status**	**FAIL**
	Details	Attempt to access a protected operation without authentication and inspect the request in the Network tab.
	Test Data	No Valid data
	Expected Result	The request is rejected with 401 Unauthorized and must not return 200 OK with empty or partial protected data.
	Actual Result	The request is rejected with 401 Unauthorized and must not return 200 OK with empty or partial protected data.
	Issues	-

Key	ED-T5	**Status**	**PASS**	**Name**	TC5 — Use the Same Generic Message for Invalid Login Attempts
Objective	Verify that wrong-password and unknown-email login failures do not reveal whether an email is registered.				
Precondition	One registered email exists. The user is signed out.				
Coverage (issues)	ED-1, ED-11				
Coverage (web links)					
Actual end date	01/Oct/26 5:51 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script

1	**Status**	**PASS**
	Details	Attempt login with the known email and a wrong password.
	Test Data	Known email; incorrect password.
	Expected Result	Login is rejected and a generic authentication error is displayed.
	Actual Result	**Login was rejected and a generic authentication error message was displayed.Login was rejected and a generic authentication error message was displayed.**
	Issues	-
2	**Status**	**PASS**
	Details	Record the error text.
	Test Data	First failed-login message.
	Expected Result	The exact message text is available for comparison.
	Actual Result	**The exact error message was recorded successfully for comparison.**
	Issues	-
3	**Status**	**PASS**
	Details	Attempt login with an email that is not registered.
	Test Data	Unknown email; any password.
	Expected Result	Login is rejected without indicating that the email is unknown.
	Actual Result	**Login was rejected without indicating that the email address was unregistered.**
	Issues	-
4	**Status**	**PASS**
	Details	Compare the two error messages.
	Test Data	Message from wrong-password attempt vs unknown-email attempt.
	Expected Result	The messages are identical and neither reveals whether the email is registered.
	Actual Result	**The two error messages were identical and did not reveal whether the email or password was incorrect.**
	Issues	-

Key	ED-T6	**Status**	PASS	**Name**	TC6 — Renew an Active Session and Reject Refresh-Token Replay
Objective	Verify that a valid refresh token can renew access once and that replaying the used refresh token is rejected.				
Precondition	A signed-in account has a valid unused refresh token.				
Coverage (issues)	ED-1, ED-12				
Coverage (web links)					
Actual end date	07/Oct/26 12:07 am	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Use the valid refresh token to request a new access token.
	Test Data	Current valid refresh token.
	Expected Result	A new access token is issued without asking for the user's credentials.
	Actual Result	**A new access token was issued using the valid refresh token without requesting the user’s credentials.**
	Issues	-
2	**Status**	PASS
	Details	Save the original refresh token that was just redeemed.
	Test Data	Redeemed refresh token value.
	Expected Result	The used token is available for a replay attempt.
	Actual Result	**The redeemed refresh token was saved successfully for the replay attempt.**

	Issues	-
3	**Status**	PASS
	Details	Submit the same original refresh token again.
	Test Data	Previously redeemed refresh token.
	Expected Result	The replay attempt is rejected and no new valid access token is issued from that used token.
	Actual Result	The replay attempt was rejected, and no new valid access token was issued from the previously redeemed token.
	Issues	-

Key	ED-T7	**Status**	FAIL	**Name**	TC7 — Renew an Expired Access Token Silently During Activity
Objective	Verify that an active user is not sent back to Login when the access token expires while a valid refresh token remains.				
Precondition	A Customer is signed in. The account has a valid refresh token. The access token can be allowed to expire.				
Coverage (issues)	ED-1, ED-12				
Coverage (web links)					
Actual end date	06/Oct/26 10:29 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script

1	**Status**	PASS
	Details	Remain active in the storefront until the access token reaches expiry.
	Test Data	Active signed-in session; valid refresh token.
	Expected Result	The user remains on the current page before the next authenticated request.
	Actual Result	The verification of the user remaining active until the access token expires was not executed.
	Issues	-
2	**Status**	FAIL
	Details	Perform an action that requires authentication after access-token expiry.
	Test Data	Open Cart or another protected Customer action.
	Expected Result	The application attempts session renewal in the background.
	Actual Result	After the 60-minute access-token expiry, clicking the Cart redirected the user to the Login page. The session was not renewed automatically using the refresh token.
	Issues	-
3	**Status**	FAIL
	Details	Observe the result of the authenticated action.
	Test Data	Renewed session state.
	Expected Result	The action completes while the user remains signed in and is not redirected to Login.
	Actual Result	After the access token expired, clicking the Cart redirected the user directly to the Login page. Automatic session renewal was not attempted.
	Issues	-

Key	ED-T8	**Status**	PASS	**Name**	TC8 — Invalidate Session Tokens on Logout and Protect Restricted Areas

Objective	Verify logout invalidates reusable refresh tokens and that unauthenticated or non-admin users cannot reach protected areas.				
Precondition	A Customer account and an Admin account exist. A Customer session has a valid refresh token.				
Coverage (issues)	ED-1, ED-13, ED-14				
Coverage (web links)					
Actual end date	01/Oct/26 6:02 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Record the Customer's current refresh token and then log out.
	Test Data	Current Customer refresh token.
	Expected Result	Logout completes and the browser returns to a signed-out state.
	Actual Result	The refresh token was recorded, logout completed successfully, and the browser returned to a signed-out state.The refresh token was recorded, logout completed successfully, and the browser returned to a signed-out state.
	Issues	-
2	**Status**	PASS
	Details	Attempt to reuse the recorded refresh token.
	Test Data	Refresh token captured before logout.
	Expected Result	The token can no longer be exchanged for a new access token.
	Actual Result	The previously recorded refresh token could no longer be exchanged for a new access token.

	Issues	-
3	**Status**	PASS
	Details	While signed out, open Cart, Checkout, Orders, and Wishlist.
	Test Data	Protected Customer page addresses.
	Expected Result	Each protected page redirects the visitor to Login.
	Actual Result	All protected pages redirected the user to the Login page.
	Issues	-
4	**Status**	PASS
	Details	Sign in as a Customer and attempt to open the Admin area.
	Test Data	Valid Customer credentials; Admin page address.
	Expected Result	The Customer is redirected away and cannot view an Admin screen.
	Actual Result	The Customer was redirected away and could not access the Admin area.
	Issues	-
5	**Status**	PASS
	Details	Attempt an admin-only action using the Customer identity.
	Test Data	Customer-authenticated request to an admin-only operation.
	Expected Result	The operation is refused with authorization failure; hiding the Admin menu is not the only protection.
	Actual Result	The operation was refused with an authorization failure, and the Admin menu was not the only protection.
	Issues	-

Key	ED-T9	**Status**	PASS	**Name**	TC9 — Browse Only Active Products with Complete Product Cards
Objective	Verify that catalog browsing shows only active products and includes the required product-card information with 12 products per page.				
Precondition	Active and removed products exist. At least 13 active products are available.				

	At least one active product has a discount and reviews.				
Coverage (issues)	ED-2, ED-15				
Coverage (web links)					
Actual end date	01/Oct/26 6:04 pm	**Estimated Time**	00:00:00	**Actual time**	00:00:00
Assigned to	-	**Environment**	-	**Type**	Manual execution
Executed by	Rahaf AlQura'an				
Issues	-				

Test Script		
1	**Status**	PASS
	Details	Open the product catalog.
	Test Data	Storefront catalog page.
	Expected Result	The first catalog page loads successfully.
	Actual Result	The product catalog opened successfully.
	Issues	-
2	**Status**	PASS
	Details	Inspect the listed products.
	Test Data	Known active and removed product records.
	Expected Result	Only active products are shown; removed products are absent.
	Actual Result	Only active products were displayed, and removed products were absent.
	Issues	-
3	**Status**	PASS
	Details	Inspect a product card with a discount and reviews.
	Test Data	Known discounted reviewed product.

	Expected Result	The card shows name, list price, discounted price, image, and average rating.
	Actual Result	The product card displayed the product name, list price, discounted price, image, and average rating.
	Issues	-
4	**Status**	**PASS**
	Details	Count the products on the first full page.
	Test Data	At least 13 active products.
	Expected Result	The first page contains 12 products and additional products are available on another page.
	Actual Result	The first page displayed 12 products, with additional products available on another page.
	Issues	-