# **New Test Suite**

## **Execution Environment**

Host name mhani - MSI Local OS Windows 11 64bit

Katalon version 8.6.6.208 Browser null

# Summary

ID Test Suites/New Test Suite Mobile Automation Test Suite Description

Total Passed 1

Failed 0 Error 0 Incomplete 0

Skipped

End 2024-04-08 01:51:32 Start 2024-04-08 01:38:45

Elapsed 12m - 47.426s

#	ID	Description	Status
1	Test Cases/Cucumber		PASSED

# Cucumber

#### Information

Test Cases/Cucumber ID

Description

Tag

Start 2024-04-08 01:38:45 End 2024-04-08 01:51:32

Elapsed 12m - 47.245s

Status **PASSED** 

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : beforeTestCase	0.049s	ERROR
	groovy.lang.MissingPropertyException: No such property: CucumberGlueGen for class: NewTestListener at NewTestListener.beforeTestCase(NewTestListener.groovy:31) at NewTestListener.invokeMethod(NewTestListener.groovy)		

 $at\ com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker.invokem.invokem.invokeMethod(TestHooker.invokem.invokem.invokem.invokem$ java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java:

95)

at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)

at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3

(TestListenerCollector.java:88)

 $at\ com. kms. katalon. core. context. internal. Test Listener Collector.$ 

handleListenerEvent(TestListenerCollector.java:85)

 $at\ com. kms. katalon. core. context. internal. Execution Event Manager. public Event$ 

(ExecutionEventManager.java:36)

 $at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$ 

java:268)

 $at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$ 

(CommonExecutor.java:65)

 $at\ com. kms. katalon. core. main. Test Suite Executor. access Test Suite Main Phase$ 

(TestSuiteExecutor.java:148)

at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:

106)

at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:

187)

at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown

Source)

at TempTestSuite1712515116859.run(TempTestSuite1712515116859.groovy:36)

### runWithCucumberRunner(Runner)