Chapter 1

Linear Equations

Section 1.1

Systems of Linear Equations

▶
$$x + y = 1$$

►
$$x + y = 1$$

 $x + y = 1$ with a line in the plane: $y = 1 - x$



►
$$x + y = 1$$

 $x + y = 1$
 $y = 1 - x$




►
$$x + y + z = 1$$

►
$$x + y = 1$$

 $x + y = 1$ with a line in the plane: $y = 1 - x$

$$x + y + z = 1$$

 $x + y + z = 1$
 $x + y + z = 1$
 $x + y + z = 1$




►
$$x + y = 1$$

 $x + y = 1$ with a line in the plane: $y = 1 - x$

►
$$x + y + z = 1$$

 $x + y + z = 1$
 $x + y + z = 1$




$$x + y + z + w = 1$$

►
$$x + y = 1$$

 $x + y = 1$
 $x + y = 1 - x$

$$x + y + z = 1$$

 $x + y + z = 1$
 $x + y + z = 1$
 $x + y + z = 1$



$$x + y + z + w = 1$$

 $x + y + z + w = 1$
 $x + y + z + w = 1$
 $x + y + z + w = 1$
 $x + y + z + w = 1$

[not pictured here]


What does the solution set of a *system* of more than one linear equation look like?

What does the solution set of a *system* of more than one linear equation look like?

$$x - 3y = -3$$
$$2x + y = 8$$


What does the solution set of a *system* of more than one linear equation look like?

$$x - 3y = -3$$
$$2x + y = 8$$



What does the solution set of a *system* of more than one linear equation look like?


$$x - 3y = -3$$
$$2x + y = 8$$



In general it's an intersection of lines, planes, etc.


$$x - 3y = -3$$
$$x - 3y = 3$$

$$x - 3y = -3$$
$$x - 3y = 3$$



In what other ways can two lines intersect?

$$x - 3y = -3$$
$$x - 3y = 3$$




A system of equations with no solutions is called inconsistent.

$$x - 3y = -3$$


$$2x - 6y = -6$$

$$x - 3y = -3$$
$$2x - 6y = -6$$



In what other ways can two lines intersect?


$$x - 3y = -3$$
$$2x - 6y = -6$$



Note that multiplying an equation by a nonzero number gives the *same* solution set.

In what other ways can two lines intersect?

$$x - 3y = -3$$
$$2x - 6y = -6$$



Note that multiplying an equation by a nonzero number gives the *same* solution set. In other words, they are *equivalent* (systems of) equations.

Poll

What about in three variables?

What about in three variables?

Poll

In how many different ways can three planes intersect in space?

- A. One
- B. Two
- C. Three
- D. Four
- E. Five
- F. Six
- G. Seven

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

This is the kind of problem we'll talk about for the first half of the course.

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

This is the kind of problem we'll talk about for the first half of the course.

► A **solution** is a list of numbers *x*, *y*, *z*, . . . that make *all* of the equations true.

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

This is the kind of problem we'll talk about for the first half of the course.

- A **solution** is a list of numbers x, y, z, ... that make *all* of the equations true.
- The solution set is the collection of all solutions.

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

This is the kind of problem we'll talk about for the first half of the course.

- ▶ A **solution** is a list of numbers *x*, *y*, *z*, . . . that make *all* of the equations true.
- The solution set is the collection of all solutions.
- Solving the system means finding the solution set.

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

This is the kind of problem we'll talk about for the first half of the course.

- A **solution** is a list of numbers x, y, z, ... that make *all* of the equations true.
- The solution set is the collection of all solutions.
- Solving the system means finding the solution set.

What is a systematic way to solve a system of equations?

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

What strategies do you know?

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Elimination method: in what ways can you manipulate the equations?

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Now I've eliminated x from the last equation!

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Now I've eliminated x from the last equation!

... but there's a long way to go still. Can we make our lives easier?

Solving Systems of Equations Better notation

It sure is a pain to have to write x, y, z, and = over and over again.

Solving Systems of Equations Better notation

It sure is a pain to have to write x, y, z, and = over and over again.

Matrix notation: write just the numbers, in a box, instead!

$$x + 2y + 3z = 6$$
 becomes $2x - 3y + 2z = 14$ www.ww> $2x - 3y + 2z = 14$ $3x + y - z = -2$ $3 = 6$ $2x - 3x = 2$ $3x + y - z = -2$

It sure is a pain to have to write x, y, z, and = over and over again.

Matrix notation: write just the numbers, in a box, instead!

This is called an (augmented) matrix. Our equation manipulations become elementary row operations:

It sure is a pain to have to write x, y, z, and = over and over again.

Matrix notation: write just the numbers, in a box, instead!

This is called an (augmented) matrix. Our equation manipulations become elementary row operations:

► Multiply all entries in a row by a nonzero number. (scale)

It sure is a pain to have to write x, y, z, and = over and over again.

Matrix notation: write just the numbers, in a box, instead!

$$x + 2y + 3z = 6$$
 becomes $\begin{cases} 1 & 2 & 3 & 6 \\ 2x - 3y + 2z = 14 & & 2 & 2 & 14 \\ 3x + y - z = -2 & & 3 & 1 & -1 & -2 \end{cases}$

This is called an (augmented) matrix. Our equation manipulations become elementary row operations:

- ► Multiply all entries in a row by a nonzero number. (scale)
- Add a multiple of each entry of one row to the corresponding entry in another. (row replacement)

Solving Systems of Equations Better notation

It sure is a pain to have to write x, y, z, and = over and over again.

Matrix notation: write just the numbers, in a box, instead!

$$x + 2y + 3z = 6$$
 becomes $\begin{cases} 1 & 2 & 3 & 6 \\ 2x - 3y + 2z = 14 & & 2 & 2 & 14 \\ 3x + y - z = -2 & & 3 & 1 & -1 & -2 \end{cases}$

This is called an (augmented) matrix. Our equation manipulations become elementary row operations:

- Multiply all entries in a row by a nonzero number.
- (scale)
- Add a multiple of each entry of one row to the corresponding entry in another. (row replacement)
- ► Swap two rows. (swap)

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Start:

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Start:

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

Goal: we want our elimination method to eventually produce a system of equations like

$$\begin{array}{ccc}
x & = A \\
y & = E \\
z & = C
\end{array}$$

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Start:

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

Goal: we want our elimination method to eventually produce a system of equations like

$$egin{array}{lll} x & & & = A & & & & \\ y & & = B & & \text{or in matrix form,} & & & & \\ z & = C & & & & & \end{array}$$

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Start:

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

Goal: we want our elimination method to eventually produce a system of equations like

$$egin{array}{lll} x & & & = A & & & & \\ y & & = B & & \text{or in matrix form,} & & & & \\ z & = C & & & & & \end{array}$$

So we need to do row operations that make the start matrix look like the end one.

Example

Solve the system of equations

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Start:

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

Goal: we want our elimination method to eventually produce a system of equations like

$$egin{array}{lll} x & & = A & & & & \\ y & & = B & & \text{or in matrix form,} & & & \\ z & = C & & & & \end{array}$$

So we need to do row operations that make the start matrix look like the end one.

Strategy: fiddle with it so we only have ones and zeros.

Row Operations Continued

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 2 & -3 & 2 & 14 \\ 3 & 1 & -1 & -2 \end{pmatrix}$$

Row Operations Continued

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

We want these to be zero.

Continued

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

We want these to be zero. So we subract multiples of the first row.

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

We want these to be zero. So we subract multiples of the first row.

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 0 & -7 & -4 & 2 \\ 0 & -5 & -10 & -20 \end{pmatrix}$$

Continued

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
2 & -3 & 2 & 14 \\
3 & 1 & -1 & -2
\end{pmatrix}$$

We want these to be zero. So we subract multiples of the first row.

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
0 & -7 & -4 & 2 \\
0 & -5 & -10 & -20
\end{pmatrix}$$

We want these to be zero.

Continued

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 2 & -3 & 2 & 14 \\ 3 & 1 & -1 & -2 \end{pmatrix}$$

We want these to be zero. So we subract multiples of the first row.

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 0 & -7 & -4 & 2 \\ 0 & -5 & -10 & -20 \end{pmatrix}$$
We want these to be zero.

It would be nice if this were a 1.

Row Operations Continued

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 2 & -3 & 2 & 14 \\ 3 & 1 & -1 & -2 \end{pmatrix}$$

We want these to be zero. So we subract multiples of the first row.

$$\begin{pmatrix}
1 & 2 & 3 & 6 \\
0 & -7 & -4 & 2 \\
0 & -5 & -10 & -20
\end{pmatrix}$$
We want these to be zero.

It would be nice if this were a 1. We could divide by -7, but that would produce ugly fractions.

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 2 & -3 & 2 & 14 \\ 3 & 1 & -1 & -2 \end{pmatrix}$$

We want these to be zero. So we subract multiples of the first row.

$$\begin{pmatrix} 1 & 2 & 3 & 6 \\ 0 & -7 & -4 & 2 \\ 0 & -5 & -10 & -20 \end{pmatrix}$$
We want these to be zero.

It would be nice if this were a 1. We could divide by -7, but that would produce ugly fractions.

Let's swap the last two rows first.

Continued

$$\begin{pmatrix}
1 & 0 & -1 & | & -2 \\
0 & 1 & 2 & | & 4 \\
0 & 0 & 10 & | & 30
\end{pmatrix}$$

Continued

$$\begin{pmatrix}
1 & 0 & -1 \\
0 & 1 & 2 \\
0 & 0 & 10
\end{pmatrix}$$

$$\begin{vmatrix}
-2 \\
4 \\
30
\end{aligned}$$

We want these to be zero.

Continued

$$\begin{pmatrix}
1 & 0 & -1 \\
0 & 1 & 2 \\
0 & 0 & 10
\end{pmatrix}$$
We want these to be zero.

Let's make this a 1 first.

Continued

$$\begin{pmatrix}
1 & 0 & -1 & -2 \\
0 & 1 & 2 & 4 \\
0 & 0 & 10 & 30
\end{pmatrix}$$
We want these to be zero.

Let's make this a 1 first.

Success!

Continued

$$\begin{pmatrix}
1 & 0 & -1 \\
0 & 1 & 2 \\
0 & 0 & 10 \\
\end{pmatrix}$$
We want these to be zero.

Let's make this a 1 first.

Success!

Check:

$$x + 2y + 3z = 6$$

 $2x - 3y + 2z = 14$
 $3x + y - z = -2$

Row Equivalence

Important

The process of doing row operations to a matrix does not change the solution set of the corresponding linear equations!

Row Equivalence

Important

The process of doing row operations to a matrix does not change the solution set of the corresponding linear equations!

Definition

Two matrices are called **row equivalent** if one can be obtained from the other by doing some number of elementary row operations.

Row Equivalence

Important

The process of doing row operations to a matrix does not change the solution set of the corresponding linear equations!

Definition

Two matrices are called **row equivalent** if one can be obtained from the other by doing some number of elementary row operations.

So the linear equations of row-equivalent matrices have the same solution set.

Example

Solve the system of equations

$$x + y = 2$$
$$3x + 4y = 5$$
$$4x + 5y = 9$$

Example

Solve the system of equations

$$x + y = 2$$
$$3x + 4y = 5$$
$$4x + 5y = 9$$

Example

Solve the system of equations

$$x + y = 2$$
$$3x + 4y = 5$$
$$4x + 5y = 9$$

$$\left(\begin{array}{ccc|c}
1 & 1 & 2 \\
3 & 4 & 5 \\
4 & 5 & 9
\end{array}\right)$$

Example

Solve the system of equations

$$x + y = 2$$
$$3x + 4y = 5$$
$$4x + 5y = 9$$

First clear these by subtracting multiples of the first row.
$$\begin{array}{c|cccc} & 1 & 1 & 2 \\ \hline & 3 & 4 & 5 \\ \hline & 4 & 5 & 9 \\ \hline \end{array}$$

Example

Solve the system of equations

$$x + y = 2$$
$$3x + 4y = 5$$
$$4x + 5y = 9$$

First clear these by subtracting multiples of the first row.
$$\begin{array}{c|cccc} 1 & 1 & 2 \\ \hline 3 & 4 & 5 \\ \hline 4 & 5 & 9 \\ \end{array}$$

$$\begin{pmatrix}
1 & 1 & 2 \\
0 & 1 & -1 \\
0 & 1 & 1
\end{pmatrix}$$

Example

Solve the system of equations

$$x + y = 2$$
$$3x + 4y = 5$$
$$4x + 5y = 9$$

First clear these by subtracting multiples of the first row.
$$\begin{array}{c|cccc} 1 & 1 & 2 \\ \hline 3 & 4 & 5 \\ \hline 4 & 5 & 9 \\ \end{array}$$

Now clear this by subtracting the second row.

$$\begin{array}{c|cccc}
 & 1 & 2 \\
 & 1 & -1 \\
 & 0 \rightarrow 1 & 1
\end{array}$$

A Bad Example Continued

Continued

$$\begin{pmatrix} 1 & 1 & 2 \\ 0 & 1 & -1 \\ 0 & 0 & 2 \end{pmatrix} \xrightarrow{\text{translates into}}$$

In other words, the original equations

$$x+y=2$$
 $3x+4y=5$ have the same solutions as $x+y=2$ $y=-1$ $4x+5y=9$ $0=2$

$$\begin{pmatrix} 1 & 1 & 2 \\ 0 & 1 & -1 \\ 0 & 0 & 2 \end{pmatrix} \xrightarrow{\text{translates into}}$$

In other words, the original equations

$$x+y=2$$
 $3x+4y=5$ have the same solutions as $x+y=2$ $y=-1$ $4x+5y=9$ $0=2$

But the latter system obviously has no solutions (there is no way to make them all true), so our original system has no solutions either.

Continued

$$\begin{pmatrix} 1 & 1 & 2 \\ 0 & 1 & -1 \\ 0 & 0 & 2 \end{pmatrix} \xrightarrow{\text{translates into}}$$

In other words, the original equations

$$x + y = 2$$
 $x + y = 2$ $x + y = 2$ $3x + 4y = 5$ have the same solutions as $y = -1$ $4x + 5y = 9$ $0 = 2$

But the latter system obviously has no solutions (there is no way to make them all true), so our original system has no solutions either.

Definition

A system of equations is called **inconsistent** if it has no solution. It is **consistent** otherwise.