[All workloads](#) /

cz8v134b7tt0008fz1jg

Edit Tags

⋮

Details

Mode: Job

QPU name: ibm_sherbrooke

Instance: ibm-q/open/main

Sent from: ⇅ Spy Hunter

Program: sampler

# of PUBs: 1

Status details

Status

Completed ⊘

Usage stats ⓘ

Actual usage

8s

**Status timeline**

● Created: Mar 12, 2025 12:04 PM

● Pending: 6s

● In progress: Mar 12, 2025 12:04 PM
   Qiskit runtime usage: 8s

● Completed: Mar 12, 2025 12:05 PM

Total completion time: 37.3s

Histogram for register "c0"   ⋮


Histogram for register "c1"   ⋮

Histogram for register "c2"

⋮

Histogram for register "c3"

⋮

**Histogram for register "c4"**   ⋮

Circuit

Qasm   ⊞ Qiskit

```
1 OPENQASM 3.0; include "stdgates.inc"; gate rzx(p0) _gate_q_0, _gate_q_1 {   h _gate_q_1;   cx _gate_q_0, _gate_q_1;   rz(p0) _gate_q_1;   cx _gate_q_0, _gate
```

Job results

Use Qiskit IBM Runtime to retrieve your job results. Learn more ↗

```
 1  from qiskit_ibm_runtime import QiskitRuntimeService
 2
 3  service = QiskitRuntimeService(
 4      channel='ibm_quantum',
 5      instance='ibm-q/open/main',
 6      token='***'
 7  )
 8  job = service.job('cz8v134b7tt0008fz1jg')
 9  job_result = job.result()
10
11  # To get counts for a particular pub result, use
12  #
13  # pub_result = job_result[<idx>].data.<classical register>.get_counts()
```