# Resend Email Setup — Cinder + BYB

## Resend email setup (Cinder + BYB)

> **What is Resend?** Resend is the email-*sending service* the apps plug into to deliver the email they generate themselves — login codes, invites, password resets. It's developer infrastructure (an API + SMTP), in the same family as SendGrid / Postmark / Amazon SES. It is **not** a marketing tool like Mailchimp (campaigns, newsletters, drag-and-drop builders) — it's the behind-the-scenes plumbing that makes "transactional" email actually arrive in the inbox.

**Goal:** make the apps able to send real emails (login OTP codes, workspace invites, email confirmations) to *any* user — not just members of the Supabase org.

This guide covers **two separate projects** that each need their own email setup:

- **Cinder** — the network-marketer pipeline CRM (Supabase project `swrxrtifmygripfxdemh`).
- **BYB** ("Build Your Guild" — the AU/NZ business-OS, repo `byb-platform`, Supabase project `zoqhmsscpfsngatykuro`). BYB handles money + bank data and is held to a **bank-grade security standard**, so its email setup has extra hardening — see Part 5.

> ⚠️ **Keep the two projects' email fully separate.** One Resend account is fine, but **each project gets its own verified domain (or subdomain) and its own API key.** Never reuse Cinder's domain or key for BYB (or vice-versa): separate sending reputation, independent rotation/revocation, and — for BYB — its bank-grade standard *requires* secret isolation (no shared keys across systems).

**Why this is needed:** both hosted Supabase projects are currently on Supabase's **default built-in mailer**, a shared, heavily rate-limited service that **only delivers to addresses belonging to the Supabase org**. So today, if a real prospect/recruit/client tries to log in with email OTP, or you send them an invite, the email silently never arrives. Wiring a real SMTP provider (Resend) fixes it.

## Per-project reference

| | Cinder | BYB |
|---|---|---|
| Supabase project ref | `swrxrtifmygripfxdemh` | `zoqhmsscpfsngatykuro` |
| Org | Delilah `hfmgyospmdymoijwjewu` | Delilah `hfmgyospmdymoijwjewu` (same) |
| Suggested sending domain | `mail.cinder.app` (subdomain) | `mail.<byb-domain>` (its own domain — **not** cinder's) |
| Suggested from-address | `login@mail.cinder.app` | `noreply@mail.<byb-domain>` |
| Resend API key name | `cinder-supabase-auth` | `byb-supabase-auth` + `byb-app-invites` (two — see Part 5) |
| Email paths | Supabase Auth only | Supabase Auth **+** Express server app-invites (Part 5) |
| Railway | `valiant-rejoicing` / `content-flexibility` | `diligent-enthusiasm` / `server` + `byb-web` |

> **Note — org-role ceiling (applies to both projects):** the Part 3 steps change the project's Supabase Auth settings, which requires **org-owner** access. A non-owner member gets a 403 from `supabase config push`, and the dashboard SMTP settings are read-only — so **Part 3 must be done by the org owner**. Parts 1 and 2 (create the Resend account, verify the domains, generate the keys) don't need owner access — do those first, then hand the keys + sender addresses to the owner to complete Part 3.

---

## TL;DR — the domain question, answered first

> *"Does the from-address need to be a domain, or can it be one specific email for the business?"*

**You need a domain. You cannot authorize a single arbitrary inbox (a Gmail/iCloud/Outlook address) as a sender.** That's not a Resend quirk — it's how email authentication (SPF/DKIM) works everywhere: trust is proven at the **domain** level by adding DNS records to a domain *you control*. Once a domain is verified, you can then send from **any** mailbox at that domain.

Three concrete choices:

| Option | Sender example | Use when |
|---|---|---|
| **A. Verify a domain you own** *(production)* | `hello@cinder.app`, `login@cinder.app` | Real launch. Best deliverability + branding. |
| **B. Dedicated sending subdomain** *(best practice)* | `login@mail.cinder.app` | Same as A, but isolates email reputation from your root domain. **Recommended.** |
| **C. Resend's test sender** *(throwaway)* | `onboarding@resend.dev` | Quick smoke test only — **delivers ONLY to your own Resend-account email**, useless for real users. |

So the practical answer: **buy/own a domain for Cinder** (e.g. `cinder.app`, `trycinder.com`, `getcinder.com` — Cinder has no custom domain yet; the web app currently runs on a `*.railway.app` URL), then pick **one specific from-address at that domain** (e.g. `login@cinder.app`). You're not verifying the single address — you're verifying the domain, then choosing an address on it.

If you don't yet own a Cinder domain, you can do Part 1–2 with the test sender (Option C) to confirm the plumbing works, then swap in the real domain before launch.

---

## Part 1 — Create the Resend account & API key

1. Go to https://resend.com → sign up (free tier = 3,000 emails/month, 100/day — plenty for OTP/invite volume early on).
2. In the dashboard, go to **API Keys → Create API Key**.
    - Name: `cinder-supabase-auth`
    - Permission: **Sending access** (it doesn't need full access).
    - Copy the key (`re_…`) **now** — it's shown once. This is the SMTP password later.

## Part 2 — Verify your sending domain

> Skip to Part 3 with `onboarding@resend.dev` if you just want to test plumbing first.

1. Resend dashboard → **Domains → Add Domain**. Enter your domain. **Recommended:** enter a subdomain like `mail.cinder.app` (not the bare `cinder.app`) so auth email reputation stays separate from anything you send from the root domain.
2. Resend shows a set of **DNS records** to add at your domain registrar / DNS host (e.g. Porkbun, Cloudflare, Namecheap):
    - **MX** + **TXT (SPF)** — for the sending subdomain.
    - **3× CNAME (DKIM)** — `resend._domainkey…` records that sign your mail.

- *(Optional but recommended)* a **DMARC** TXT record at `_dmarc.<domain>`: `v=DMARC1; p=none; rua=mailto:you@yourdomain`

3. Add each record exactly as shown in your DNS host, then click **Verify** in Resend. DNS can take minutes–hours to propagate; the domain flips to **Verified** when ready.
4. Once verified, you can send from **any** address at that domain. Pick a clear one for Cinder, e.g.:
   - `login@mail.cinder.app` (OTP/auth), or
   - `hello@cinder.app` (friendlier, single address for everything).

## Part 3 — Point Supabase Auth at Resend (SMTP) *(owner / Delilah)*

This step requires org-owner access (`config push` returns 403 for non-owner members). Do it in the **Supabase Dashboard** for project **Cinder** (`swrxrtifmygripfxdemh`):

1. **Authentication** → **Emails** → **SMTP Settings** → toggle **Enable Custom SMTP** on. Enter:

| Field | Value |
|---|---|
| Host | `smtp.resend.com` |
| Port | `465` (SSL) — or `587` (STARTTLS) if 465 is blocked |
| Username | `resend` |
| Password | the Resend API key from Part 1 (`re_…`) |
| Sender email | your verified-domain address, e.g. `login@mail.cinder.app` |
| Sender name | `Cinder` |

2. **While you're in here, fix the three known config drifts** (the hosted project is on defaults that diverge from the repo's `supabase/config.toml`):

   - **OTP length:** set to **6** (hosted is currently **8**, but the mobile Verify screen renders **6** code boxes → 8-digit codes break email-OTP login). → *Authentication* → *Providers* → *Email* → *OTP length*.
   - **Site URL:** set to the production web URL (currently `https://content-flexibility-production-55ea.up.railway.app`, or your custom domain once you have one) instead of `localhost`, so invite/confirmation links resolve. → *Authentication* → *URL Configuration*.
   - **Email rate limit:** the default with custom SMTP is **2 emails/hour** — far too low. Raise it (e.g. 30–100/hour) → *Authentication* → *Rate Limits*.
   - *(Decision)* **Confirm email:** repo `config.toml` has `enable_confirmations = false` (users sign in via OTP without a separate confirm step). Leave it off unless you want a confirm gate.

3. *(Optional)* Customize the OTP / invite **email templates** under **Authentication → Emails → Templates** so they're Cinder-branded (burgundy `#6B1F2E`, flame mark, Instrument Serif headline).

## Part 4 — Test it

1. **Quick path (no domain):** with Option C sender set, trigger an OTP to *your own* Resend-account email and confirm it arrives.
2. **Real path:** from the Cinder mobile app, do email login with a normal external address (a personal Gmail, a friend's email). The 6-digit code should land in that inbox within seconds.
3. If nothing arrives: check **Resend → Logs** (shows accepted/bounced/delivered per message) and **Supabase → Logs → Auth** (shows send attempts + SMTP errors).

---

## Part 5 — BYB ("Build Your Guild") — a separate setup

BYB is a **different project** (repo `byb-platform`, Supabase `zoqhmsscpfsngatykuro`, Railway `diligent-enthusiasm`). It is actively wiring email on branch `feat/pr1-resend-email`. Do **not** share Cinder's domain or keys — set BYB up independently. BYB also has **two** outbound-email paths, not one:

1. **Supabase Auth** (login OTP / confirmations) — same mechanism as Cinder.
2. **App-level invite emails sent by the Express server** — BYB's onboarding/invites currently use a **console transport** (logs the email instead of sending it). Real invites need a real transport, which is what the `feat/pr1-resend-email` branch is for.

### 5a. Resend — reuse the account, new domain + new keys

In the **same** Resend account (Part 1), do the following **separately for BYB**:

1. **Add BYB's own sending domain** (Part 2) — e.g. a subdomain `mail.<byb-domain>` of whatever domain BYB ships under. **Do not use a `cinder.app` subdomain for BYB** — different product, different reputation, and bank-grade isolation. Add the SPF/DKIM/DMARC DNS records and verify.
2. **Generate TWO API keys** (so the two paths rotate/revoke independently — bank-grade: minimize blast radius):
   - `byb-supabase-auth` — used as the SMTP password for BYB's Supabase Auth (5b).
   - `byb-app-invites` — used by the Express server's Resend transport (5c). Both with **Sending access** only.

### 5b. BYB Supabase Auth SMTP (owner / Delilah)

Identical to Part 3, but in the dashboard for **project BYB (`zoqhmsscpfsngatykuro`)**:

| Field | Value |
| --- | --- |
| Host | `smtp.resend.com` |
| Port | `465` (or `587` ) |
| Username | `resend` |
| Password | the `byb-supabase-auth` key ( `re_…` ) |
| Sender email | `noreply@mail.<byb-domain>` |
| Sender name | `BYB` (or the client-facing brand) |

Apply the same three config fixes here too (BYB hits the **same non-owner org ceiling** as Cinder — hosted Auth is on defaults until Delilah sets them): **OTP length** (match the app's OTP UI), **Site URL** → BYB's web URL ( `byb-web-production.up.railway.app` or its custom domain, not `localhost` ), and **email rate limit** (raise off the 2/hour custom-SMTP default).

### 5c. BYB Express server invite transport ( `feat/pr1-resend-email` )

BYB's invites are sent by the **Node/Express server**, not a Supabase edge function — so this path calls the **Resend HTTP API** (or the `resend` npm SDK) directly from the server, using the `byb-app-invites` key. Set it as a server env var on Railway (service `server` ):

```
RESEND_API_KEY=re_…            # the byb-app-invites key (NOT the Supabase-Auth
one)
RESEND_FROM="BYB <noreply@mail.byb-domain>"
```

Then replace the console transport with a Resend send (SDK shape):

```
import { Resend } from "resend";
const resend = new Resend(process.env.RESEND_API_KEY);

await resend.emails.send({
  from: process.env.RESEND_FROM!,        // must be on the verified BYB domain
  to: [inviteeEmail],
  subject: "You've been invited to BYB",
  html: renderInviteEmail(invite),
});
```

Keep the console transport as a **dev/test fallback** (when `RESEND_API_KEY` is unset) so local runs don't need a live key.

### 5d. Bank-grade hardening (BYB only)

BYB handles financial + bank data, so its email goes beyond Cinder's baseline:

- **Dedicated sending subdomain** (`mail.<byb-domain>`) so auth/transactional reputation is isolated.
- **Enforce DMARC.** Start at `p=none` to monitor, then move to `p=quarantine` → `p=reject` once SPF
    - DKIM are clean. (Cinder can stay at `p=none`; BYB should progress to enforcement.)
- **Two separate keys** (5a) — Supabase-Auth vs app-invites — each rotatable without taking the other down. Never commit keys; store only in Railway/Supabase secrets. No shared/demo keys in prod.
- **Rotate on exposure**, and scope keys to **Sending access** only (never full-access).
- Real invites must NOT go out from the console transport — verify the Resend path end-to-end before inviting any real client.

---

## Appendix — using Resend for *product* emails (later)

Right now Cinder's only outbound email is **Supabase Auth** (OTP/invite/confirm). The `signup-intake` edge function just writes lead+contact rows — it sends **no** email, and the `automation-runner` logs `in_app` messages, not email.

When you later want Cinder itself to email (e.g. an automation step that emails a lead, or a "your invite was accepted" notice), call the **Resend HTTP API** directly from an edge function — don't route product email through Supabase Auth SMTP:

```
// inside a supabase/functions/* edge function
const r = await fetch("https://api.resend.com/emails", {
  method: "POST",
  headers: {
    Authorization: `Bearer ${Deno.env.get("RESEND_API_KEY")}`,
    "Content-Type": "application/json",
  },
  body: JSON.stringify({
    from: "Cinder <hello@mail.cinder.app>",
    to: [contactEmail],
    subject: "…",
    html: "…",
  }),
});
```

Set the key as a function secret: `supabase secrets set RESEND_API_KEY=re_… --project-ref swrxrtifmygripfxdemh`. Use a **separate** API key from the Auth SMTP one so you can rotate/revoke independently.