


CRM.AlMohtaref.Api (Presentation Layer)
Program.cs
<<static>>
Program
Middlewares
ExceptionHandlingMiddleware
ErrorDto
Controllers
<<ApiController>>
AuthController
<<ApiController, Authorize>>
LookupsController
<<ApiController, Authorize>>
ContactsController
<<ApiController, Authorize>>
CampaignsController
<<ApiController, Authorize>>
QuestionsController
<<ApiController, Authorize>>
UsersController
Contracts (Request)
<<FromQuery>>
PagedRequest
<<FromBody>>
LoginRequest
<<FromBody>>
RefreshRequest
<<FromQuery>>
GetLookupsRequest
<<FromQuery>>
GetContactsRequest
<<FromQuery>>
GetCampaignsRequest
<<FromQuery>>
GetUsersRequest
<<FromBody>>
PermissionRequest
<<FromBody>>
UpdateCampaignRequest
<<FromBody>>
UpdateQuestionRequest
<<FromBody>>
UpdateUserRequest


CRM.AlMohtaref.Api (Presentation Layer)
Program.cs
<<static>>
Program
+Main(args: string[]): void
UseMiddleware
Middlewares
ExceptionHandlingMiddleware
-_next: RequestDelegate
-_logger: ILogger<ExceptionHandlingMiddleware>
+InvokeAsync(context: HttpContext): Task
-WriteErrorAsync(context, status: int, message: string): Task
writes
ErrorDto
+Status: int
+Message: string
catches
CRM.AlMohtaref.Application
Common / Exceptions
<<Exception>>
AppException

CRM.AlMohtaref.Api (Presentation Layer)

Contracts (Request)

<<FromQuery>>
GetContactsRequest

+CampaignTitle: string?
+TrackId: int?
+LeadStatusId: int?
+TagIds: List<int>?
+StudentName: string?
+ContactName: string?
+PhoneNumber: string?

<<FromQuery>>
PagedRequest

+PageNumber: int = 1

<<FromQuery>>
GetUsersRequest

+Name: string?
+AccountName: string?
+Email: string?
+IsActive: bool?
+RoleId: int?
+DepartmentId: int?

<<FromBody>>
LoginRequest

+AccountName: string
+Password: string

<<FromQuery>>
GetCampaignsRequest

+Title: string?
+Status: int?
+TrackId: int?
+PlatformId: int?

<<FromQuery>>
GetLookupsRequest

+Include: List<string>?

<<FromBody>>
UpdateCampaignRequest

+Title: string
+Description: string?
+Status: int
+TrackId: int
+Url: string?
+Budget: double?
+PlatformIds: List<int>?
+QuestionIds: List<int>?

<<FromBody>>
RefreshRequest

+RefreshToken: string

<<FromBody>>
UpdateUserRequest

+AccountName: string
+FullName: string
+Email: string
+IsActive: bool?
+Permissions: List<PermissionRequest>?

1

*

<<FromBody>>
PermissionRequest

+RoleId: int
+DepartmentId: int

<<FromBody>>
UpdateQuestionRequest

+Question: string
+Type: QuestionType
+FieldId: int?
+Answers: List<QuestionAnswerDto>?

1

*

<<FromBody>>
QuestionAnswerRequest


+TagId: int
+Answer: string


Type


CRM.AlMohtaref.Domain

Enums

<<enumeration>>
QuestionType


CRM.AlMohtaref.Api (Presentation Layer)
Contracts (Request)
<<FromBody>>
LoginRequest
+AccountName: string
+Password: string
<<FromBody>>
RefreshRequest
+RefreshToken: string
binds
binds
Controllers
<<ApiController>>
AuthController
-_sender: ISender
+Login(request: LoginRequest): Task<ActionResult<LoginDto>>
+RefreshToken(request: RefreshRequest): Task<ActionResult<TokenDto>>
+Logout(request: RefreshRequest): Task<IActionResult>
returns
returns
sends requests via
CRM.AlMohtaref.Application
Used by the controller / requests
<<interface (MediatR)>>
ISender
LoginDto
TokenDto


CRM.AIMohtaref.Api (Presentation Layer)
Controllers
<<ApiController, Authorize>>
LookupsController
-_sender: ISender
+GetLookups(request: GetLookupsRequest): Task<ActionResult<LookupsDto>>
binds
Contracts (Request)
<<FromQuery>>
GetLookupsRequest
+Include: List<string>?
returns
sends requests via
CRM.AIMohtaref.Application
Used by the controller / requests
<<interface (MediatR)>>
ISender
LookupsDto


CRM.AlMohtaref.Api (Presentation Layer)
Controllers
<<ApiController, Authorize>>
ContactsController
-_sender: ISender
+GetContacts(request: GetContactsRequest): Task<ActionResult<ContactsPageDto>>
binds
Contracts (Request)
<<FromQuery>>
GetContactsRequest
+CampaignTitle: string?
+TrackId: int?
+LeadStatusId: int?
+TagIds: List<int>?
+StudentName: string?
+ContactName: string?
+PhoneNumber: string?
<<FromQuery>>
PagedRequest
returns
sends requests via
CRM.AlMohtaref.Application
Used by the controller / requests
<<interface (MediatR)>>
ISender
ContactsPageDto

CRM.AlMohtaref.Api (Presentation Layer)

Contracts (Request)

<<FromBody>>
UpdateCampaignRequest

+Title: string
+Description: string?
+Status: int
+TrackId: int
+Url: string?
+Budget: double?
+PlatformIds: List<int>?
+QuestionIds: List<int>?

<<FromQuery>>
GetCampaignsRequest

+Title: string?
+Status: int?
+TrackId: int?
+PlatformId: int?

<<FromQuery>>
PagedRequest

binds

binds

Controllers

<<ApiController, Authorize>>
CampaignsController

-_sender: ISender

+SearchCampaigns(request: GetCampaignsRequest): Task<ActionResult<CampaignsPageDto>>
+GetCampaign(id: int): Task<ActionResult<CampaignDetailDto>>
+UpdateCampaign(id: int, request: UpdateCampaignRequest): Task<IActionResult>
+GetCampaignQuestions(id: int): Task<ActionResult<CampaignQuestionsDto>>
+ImportCampaignData(id: int): Task<ActionResult<ImportResultDto>>

returns

returns

returns

returns

CRM.AlMohtaref.Application

Used by the controller / requests


<<interface (MediatR)>>
ISender

CampaignsPageDto

CampaignDetailDto

CampaignQuestionsDto

ImportResultDto


CRM.AlMohtaref.Api (Presentation Layer)
Controllers
<<ApiController, Authorize>>
QuestionsController
-_sender: ISender
+UpdateQuestion(id: int, request: UpdateQuestionRequest): Task<IActionResult>
binds
Contracts (Request)
<<FromBody>>
UpdateQuestionRequest
+Question: string
+Type: QuestionType
+FieldId: int?
+Answers: List<QuestionAnswerRequest>?
1
*
<<FromBody>>
QuestionAnswerRequest
+TagId: int
+Answer: string
Type
sends requests via
CRM.AlMohtaref.Application
Used by the controller / requests
<<interface (MediatR)>>
ISender
CRM.AlMohtaref.Domain
Enums
<<enumeration>>
QuestionType

CRM.AlMohtaref.Api (Presentation Layer)

