

一、搭建model模块

1、在父工程yygh_parent下面创建模块model

选择 maven类型,点击下一步



输入模块名称model, 下一步完成创建



2、添加项目需要的依赖

```
<dependencies>
 1
 2
           <dependency>
               <groupId>org.projectlombok</groupId>
 3
               <artifactId>lombok</artifactId>
 4
 5
           </dependency>
           <!--mybatis-plus-->
 6
 7
           <dependency>
               <groupId>com.baomidou
 8
9
               <artifactId>mybatis-plus-boot-starter</artifactId>
               <scope>provided </scope>
10
           </dependency>
11
           <!--swagger-->
12
13
           <dependency>
               <groupId>io.springfox</groupId>
14
               <artifactId>springfox-swagger2</artifactId>
15
               <scope>provided </scope>
16
           </dependency>
17
18
           <dependency>
19
               <groupId>com.alibaba/groupId>
               <artifactId>easyexcel</artifactId>
20
               <scope>provided </scope>
21
           </dependency>
22
23
           <dependency>
24
               <groupId>org.springframework.boot</groupId>
               <artifactId>spring-boot-starter-data-mongodb</artifactId>
25
               <scope>provided </scope>
26
           </dependency>
27
28
           <dependency>
29
               <groupId>com.alibaba/groupId>
               <artifactId>fastjson</artifactId>
30
31
               <scope>provided </scope>
32
           </dependency>
       </dependencies>
33
```

3、复制项目实体类和VO类



> 🖿 user

> acl
> cmn
> hosp
> msm
> order
> user

∨ 🖿 vo