Tutorial on using the Semistochastic Heat-bath Configuration Interaction (SHCI) method

Adam Holmes^{a,b}, Matt Otten^a, Junhao Li^a and Cyrus J. Umrigar^a

^a Theory Center and Laboratory of Atomic and Solid State Physics,

Cornell University, Ithaca, NY 14853

^b University of Colorado, Boulder, CO

Umrigar group SHCI tutorial

There are presently two SHCI codes available for quantum chemistry problems— one in Fortran developed by the Umrigar group at Cornell (primarily by Adam Holmes, with very efficient parallelisation by Matt Otten), and another in C++ developed by the Sharma group at the University of Colorado. There is also an SHCI program for treating the homogeneous electron gas developed in the Umrigar group by Junhao Li. Today, we will install and use the first program.

Adam Holmes, showed in his talk the potential energy curves for the 12 lowest energy states of C_2 , computed in a cc-pV5Z basis. In this tutorial, we will compute a simplified version of this – we will do the lowest 3 states (you can easily do more if you wish) in a cc-pVDZ basis.

1. Download the code by typing:

```
git clone https://bitbucket.org/sqmc/hci.git --depth=1
```

2. Compile the program:

```
cd src
```

3. cd $../C2_v2z_curve$

There are 2 input files (for ${}^{1}\Sigma_{g}$ and ${}^{3}\Pi_{u}$ symmetries and integrals files for 9 different geometries. Take a look at one of these inputs. The one for ${}^{1}\Sigma_{g}$ computes the 2 lowest states of that symmetry and the one for ${}^{3}\Pi_{u}$ computes just the lowest state. Run all these inputs by typing:

```
./runall
```

4. Make tables of all these calculations:

```
./make_table
```

5. Plot the energies in the tables:

```
gnuplot < i.gnu
evince pes_C2_2z.eps</pre>
```