

A new generation of effective core potentials

Correlation consistent effective core potentials (ccECPs)

Omar Madany, Lubos Mitas

Department of Physics, North Carolina State University, Raleigh, North Carolina



U.S. DEPARTMENT OF
ENERGY

Office of
Science

CPSFM

Center for Predictive Simulation
of Functional Materials



BROWN

**NC STATE
UNIVERSITY**

OAK RIDGE
National Laboratory



ccECPs in a few slides

Features:

- Many-body constructions are inherited for many-body use (e.g. beyond mean-field).
- Semi-local gaussian expansions with a minimal number of parameters (great for gaussian-based codes).
- Eliminated Coulomb singularities resulting in finite smooth potential functions for any size of core spaces (great for periodic codes with resulting in low-cutoff of plane waves).

Semi-local averaged relativistic effective potential V^{AREP}

$$V_i^{\text{AREP}} = \underbrace{V_L(r_i)}_{\text{Local potential}} + \underbrace{\sum_{\ell=0}^{\ell_{\max}=L-1} (V_{\ell}(r_i) - V_L(r_i)) \times \sum_{m=-\ell}^{\ell} |\ell m\rangle \langle \ell m|}_{\text{Non-local potential}}$$

Si AREP ccECP replaces
10 inner core electrons

Local Potential: $V_L(r_i) = \underbrace{-\frac{Z_{\text{eff}}}{r} \left(1 - e^{\alpha r^2}\right) + \alpha Z_{\text{eff}} r e^{-\beta r^2}}_{\text{Coulomb singularity cancellation}} + \underbrace{\sum_{i=1} \gamma_i e^{-\delta_i r^2}}_{\text{Smoothing terms}}$

local potential		
$n_{\ell k}$	exponent	coefficient
1	5.168316	4.000000
3	8.861690	20.673264
2	3.933474	-14.818174

non-local s channel		
$n_{\ell k}$	$\alpha_{\ell k}$	$\beta_{\ell k}$
2	9.447023	14.832760
2	2.553812	26.349664

non-local p channel		
$n_{\ell k}$	$\alpha_{\ell k}$	$\beta_{\ell k}$
2	3.660001	7.621400
2	1.903653	10.331583


Non-local Potentials: $V_{\ell}(r_i) - V_L(r_i) = \sum_{k=1} \beta_{\ell k} r^{n_{\ell k}-2} e^{-\alpha_{\ell k} r^2}$

Accuracy validation for ccECPs


- Validated against **CCSD(T)** for precise spectra (neutral atom, IP, EA, excitations).
- Stress tested in various bonding environments using molecular binding curves across non-equilibrium geometries, ensuring **chemical accuracy** ($1 \text{ kcal/mol} \approx 0.043 \text{ eV}$).
- Quantify the associated locality and fixed-node biases in DMC.
- Determine energy cutoffs for plane-wave codes using the UPF forms:
 - Main Group Elements (large core): $\approx 60 \text{ Ry}$
 - Main Group Elements (small core): $\approx 200 \text{ Ry}$
 - Transition Metals: $\approx 350 \text{ Ry}$
 - Lanthanides: $\approx 400 \text{ Ry}$

PbO molecule binding curve and discrepancy, all-el vs ccECP

(Pb: core[[Xe]4f¹⁴5d¹⁰], valence 6s²6p²)



(a) Comparison of Morse potential fits for PbO: AE vs ccECP.



(b) Binding energy discrepancies for PbO molecule.

Generalization for spin-orbit interactions

- Semi-local, fully spin-orbit relativistic ECP (SOREP):

$$V_i^{\text{SOREP}} = \underbrace{V_i^{\text{AREP}}}_{\text{Averaged relativistic effective potential}} + \underbrace{V_i^{\text{SO}}}_{\text{Spin-orbit terms}},$$

where:

- V_i^{AREP} : Captures all relativistic effects with averaged spin-orbit coupling (acts on ordinary spatial orbitals).
- V_i^{SO} : Captures relativistic splitting (acts on 2-comp. spinors).

Currently Available Elements on Pseudopotential Library(<https://pseudopotentiallibrary.org/>)

- Currently completed: 67 elements (~ 60% of the periodic table).

$$\underbrace{12}_{s\text{-block}} + \underbrace{25}_{p\text{-block}} + \underbrace{25}_{d\text{-block}} + \underbrace{5}_{f\text{-block}} = 67$$

H																	He
Li	Be											B	C	N	O	F	Ne
Na	Mg											Al	Si	P	S	Cl	Ar
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	Fl	Mc	Lv	Ts	Og
			Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	
			Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr	

E.g. Si ccECP on pseudopotential library

- Multiple core choice
- Format support for quantum chemistry codes.
- Optimized **(aug)-cc-p(C)VnZ Gaussian basis sets**.
- **Semi-local** formats (including radial grid-based ".xml" used in QMCPACK)
- **Kleinman-Bylander ".upf"** version for plane-wave codes.
 - ".rpt" contains relevant information about the conversion and transferability.

Download directly through the website or using command-line
 wget <http://pseudopotentiallibrary.org/recipes/element/ccECP/element.file.format>


ccECP	ccECP_He_core
ccECP from Chandler Bennett et al. Journal of Chemical Physics 149, 104108 (2018)	ccECP from Chandler Bennett et al. Journal of Chemical Physics 149, 104108 (2018)
Slaug-cc-pV5Z.gamess	Slaug-cc-pCV5Z.gamess
Slaug-cc-pV5Z.gaussian	Slaug-cc-pCV5Z.gaussian
Slaug-cc-pV5Z.molpro	Slaug-cc-pCV5Z.molpro
Slaug-cc-pV5Z.nwchem	Slaug-cc-pCV5Z.nwchem
Slaug-cc-pV6Z.gamess	Slaug-cc-pCVDZ.gamess
Slaug-cc-pV6Z.gaussian	Slaug-cc-pCVDZ.gaussian
Slaug-cc-pV6Z.molpro	Slaug-cc-pCVDZ.molpro
Slaug-cc-pV6Z.nwchem	Slaug-cc-pCVDZ.nwchem
Slaug-cc-pVDZ.gamess	Slaug-cc-pCVQZ.gamess
Slaug-cc-pVDZ.gaussian	Slaug-cc-pCVQZ.gaussian
Slaug-cc-pVDZ.molpro	Slaug-cc-pCVQZ.molpro
Slaug-cc-pVDZ.nwchem	Slaug-cc-pCVQZ.nwchem
Slaug-cc-pVQZ.gamess	Slaug-cc-pCVTZ.gamess
Slaug-cc-pVQZ.gaussian	Slaug-cc-pCVTZ.gaussian
Slaug-cc-pVQZ.molpro	Slaug-cc-pCVTZ.molpro
Slaug-cc-pVQZ.nwchem	Slaug-cc-pCVTZ.nwchem
Slaug-cc-pVTZ.gamess	Slaug-cc-pV5Z.gamess
Slaug-cc-pVTZ.gaussian	Slaug-cc-pV5Z.gaussian
Slaug-cc-pVTZ.molpro	Slaug-cc-pV5Z.molpro
Slaug-cc-pVTZ.nwchem	Slaug-cc-pV5Z.nwchem
Slcc-pV5Z.gamess	Slaug-cc-pVDZ.gamess
Slcc-pV5Z.gaussian	Slaug-cc-pVDZ.gaussian
Slcc-pV5Z.molpro	Slaug-cc-pVDZ.molpro
Slcc-pV5Z.nwchem	Slaug-cc-pVDZ.nwchem
Slcc-pV6Z.gamess	Slaug-cc-pVQZ.gamess
Slcc-pV6Z.gaussian	Slaug-cc-pVQZ.gaussian
Slcc-pV6Z.molpro	Slaug-cc-pVQZ.molpro
Slcc-pV6Z.nwchem	Slaug-cc-pVQZ.nwchem
Slcc-pVDZ.gamess	Slaug-cc-pVTZ.gamess
Slcc-pVDZ.gaussian	Slaug-cc-pVTZ.gaussian
Slcc-pVDZ.molpro	Slaug-cc-pVTZ.molpro
Slcc-pVDZ.nwchem	Slaug-cc-pVTZ.nwchem
Slcc-pVQZ.gamess	Slcc-pCV5Z.gamess
Slcc-pVQZ.gaussian	Slcc-pCV5Z.gaussian
Slcc-pVQZ.molpro	Slcc-pCV5Z.molpro
Slcc-pVQZ.nwchem	Slcc-pCV5Z.nwchem
Slcc-pVTZ.gamess	Slcc-pCV6Z.molpro
Slcc-pVTZ.gaussian	Slcc-pCVDZ.gamess
Slcc-pVTZ.molpro	Slcc-pCVDZ.gaussian
Slcc-pVTZ.nwchem	Slcc-pCVDZ.molpro
SlccECP.gamess	Slcc-pCVDZ.nwchem
SlccECP.gaussian	Slcc-pCVQZ.gamess
SlccECP.molpro	Slcc-pCVQZ.gaussian
SlccECP.nwchem	Slcc-pCVQZ.molpro
SlccECP.rpt	Slcc-pCVQZ.nwchem
SlccECP.upf	Slcc-pCVTZ.gamess
SlccECP.xml	Slcc-pCVTZ.gaussian

ccECPs library and literature


- Available at pseudopotentiallibrary.org:
- Papers:
 - Lanthanides, heavy $5s$, $6s$, $5p$, $6p$ and $4d$ [arXiv:2505.18100](#) (2025)
 - Lanthanides, heavy $4d$ and $5d$: [Journal of Chemical Physics 160 084302](#) (2024)
 - $3d$ ccECP-soft: [J. Chem. Phys. 157, 174307](#) (2022)
 - Heavy $4d$, $5d$, $6s$, and $6p$: [Journal of Chemical Physics 157 054101](#) (2022)
 - $4s$, $4p$ and 1^{st} row: [Journal of Chemical Physics 151, 144110](#) (2019)
 - $3d$ transition metals: [Journal of Chemical Physics 149, 134108](#) (2018)
 - 2^{nd} row: [Journal of Chemical Physics 149, 104108](#) (2018)
 - 1^{st} and 2^{nd} row: [Journal of Chemical Physics 147, 224106](#) (2017)

6p : Pb with $[[\text{Xe}]4f^{14}5d^{10}]$ (4 valence e^- : $6s^26p^2$)

- Energy cutoff for plane-wave calculations 40 Ry.



(a) Atomic Spectra Benchmarks



(b) Binding energy discrepancies for PbO molecule.