Ultran

Panel 1 — The Hypothesis

- **Standard view:** QEC assumes noise accumulates over a continuous topology; logical fidelity improves smoothly as redundancy is added.
- **Alternative to test:** error propagation follows a discrete, hierarchical geometry — a Bruhat–Tits tree T_p — and redundancy quantizes in units of $(p+1)$.
- **Signature to look for:** a staircase — flat plateaus followed by sudden jumps — instead of a smooth curve.

STATUS: HYPOTHESIS ONLY — NO EXPERIMENTAL RESULT CLAIMED



Figure 1: smooth fidelity curve (continuous topology, left) vs. staircase (ultrametric hypothesis, right). Hypothesis only; not observed.

Panel 3 — The Cross-Check I Already Ran
(it mostly failed — honestly)

Witness idea: 2-adic valuations as a structural fingerprint. Conjecture C7.3: the Mahler-spectrum valuation v_p^{max} separates "optimal" codes (28) from random codes (≈4).



Panel

SPEAKING

- Spiders
- Pauli we
- Gadgets

The one

The hon



References (Zenodo concept DOIs — verified 2026-08-16)

Ultrametric Code Spaces — 10.5281/zenodo.21824194

Archimedean Shadows (v1.11) — 10.5281/zenodo.21809888

Ultrametric Foundations (C7.3) — 10.5281/zenodo.21193003

ACRP-06 v_p^max extension — 10.5281/zenodo.21737221

Adelic Cross-Domain Program v5 — 10.5281/zenodo.21691414

"What Remains" — 10.5281/zenodo.21922812

ZX references (arXiv — verified 2026-08-18)

Wan–Price–Yao, Holographic codes seen through ZX-calculus — arXiv:2601.04467

Wan, Iteratively decoded magic state distillation — arXiv:2410.17992

van de Wetering, ZX-calculus for the working quantum computer scientist — arXiv:2012.13966

Duncan–Kissinger–Perdrix–van de Wetering, Graph-theoretic simplification — arXiv:1902.03178