
(8) rdf: http://www.w3.org/1999/02/22-rdf-syntax-ns# (151) rdfs: http://www.w3.org/2000/01/rdf-schema# (155) owl: http://www.w3.org/2002/07/owl# (2) foaf: http://xmlns.com/foaf/0.1/ (2) dcterms: http://purl.org/dc/terms/ cogs: http://vocab.deri.ie/cogs#



cogs:Extraction The first part of an ETL process which involves extracting the data from source systems. @en-us cogs:Parsing Process of analyzing text or data, checking for correct syntax and building a implicit in the input tokens. @en-us cogs:Prefiltering Preliminary filtering during the extraction phase.



cogs:SemanticSimilarity | Matching by a measure of semantic similarity. @en-us

cogs:StringSimilarity Matching based on string similarity measures. @en-us

Matching of data based on a rule or group of rules. @en-us

cogs:RulesBasedMatching

cogs:HumanMatching

Last process in a transformation workflow.

cogs:isExpressedBy

This property allows the association

between an abstract representation


encapsulated computational artifact

of a Transformation and an

artifact (e.g. code, binary).

cogs:isPartOf

cogs:precededBy Defines the ordering among two processes



cogs:Object

input value.

Any entity that can be manipulated by the commands of a programming language, such as a value, variable, function, or data structure.

