

Annotations

Annotations add explanations, comments, and callouts directly to code blocks. They help readers understand complex code without breaking the flow.

Line numbers

Enable line numbers in code blocks with `linenums:`

```
``` python linenums="1"
def hello(name):
 print(f"Hello, {name}!") # (1)!
 return True # (2)!
```
```

1. Greet the user with a personalized message
2. Return success status

```
1  def hello(name):
2      print(f"Hello, {name}!") # (1)!
3      return True # (2)!
```

1. Greet the user with a personalized message
2. Return success status

Start from a specific line

Start numbering from any line:

```
``` python linenums="42"
def meaning_of_life():
 return 42 # (1)!
```
```

1. The ultimate answer

```
42  def meaning_of_life():
43      return 42 # (1)!
```

1. The ultimate answer
-

Highlighting lines

Highlight specific lines with `hl_lines`:

```
``` python hl_lines="2 4"
def process(data):
 result = [] # Normal
 for item in data: # Highlighted
 value = item * 2 # Normal
 result.append(value) # Highlighted
 return result
```
```

```
def process(data):
    result = []      # Normal
    for item in data: # Highlighted
        value = item * 2 # Normal
        result.append(value) # Highlighted
    return result
```

Highlight ranges

Highlight a range of lines:

```
``` python hl_lines="2-4"
def setup():
 config = load_config() # Highlighted
 validate(config) # Highlighted
 apply_defaults(config) # Highlighted
 return config
```
```

Inline annotations

Add markers in code that reference footnotes below the block:

```
``` yaml
theme:
 features:
 - navigation.tabs # (1)!
 - search.highlight # (2)!
```
```

1. Enable tabbed navigation
2. Highlight search terms in results

```
theme:
  features:
    - navigation.tabs # (1)!
    - search.highlight # (2)!
```

1. Enable tabbed navigation
2. Highlight search terms in results

Multiple annotations per line

You can have multiple annotations on the same line:

```
``` python
x = calculate() # (1)! (2)!
```
```

1. This calls the calculate function
2. Result is stored in x

Code block title

Add a title bar to code blocks:

```
``` yaml title="docsforge.yml"
site_name: My Project
```
```

docsforge.yml

```
site_name: My Project
```

Copy to clipboard

Code blocks get a copy button automatically when `content.code.copy` is enabled in your `docsforge.yml`:

```
theme:
  features:
    - content.code.copy
```

The copy button appears in the top-right corner of every code block on hover.

Diff highlighting

Show code changes with `diff` highlighting:

```
``` python
def old_function():
- return "old"
+ return "new"
```
```

Combining features

You can combine multiple features:

```
``` python title="config.py" linenums="1" hl_lines="3"
def configure():
 settings = {}
 settings['debug'] = True # (1)!
 return settings
```
```

1. Enable debug mode for development

config.py

```
1  def configure():
2      settings = {}
3      settings['debug'] = True # (1)!
4      return settings
```

1. Enable debug mode for development

Best practices

- Use annotations sparingly – too many footnotes clutter the page
- Keep annotation text concise (1-2 sentences)
- Use highlighting to draw attention to changed or important lines
- Line numbers are helpful for referencing specific lines in surrounding text
- Always include a title when showing configuration files

Next steps

- [Code blocks](#)
- [Content tabs](#)
- [Formatting](#)

 Jun 17, 2026  Jun 06, 2026