

Configuration Reference

This page documents every option available in `docsforge.yml`. Use it as a complete reference when customizing your site.

Top-level settings

`site_name`

The title of your documentation site. Displayed in the header, browser tab, and social cards.

```
site_name: My Documentation
```

Type	Default	Required
string	—	Yes

`site_url`

The canonical URL where your site will be hosted. Used for social cards, RSS feeds, and absolute link generation.

```
site_url: https://example.com/docs/
```

Type	Default	Required
string	null	No



Trailing slash

Always include a trailing slash for consistency:

```
site_url: https://example.com/docs/ # Good
site_url: https://example.com/docs # Avoid
```

site_author

The author name. Used in metadata and RSS feeds.

```
site_author: Jane Doe
```

Type	Default	Required
string	null	No

site_description

A short description of your site. Used in meta tags and social cards.

```
site_description: Documentation for the Example Platform
```

Type	Default	Required
string	null	No

copyright

Copyright notice displayed in the footer.

```
copyright: Copyright &copy; 2025 Example Inc.
```

Type	Default	Required
string	null	No

repo_url

URL to your source repository. Adds an edit icon in the header linking to the repo.

```
repo_url: https://github.com/example/docs
```

Type	Default	Required
string	null	No

repo_name

Display name for the repository link. Defaults to the last path segment of `repo_url`.

```
repo_name: example/docs
```

Type	Default	Required
string	Auto	No

edit_uri

Path suffix for the "Edit this page" link. Combined with `repo_url` to create the full edit URL.

```
edit_uri: edit/main/docs/
```

Type	Default	Required
string	null	No

strict

When `true`, warnings are treated as errors and the build fails.

```
strict: true
```

Type	Default	Required
boolean	false	No

`dev_addr`

Address for the development server.

```
dev_addr: 127.0.0.1:8000
```

Type	Default	Required
string	127.0.0.1:8000	No

`use_directory_urls`

When `true` (default), pages are built as `page/index.html` instead of `page.html`. This creates cleaner URLs (`/page/` instead of `/page.html`).

```
use_directory_urls: true
```

Type	Default	Required
boolean	true	No

`docs_dir`

Directory containing your Markdown source files.

```
docs_dir: docs
```

Type	Default	Required
string	docs	No

`site_dir`

Directory where the built site is output.

```
site_dir: site
```

Type	Default	Required
string	site	No

`extra_css`

Additional CSS files to include. Paths are relative to `docs_dir`.

```
extra_css:  
- stylesheets/custom.css
```

Type	Default	Required
list	[]	No

`extra_javascript`

Additional JavaScript files to include. Paths are relative to `docs_dir`.

```
extra_javascript:  
- javascripts/analytics.js
```

Type	Default	Required
list	[]	No

Remove vendored assets

Do not include KaTeX, Mermaid, or Material Icons here. They are built-in.

Theme settings

Theme settings live under the `theme:` block, just like DocsForge Material.

```
theme:  
  name: material
```

```

palette:
  - media: "(prefers-color-scheme: light)"
    scheme: default
    primary: indigo
    accent: indigo
    toggle:
      icon: material/brightness-7
      name: Switch to dark mode
  - media: "(prefers-color-scheme: dark)"
    scheme: slate
    primary: indigo
    accent: indigo
    toggle:
      icon: material/brightness-4
      name: Switch to light mode
features:
  - navigation.tabs
  - navigation.sections
  - navigation.top
  - search.suggest
  - search.highlight
  - content.code.copy
logo: assets/logo.svg
favicon: assets/favicon.svg
icon:
  repo: fontawesome/brands/github

```

`theme.name`

The theme to use. DocsForge bundles Material, so this is usually `material`.

```

theme:
  name: material

```

Type	Default	Required
string	material	No

`theme.palette`

Color scheme configuration. Supports light/dark mode toggling.

```

theme:
  palette:
    - media: "(prefers-color-scheme: light)"
      scheme: default
      primary: indigo
      accent: indigo
      toggle:

```

```
    icon: material/brightness-7
    name: Switch to dark mode
  - media: "(prefers-color-scheme: dark)"
    scheme: slate
    primary: indigo
    accent: indigo
    toggle:
      icon: material/brightness-4
      name: Switch to light mode
```

Property	Type	Description
media	string	CSS media query for auto-switching
scheme	string	Color scheme: default or slate
primary	string	Primary color: red, pink, purple, deep-purple, indigo, blue, light-blue, cyan, teal, green, light-green, lime, yellow, amber, orange, deep-orange, brown, grey, blue-grey, black, white
accent	string	Accent color (same options as primary)
toggle	object	Toggle button configuration
toggle.icon	string	Icon identifier
toggle.name	string	Tooltip text

theme.features

Navigation and UI features to enable.

```
theme:
  features:
    - navigation.tabs
    - navigation.sections
    - navigation.expand
    - navigation.path
    - navigation.top
    - search.suggest
    - search.highlight
    - content.tabs.link
```

- `content.code.copy`
- `content.action.edit`

Feature	Description
<code>navigation.tabs</code>	Top-level navigation tabs
<code>navigation.sections</code>	Section pages in sidebar
<code>navigation.expand</code>	Expand all sections by default
<code>navigation.path</code>	Breadcrumb navigation
<code>navigation.top</code>	Back-to-top button
<code>navigation.footer</code>	Previous/next footer links
<code>search.suggest</code>	Search suggestions in header
<code>search.highlight</code>	Highlight search terms in results
<code>search.share</code>	Share search query links
<code>content.tabs.link</code>	Link content tabs across pages
<code>content.code.copy</code>	Copy button on code blocks
<code>content.code.annotate</code>	Code annotations
<code>content.action.edit</code>	Edit page button
<code>content.action.view</code>	View source button
<code>announce.dismiss</code>	Dismissible announcement bar

`theme.icon`

Icon configuration for various UI elements.

```
theme:  
  icon:
```



```
repo: fontawesome/brands/github
logo: material/library
```

Property	Type	Description
repo	string	Icon for repository link
logo	string	Icon used in logo area
admonition	object	Custom admonition icons

theme.logo

Path to your site logo (relative to `docs_dir`).

```
theme:
  logo: assets/logo.svg
```

Type	Default	Required
string	null	No

theme.favicon

Path to favicon (relative to `docs_dir`).

```
theme:
  favicon: assets/favicon.svg
```

Type	Default	Required
string	null	No

theme.language

Site language for internationalization.

```
theme:
  language: en
```

Type	Default	Required
string	en	No

`theme.direction`

Text direction.

```
theme:
  direction: ltr
```

Type	Default	Options
string	ltr	ltr, rtl

`theme.custom_dir`

Directory for custom templates and overrides (relative to `docs_dir`).

```
theme:
  custom_dir: overrides
```

Type	Default	Required
string	null	No

Plugin settings

DocsForge has many plugins built-in. Most require no configuration. Only add settings if you need to customize behavior.

`plugins`

```
plugins:
  search:
    lang: en
  tags:
    tags_file: tags.md
  blog:
    blog_dir: blog
    blog_toc: true
```

search plugin

Option	Type	Default	Description
lang	string	en	Search language for stemming
separator	string	<code>[\s\~]+</code>	Word separator regex
pipeline	list	<code>[trimmer, stopWordFilter, stemmer]</code>	Processing pipeline
jieba_dict	string	null	Path to a custom jieba dictionary
jieba_dict_user	string	null	Path to a custom jieba user dictionary

tags plugin

Option	Type	Default	Description
tags_file	string	tags.md	Page for tag index
tags_extra_files	list	<code>[]</code>	Extra tag files
tags_hierarchy	boolean	false	Enable tag hierarchy

blog plugin

Option	Type	Default	Description
<code>blog_dir</code>	<code>string</code>	<code>blog</code>	Blog posts directory
<code>blog_toc</code>	<code>boolean</code>	<code>false</code>	Show table of contents
<code>post_date_format</code>	<code>string</code>	<code>long</code>	Date format
<code>post_excerpt</code>	<code>string</code>	<code>optional</code>	Excerpt behavior
<code>post_readtime</code>	<code>boolean</code>	<code>true</code>	Show reading time
<code>post_url_format</code>	<code>string</code>	<code>{date}/{slug}</code>	URL pattern
<code>archive_date_format</code>	<code>string</code>	<code>YYYY</code>	Archive format
<code>archive_url_format</code>	<code>string</code>	<code>archive/{date}</code>	Archive URL
<code>categories_url_format</code>	<code>string</code>	<code>category/{slug}</code>	Category URL
<code>pagination_url_format</code>	<code>string</code>	<code>page/{page}</code>	Pagination URL
<code>authors_file</code>	<code>string</code>	<code>.authors.yml</code>	Authors file

minify plugin

The minify plugin is always enabled and has no configuration options. It minifies HTML pages and any `extra_css` / `extra_javascript` files.

privacy plugin

Option	Type	Default	Description
<code>enabled</code>	<code>boolean</code>	<code>true</code>	Enable plugin
<code>concurrency</code>	<code>integer</code>	<code>CPU count - 1</code>	Download concurrency

Option	Type	Default	Description
<code>cache_dir</code>	<code>string</code>	<code>.cache/plugin/privacy</code>	Local cache directory
<code>assets_fetch</code>	<code>boolean</code>	<code>true</code>	Fetch external assets from the network
<code>assets_fetch_dir</code>	<code>string</code>	<code>assets/external</code>	Storage directory inside <code>site_dir</code>
<code>assets_include</code>	<code>list</code>	<code>[]</code>	Glob patterns of external URLs to always fetch
<code>assets_exclude</code>	<code>list</code>	<code>[]</code>	Glob patterns of external URLs to skip
<code>assets_expr_map</code>	<code>dict</code>	<code>{}</code>	Extra regexes for finding assets in CSS/JS
<code>links_attr_map</code>	<code>dict</code>	<code>{}</code>	Extra attributes to add to external links
<code>links_noopener</code>	<code>boolean</code>	<code>true</code>	Add <code>noopener</code> to external links

info plugin

Option	Type	Default	Description
<code>enabled</code>	<code>boolean</code>	<code>true</code>	Enable plugin
<code>enabled_on_serve</code>	<code>boolean</code>	<code>false</code>	Show info output when serving

meta plugin

Option	Type	Default	Description
<code>meta_file</code>	<code>string</code>	<code>.meta.yml</code>	Metadata file

Option	Type	Default	Description
<code>enabled</code>	<code>boolean</code>	<code>true</code>	Enable plugin

Markdown extensions

DocsForge enables most common extensions by default. Only configure if you need custom behavior.

`markdown_extensions`

```
markdown_extensions:
  - toc:
      permalink: true
      title: On this page
      toc_depth: 3
```

Extension	Built-in	Description
<code>admonition</code>	Yes	Callout boxes (<code>!!! note</code>)
<code>pymdownx.details</code>	Yes	Collapsible details (<code>??? question</code>)
<code>pymdownx.superfences</code>	Yes	Fenced code blocks with custom fences
<code>pymdownx.highlight</code>	Yes	Code syntax highlighting
<code>pymdownx.inlinehilite</code>	Yes	Inline code highlighting
<code>pymdownx.snippets</code>	Yes	Content inclusion (<code>--8<--</code>)
<code>pymdownx.tabbed</code>	Yes	Tabbed content (<code>=== "Tab 1"</code>)
<code>pymdownx.tasklist</code>	Yes	Task lists (<code>- []</code>)
<code>pymdownx.emoji</code>	Yes	Emoji and icons (<code>:material-check:</code>)
<code>pymdownx.arithmatex</code>	Yes	Math rendering (<code>...\\$</code> , <code>\$\$...\$\$</code>)

Extension	Built-in	Description
<code>pymdownx.keys</code>	Yes	Keyboard keys (<code>++ctrl+c++</code>)
<code>pymdownx.mark</code>	Yes	Highlighted text (<code>==text==</code>)
<code>pymdownx.critic</code>	Yes	Critic markup
<code>pymdownx.caret</code>	Yes	Superscript (<code>^text^</code>)
<code>pymdownx.tilde</code>	Yes	Subscript (<code>~text~</code>)
<code>tables</code>	Yes	Markdown tables
<code>toc</code>	Yes	Table of contents
<code>meta</code>	Yes	YAML frontmatter
<code>def_list</code>	Yes	Definition lists
<code>footnotes</code>	Yes	Footnotes (<code>[^1]</code>)
<code>attr_list</code>	Yes	Attribute lists (<code>{.class}</code>)
<code>md_in_html</code>	Yes	Markdown inside HTML
<code>smarty</code>	No	Smart quotes and dashes
<code>sane_lists</code>	No	Strict list nesting
<code>wikilinks</code>	No	Wiki-style links

Extra settings

The `extra:` section holds custom variables accessible in templates and Markdown via `{{ extra.key }}`.

```
extra.social
```

Social links in the footer.

```
extra:
  social:
    - icon: fontawesome/brands/github
      link: https://github.com/example
      name: Example on GitHub
    - icon: fontawesome/brands/twitter
      link: https://twitter.com/example
      name: Example on Twitter
```

extra.alternate

Language alternates for multi-language sites.

```
extra:
  alternate:
    - name: English
      link: /
      lang: en
    - name: Deutsch
      link: /de/
      lang: de
```

extra.tags

Tag configuration.

```
extra:
  tags:
    file: tags.md
    icons:
      - name: "New"
        icon: material/star
```

extra.annotate

Code annotation settings.

```
extra:
  annotate:
    json: [.s2]
```

`extra.scope`

Google Analytics / Plausible scope.

```
extra:
  scope:
    analytics: true
    feedback: true
```

Navigation

`nav`

Explicit navigation structure. If omitted, pages are discovered automatically from `docs_dir`.

```
nav:
- Home: index.md
- Getting Started:
  - Installation: getting-started/installation.md
  - Quick Start: getting-started/quick-start.md
- Reference:
  - API: reference/api.md
  - CLI: reference/cli.md
- Blog: blog/
```

Syntax	Description
Page Title: <code>path.md</code>	Single page with custom title
Section: <code></code>	Nested section
Directory/ <code></code>	Auto-discover pages in directory
<code>!include path</code>	Include another nav file

Validation settings

`validation`

Link, anchor, and navigation validation.

```
validation:
  nav:
    omitted_files: warn
    not_found: warn
  links:
    absolute_links: warn
    unrecognized_links: warn
    anchors: warn
```

validation.nav

Option	Type	Default	Description
omitted_files	string	info	Files not in <code>nav</code>
not_found	string	warn	Navigation links to missing pages
absolute_links	string	info	Absolute nav links

validation.links

Option	Type	Default	Description
absolute_links	string	info	Absolute Markdown links
unrecognized_links	string	info	Links that don't look like internal pages
not_found	string	warn	Markdown links to missing pages
anchors	string	info	Links to missing anchors

Values: `warn`, `info`, `ignore`.

Complete example

```
# Site metadata
site_name: Example Documentation
site_url: https://docs.example.com/
site_author: Example Team
```

```
site_description: Complete documentation for the Example platform  
copyright: Copyright &copy; 2025 Example Inc.
```

```
# Repository
```

```
repo_url: https://github.com/example/docs  
repo_name: example/docs  
edit_uri: edit/main/docs/
```

```
# Directories
```

```
docs_dir: docs  
site_dir: site  
use_directory_urls: true  
strict: false
```

```
# Theme
```

```
theme:  
  name: material  
  palette:  
    - media: "(prefers-color-scheme: light)"  
      scheme: default  
      primary: indigo  
      accent: indigo  
      toggle:  
        icon: material/brightness-7  
        name: Switch to dark mode  
    - media: "(prefers-color-scheme: dark)"  
      scheme: slate  
      primary: indigo  
      accent: indigo  
      toggle:  
        icon: material/brightness-4  
        name: Switch to light mode  
  features:  
    - navigation.tabs  
    - navigation.sections  
    - navigation.expand  
    - navigation.top  
    - search.suggest  
    - search.highlight  
    - content.tabs.link  
    - content.code.copy  
    - content.action.edit  
  logo: assets/logo.svg  
  favicon: assets/favicon.svg  
  icon:  
    repo: fontawesome/brands/github  
  language: en
```

```
# Custom assets
```

```
extra_css:  
  - stylesheets/custom.css
```

```
extra_javascript:  
  - javascripts/analytics.js
```

```
# Plugins
```

```
plugins:
```

```
search:
  lang: en
tags:
  tags_file: tags.md
blog:
  blog_dir: blog
  blog_toc: true

# Extra variables
extra:
  social:
    - icon: fontawesome/brands/github
      link: https://github.com/example
    - icon: fontawesome/brands/twitter
      link: https://twitter.com/example

# Navigation
nav:
  - Home: index.md
  - Getting Started:
    - Installation: getting-started/installation.md
    - Configuration: getting-started/configuration.md
  - Reference:
    - API: reference/api.md
    - CLI: reference/cli.md
  - Blog: blog/

# Validation
validation:
  nav:
    omitted_files: warn
    not_found: warn
  links:
    absolute_links: warn
    unrecognized_links: warn
    anchors: warn
```

 Jun 19, 2026  Jun 06, 2026