

Data tables

DocsForge renders Markdown tables with enhanced styling.

Basic table

```
| Method | Description |
|-----|-----|
| `GET` | Retrieve a resource |
| `POST` | Create a new resource |
| `PUT` | Update a resource |
| `DELETE` | Remove a resource |
```

Method	Description
GET	Retrieve a resource
POST	Create a new resource
PUT	Update a resource
DELETE	Remove a resource

Aligned columns

```
| Left | Center | Right |
|:----|:-----:|-----:|
| L    | C      | R      |
| left | center | right  |
```

Left	Center	Right
L	C	R
left	center	right

Wide tables

For tables with many columns, wrap them in a scrollable container:

```
<div class="md-typeset__scrollwrap"><div class="md-typeset__table">

| Column 1 | Column 2 | Column 3 | Column 4 | Column 5 |
|-----|-----|-----|-----|-----|
| Data    | Data    | Data    | Data    | Data    |

</div></div>
```

Tables with code

```
| Extension | Syntax | Description |
|-----|-----|-----|
| `admonition` | `!!! note` | Callout boxes |
| `attr_list` | `{: .class }` | HTML attributes |
| `pymdownx.highlight` | ``python` | Code highlighting |
```

Extension	Syntax	Description
<code>admonition</code>	<code>!!! note</code>	Callout boxes
<code>attr_list</code>	<code>{: .class }</code>	HTML attributes
<code>pymdownx.highlight</code>	<code>``python`</code>	Code highlighting

Tables with links

```
| Feature | Guide | Reference |
|-----|-----|-----|
| Colors | [Setup](../setup/changing-the-colors.md) | - |
| Fonts | [Setup](../setup/changing-the-fonts.md) | - |
| Admonitions | - | [Reference](admonitions.md) |
| Code blocks | - | [Reference](code-blocks.md) |
```

Feature	Guide	Reference
Colors	Setup	—
Fonts	Setup	—

Feature	Guide	Reference
Admonitions	—	Reference
Code blocks	—	Reference

CSV tables

For complex data, consider using the `tables` extension or importing from CSV:

```
markdown_extensions:
  - tables
```

Styling

Apply CSS classes to tables:

```
| Header 1 | Header 2 |
|-----|-----|
| Cell 1   | Cell 2   |
{: .highlight }
```

Table sorting

For interactive sorting, add the `data-table` class:

```
| Name | Age | Role |
|-----|-----|-----|
| Alice | 30 | Developer |
| Bob   | 25 | Designer  |
| Carol | 35 | Manager   |
{: data-table }
```

Multi-line cells

Use `<br>` for line breaks within cells:

```
| Feature | Description |
|-----|-----|
| Search | Full-text search<br>with highlighting |
| Dark mode | Light and dark<br>themes included |
```

Feature	Description
Search	Full-text search with highlighting
Dark mode	Light and dark themes included

Best practices

- Keep tables under 10 columns for readability
- Use `|-----|` alignment for visual consistency
- Always include a header row for accessibility
- Use (space) for empty cells, not `|`
- Wrap wide tables in scrollable containers

Next steps

- [Admonitions](#)
- [Formatting](#)

 Jun 06, 2026  Jun 06, 2026