

Icons & Emojis

DocsForge includes **8,000+ Material Design icons** and **3,000+ Twemoji emojis** out of the box. No external downloads needed.

Icons

Syntax

Use `:material-icon-name:` syntax anywhere in your Markdown:

```
:material-heart: I love DocsForge!
```

♥ I love DocsForge!

Finding icons

Browse the full [Material Design Icons](#) library. Common categories:

Category	Examples
Navigation	🏠 <code>:material-home:</code> → <code>:material-arrow-right:</code> ☰ <code>:material-menu:</code>
Actions	⬇️ <code>:material-download:</code> ⬆️ <code>:material-upload:</code> ↻ <code>:material-refresh:</code>
Content	📄 <code>:material-file-document:</code> 🖼️ <code>:material-image:</code> {} <code>:material-code-braces:</code>
Status	✅ <code>:material-check-circle:</code> ⚠️ <code>:material-alert-circle:</code> ⓘ <code>:material-information:</code>
Hardware	💾 <code>:material-memory:</code> 🖥️ <code>:material-harddisk:</code> 🖨️ <code>:material-server:</code>
Social	🐙 <code>:material-github:</code> 🐦 <code>:material-twitter:</code> 🌐 <code>:material-web:</code>



Icon search

Use the [Material Icons search](#) to find the exact name. Replace spaces with hyphens: `arrow-right` → `:material-arrow-right:`

Using icons

In text

Click the `:material-settings:` settings icon to configure.

Click the `:material-settings:` settings icon to configure.

In buttons and links

[Get started `:material-arrow-right:`](getting-started.md)

[Download `:material-download:`](https://example.com)

Get started →

Download ⬇

In admonitions

Icons appear automatically in admonition titles based on the type:

```
!!! tip "Tip with icon"
    This admonition has an automatic icon.
```



Tip with icon

This admonition has an automatic icon.

In headers

`:material-rocket:` Getting Started



Getting Started

In tables

```
| Feature | Status |
|-----|-----|
| :material-check: Working | :material-check-circle: Complete |
| :material-wrench: In progress | :material-alert: Attention needed |
```

Feature	Status
✓ Working	✔ Complete
🔧 In progress	⚠ Attention needed

Icon sizing

Apply CSS classes for sizing (requires custom CSS):

```
:material-heart:{ .twemoji .lg } Large heart
:material-heart:{ .twemoji .2x } Double size
:material-heart:{ .twemoji .3x } Triple size
```

Custom icon colors

```
:material-heart:{ .red } Red heart
:material-heart:{ .blue } Blue heart
```

(Requires defining `.red` and `.blue` CSS classes.)

Emojis

Standard shortcodes

Use standard emoji shortcodes:

```
:smile: :thumbsup: :rocket: :fire: :star: :warning: :heart: :tada:
```



Common emojis for documentation

Emoji	Shortcode	Use case
	<code>:rocket:</code>	New feature, launch
	<code>:warning:</code>	Warning, caution
	<code>:star:</code>	Favorite, recommended
	<code>:fire:</code>	Hot topic, trending
	<code>:bulb:</code>	Idea, tip
	<code>:bug:</code>	Bug, issue
	<code>:white_check_mark:</code>	Completed
	<code>:x:</code>	Failed, removed
	<code>:memo:</code>	Documentation
	<code>:gear:</code>	Configuration

Font Awesome icons

Font Awesome brand icons are also available:

```
:fontawesome-brands-github: GitHub
:fontawesome-brands-python: Python
:fontawesome-brands-docker: Docker
:fontawesome-brands-linux: Linux
:fontawesome-brands-windows: Windows
:fontawesome-brands-apple: Apple
:fontawesome-brands-js: JavaScript
:fontawesome-brands-react: React
:fontawesome-brands-vuejs: Vue
:fontawesome-brands-html5: HTML5
:fontawesome-brands-css3: CSS3
```

 GitHub

 Python

 Docker

 Linux

-  Windows
-  Apple
-  JavaScript
-  React
-  Vue
-  HTML5
-  CSS3

Font Awesome regular and solid

Brand icons (`fontawesome-brands-*`) are always available. Regular and solid variants may require additional configuration.

Custom icons

Adding custom icons

Place SVG icons in `docs/assets/icons/` and reference them:

```
theme:
  icon:
    logo: assets/icons/my-logo.svg
    repo: assets/icons/custom-repo.svg
```

Using custom icons in Markdown

```
:custom-icon-name:
```

Requires registering the icon in your `docsforge.yml`:

```
theme:
  icon:
    admonition:
      note: custom-icon-name
```

Configuration

Icon support is enabled by default. The configuration is:

```
markdown_extensions:  
  - pymdownx.emoji:  
      emoji_generator: !!python/name:docsforge.emoji.to_svg  
      emoji_index: !!python/name:docsforge.emoji.twemoji
```

Don't change this

DocsForge vendors all emoji and icon assets. Changing the generator or index may break offline support.

Best practices

- Use icons sparingly — too many make text hard to read
- Prefer Material icons over emojis for professional documentation
- Use emojis for informal content, release notes, or social cards
- Always include the text label alongside icons for accessibility
- Test how icons render in both light and dark themes
- Avoid icons in table headers — use text instead

Next steps

- [Images](#)
- [Lists](#)
- [Data tables](#)

 Jun 19, 2026  Jun 06, 2026