

Lists

DocsForge supports all standard list types plus extended syntax for task lists, definition lists, and complex nesting.

Unordered lists

Standard Markdown bullet lists:

```
- Item 1  
- Item 2  
- Item 3
```

- Item 1
- Item 2
- Item 3

Nested unordered lists

```
- Parent item  
  - Child item 1  
  - Child item 2  
    - Grandchild item  
- Another parent
```

- Parent item
- Child item 1
- Child item 2
 - Grandchild item
- Another parent

Different bullet styles

Use `-`, `*`, or `+` interchangeably:

```
- Dash item  
* Asterisk item
```

+ Plus item

- Dash item
 - Asterisk item
 - Plus item
-

Ordered lists

Standard numbered lists:

1. First item
2. Second item
3. Third item

1. First item
2. Second item
3. Third item

Nested ordered lists

1. First step
 1. Sub-step A
 2. Sub-step B
2. Second step
 1. Sub-step C
 2. Sub-step D

1. First step
2. Sub-step A
3. Sub-step B
4. Second step
5. Sub-step C
6. Sub-step D

Starting from a specific number

5. Fifth item
6. Sixth item
7. Seventh item

5. Fifth item
 6. Sixth item
 7. Seventh item
-

Mixed lists

Combine ordered and unordered lists:

```
1. First step
  - Detail A
  - Detail B
2. Second step
  - Detail C
    1. Sub-detail 1
    2. Sub-detail 2
```

1. First step
 - Detail A
 - Detail B
 2. Second step
 - Detail C
 1. Sub-detail 1
 2. Sub-detail 2
-

Task lists

Enable with `pymdownx.tasklist`:

```
- [x] Completed task
- [ ] Incomplete task
- [ ] Another task
```

- ☒ Completed task
- ☐ Incomplete task
- ☐ Another task

Nested task lists

- ```
- [x] Parent task completed
 - [x] Child task completed
 - [] Child task pending
- [] Parent task pending
 - [] Child task pending
 - [] Another child task pending
```

- ☒ Parent task completed
- ☒ Child task completed
- ☐ Child task pending
- ☐ Parent task pending
- ☐ Child task pending
- ☐ Another child task pending

## Task lists with descriptions

- ```
- [x] Install DocsForge
  Simple pip install command
- [ ] Create your first page
  Write a `index.md` file
- [ ] Build the site
  Run `docsforge build`
```

- ☒ Install DocsForge
 - Simple pip install command
- ☐ Create your first page
 - Write a `index.md` file
- ☐ Build the site
 - Run `docsforge build`

Fancy task lists (custom styling)

Custom checkbox styling with Material Design is enabled by default:

```
markdown_extensions:
  - pymdownx.tasklist:
      custom_checkbox: true
```

This renders checkboxes with Material Design styling instead of default browser checkboxes.

Definition lists

Enable with `def_list`:

```
Term 1
:   Definition of term 1

Term 2
:   Definition of term 2
:   Another definition for term 2
```

Term 1

Definition of term 1

Term 2

Definition of term 2

Another definition for term 2

Nested definitions

```
DocsForge
:   A self-contained documentation engine
:   Vendored dependencies
:   Zero external downloads
:   Fast builds

Material Design
:   The design system used by DocsForge
:   Clean, modern aesthetic
:   Responsive layouts
```

DocsForge

A self-contained documentation engine

Vendored dependencies

Zero external downloads

Fast builds

Material Design

The design system used by DocsForge

Clean, modern aesthetic

Lists with code blocks

Lists can contain code blocks and other block elements:

```
1. First step
  ``` bash
 echo "Hello"
  ```

2. Second step
  ``` bash
 echo "World"
  ```
```

1. First step

```
echo "Hello"
```

2. Second step

```
echo "World"
```

Lists with admonitions

```
- Item with a note
  !!! note
    Important detail about this item
- Another item
  !!! warning
    Be careful with this step
```

- Item with a note
 - !!! note
 - Important detail about this item
- Another item
 - !!! warning
 - Be careful with this step

Lists with icons

- `:material-check:` Completed feature
- `:material-wrench:` Work in progress
- `:material-clock-outline:` Planned for next release
- `:material-alert:` Needs attention

- ✓ Completed feature
- 🔧 Work in progress
- ⌚ Planned for next release
- ⚠ Needs attention

Lists with links and formatting

- **item** with *description*
- [[Link to another page](#)](getting-started.md)
- `inline code` for technical terms
- ==Highlighted text== for emphasis

- **item** with *description*
- [Link to another page](#)
- `inline code` for technical terms
- **Highlighted text** for emphasis

Best practices

- Use unordered lists for features, options, or unordered items
- Use ordered lists for sequential steps or ranked items
- Use task lists for todo lists, checklists, or progress tracking
- Use definition lists for glossaries, FAQs, or key-value pairs
- Keep nesting to 3 levels maximum for readability
- Indent nested items with 2 or 4 spaces consistently
- Avoid mixing too many element types in one list
- Use task lists in GitHub issues or project documentation for progress tracking

Next steps

- [Formatting](#)
- [Tooltips](#)
- [Icons & Emojis](#)

 Jun 06, 2026  Jun 06, 2026