## Supplementary Material of: Data-driven dynamical model indicates that the heat shock response in *Chlamydomonas* reinhardtii is tailored to handle natural temperature variation

Stefano Magni<sup>1,2</sup>, Antonella Succurro<sup>3,5</sup>, Alexander Skupin<sup>2,4</sup>, and Oliver Ebenhöh<sup>1,5,†</sup>

<sup>1</sup>Institute of Quantitative and Theoretical Biology, Heinrich Heine University, Düsseldorf, Germany 
<sup>2</sup>Luxembourg Centre for Systems Biomedicine, University of Luxembourg, Esch-sur-Alzette, Luxembourg 
<sup>3</sup>Botanical Institute, University of Cologne, Cologne, Germany 
<sup>4</sup>University California San Diego, La Jolla, USA 
<sup>5</sup>Cluster of Excellence on Plant Sciences (CEPLAS), Düsseldorf, Germany 
<sup>†</sup>Author for correspondence. E-mail: oliver.ebenhoeh@hhu.de

Journal of the Royal Society Interface, 2018

## Contents

A	Supplementary Material: mathematical description of the model	2
В	Supplementary Material: extended description of the calibration of the model  B.1 Definition of the objective function	5
C	Supplementary Material: double heat shock characterization C.1 Simulating the double HS experiments to investigate their main features	
D	Supplementary Material: steady state characterization and further applications of the model  D.1 Prolonged heat shock	13 13 13 14
E	Supplementary Material: Robustness of the main results against changes in Hill kinetics parameters	17