

## Input Your Article Title Here if it is too Long

### Summary

This is abstract. This section should describe what problem the paper solves, what methods are applied, what results are obtained and summarize them.

This is the second line abstract. And if you look carefully you can see that the spacing within and between paragraphs is different, which facilitates our reading in paragraphs.

This is **the special** `special` *special* *special* fonts in abstract.

**Keywords:** Fighting Wildfires; Multi-Objective Optimization; Poisson Distribution; Tabu Search Algorithm; Sensitivity Analysis

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Problem Background . . . . .	3
1.2	Restatement of the Problem . . . . .	3
<b>2</b>	<b>Assumptions and Explanations</b>	<b>4</b>
<b>3</b>	<b>Notations</b>	<b>4</b>
<b>4</b>	<b>Model Preparation</b>	<b>4</b>
4.1	Data Overview . . . . .	4
4.1.1	Data Collection . . . . .	4
4.1.2	Data Screening . . . . .	5
4.2	Detailed Parameter Analysis . . . . .	5
<b>5</b>	<b>Layout of Formulas, Graphs and Tables</b>	<b>7</b>
5.1	Layout of Formulas . . . . .	7
5.2	Layout of Figures . . . . .	8
5.3	Layout of Special Tables . . . . .	9
<b>6</b>	<b>Conclusions and Interesting Information</b>	<b>9</b>
6.1	Useful and Meaningful Conclusions . . . . .	9
<b>7</b>	<b>Sensitivity Analysis</b>	<b>9</b>
7.1	Visual Analysis . . . . .	10
<b>8</b>	<b>Model Evaluation and Further Discussion</b>	<b>11</b>
8.1	Strengths . . . . .	11
8.2	Weaknesses & Further Discussion . . . . .	11
<b>9</b>	<b>Conclusion</b>	<b>11</b>
	<b>References</b>	<b>14</b>
<b>A</b>	<b>First Section</b>	<b>14</b>
<b>B</b>	<b>Python Code Examples</b>	<b>15</b>
B.1	Basic Python Example . . . . .	15
B.2	Data Analysis with Python . . . . .	15
<b>C</b>	<b>Use of AI</b>	<b>16</b>
C.1	Model Development Assistance . . . . .	16
C.2	Data Processing and Analysis . . . . .	16
C.3	Mathematical Formulation Assistance . . . . .	17
C.4	Code Implementation Support . . . . .	17
C.5	Conclusion on AI Usage . . . . .	18

# 1 Introduction

## 1.1 Problem Background



(a) Subfigure Name1Long LongLong LongLong  
LongLong Long(left)



(b) Subfigure Name2(right)

Figure 1: Figure Name

## 1.2 Restatement of the Problem

- Problem 1:
- Problem 2:
- Problem 3:
- Problem 4&5:



Figure 2: Flow Chart of this Paper's Research It is Long Long Long Long  
Long Long Long Long Long Long

## 2 Assumptions and Explanations

Considering ...

**Assumption 1:** We assume that ...

*Explanation:...*

**Assumption 2:** We assume that ...

*Explanation:...*

**Assumption 3:** We assume ...

*Explanation:...*

## 3 Notations

Some important mathematical notations used in this paper are listed in Table 1.

Table 1: Notations used in this paper

Symbol	Description	Units
$\lambda_i$	Meaning of the symbol	/
$y_i$	Meaning of the symbol	/
$a_i$	Meaning of the symbol	/
$\Delta R$	Meaning of the symbol	/
$R^*$	Meaning of the symbol	/

\*There are some variables that are not listed here and will be discussed in detail in each section.

## 4 Model Preparation

### 4.1 Data Overview

For a large amount of data, it is necessary to process and clean the data before building the model. So we first use the ismissing function to find the missing value and get the missing value in Table 2:

Table 2: Missing Data in Given Data

Missing1	Missing2	Missing3	Missing4	Missing5	Missing6	Missing7	Missing8
Looooog	A	B	C	D	-	E	F
Word	A	B	C	D	-	E	F
Multicolumn	A	B	C	D	-	E	F

These columns share common features

#### 4.1.1 Data Collection


And other data sources are shown in Table 3.

Table 3: Data and Database Websites


Database Names	Database Websites
GDP of Each Country	<a href="https://ourworldindata.org/">https://ourworldindata.org/</a>
GDP of Some European Countries	<a href="https://data.worldbank.org/">https://data.worldbank.org/</a>
Partial Sailing Parameters	<a href="https://www.sailboat-cruising.com/">https://www.sailboat-cruising.com/</a>
	<a href="https://sailboatdata.com/">https://sailboatdata.com/</a>

#### 4.1.2 Data Screening

According to the data given, we...



(a) Cute Cat(left)



(b) Cute Cat(right)

Figure 3: Data Screening

This is a double-table.

Table 4: Partial Monohull and Catamaran data

AA	BB/ $m$	CC/ $m^3$	DD/ $m^3$	EE/ $m^2$	FF
A	B	C	D	E	F
A	B	C	D	E	F
AA	BB/ $m$	CC/ $m^3$	DD/ $m^3$	EE/ $m^2$	FF
A	B	C	D	E	F
A	B	C	D	E	F

## 4.2 Detailed Parameter Analysis

To provide a comprehensive analysis of the model parameters, we present a detailed table that may span multiple pages if necessary.

Table 5: Detailed Parameter Analysis for Model Optimization

Parameter	Type	Range	Default Value	Sensitivity
$\alpha$	Continuous	[0, 1]	0.5	High
$\beta$	Discrete	1, 2, 3	2	Medium
$\gamma$	Continuous	[0.1, 0.9]	0.7	Low
$\delta$	Continuous	[0.001, 0.1]	0.01	High
$\epsilon$	Continuous	[0.0001, 0.1]	0.001	Medium
$\zeta$	Discrete	10, 20, 50	20	Low
$\eta$	Continuous	[0.05, 0.95]	0.5	High
$\theta$	Continuous	[0.1, 0.9]	0.3	Medium
$\iota$	Discrete	5, 10, 15	10	Low
$\kappa$	Continuous	[0.01, 0.5]	0.1	High
$\lambda$	Continuous	[0.001, 0.1]	0.01	Medium
$\mu$	Continuous	[0.1, 0.9]	0.5	Low
$\nu$	Continuous	[0.01, 0.5]	0.1	Medium
$\xi$	Discrete	1, 2, 3	2	Low
$\pi$	Continuous	[3.14, 3.15]	3.1416	High
$\rho$	Continuous	[0.8, 0.99]	0.9	Medium
$\sigma$	Continuous	[0.1, 1.0]	0.5	High
$\tau$	Continuous	[0.01, 0.1]	0.05	Medium
$v$	Discrete	100, 200, 500	200	Low
$\phi$	Continuous	[0.2, 0.8]	0.5	High
$\chi$	Continuous	[0.001, 0.1]	0.01	Medium
$\psi$	Discrete	2, 4, 8	4	Low
$\omega$	Continuous	[0.5, 2.0]	1.0	High
$\alpha_1$	Continuous	[0.1, 0.9]	0.5	High
$\beta_1$	Discrete	2, 4, 6	4	Medium
$\gamma_1$	Continuous	[0.2, 0.8]	0.5	Low
$\delta_1$	Continuous	[0.002, 0.02]	0.01	High
$\epsilon_1$	Continuous	[0.0002, 0.02]	0.002	Medium
$\zeta_1$	Discrete	20, 40, 60	40	Low
$\eta_1$	Continuous	[0.1, 0.9]	0.5	High
$\theta_1$	Continuous	[0.2, 0.8]	0.5	Medium
$\iota_1$	Discrete	10, 20, 30	20	Low
$\kappa_1$	Continuous	[0.02, 0.4]	0.2	High
$\lambda_1$	Continuous	[0.002, 0.02]	0.01	Medium
$\mu_1$	Continuous	[0.2, 0.8]	0.5	Low
$\nu_1$	Continuous	[0.02, 0.4]	0.2	Medium
$\xi_1$	Discrete	2, 4, 6	4	Low
$\rho_1$	Continuous	[0.85, 0.95]	0.9	Medium
$\sigma_1$	Continuous	[0.2, 0.8]	0.5	High
$\tau_1$	Continuous	[0.02, 0.08]	0.05	Medium
$v_1$	Discrete	200, 400, 600	400	Low
$\phi_1$	Continuous	[0.3, 0.7]	0.5	High
$\chi_1$	Continuous	[0.002, 0.02]	0.01	Medium
$\psi_1$	Discrete	4, 8, 12	8	Low
$\omega_1$	Continuous	[0.6, 1.8]	1.2	High

Continued on next page

Table 5 – Continued from previous page

Parameter	Type	Range	Default Value	Sensitivity
$\alpha_2$	Continuous	[0.15, 0.85]	0.5	High
$\beta_2$	Discrete	3, 6, 9	6	Medium
$\gamma_2$	Continuous	[0.25, 0.75]	0.5	Low
$\delta_2$	Continuous	[0.003, 0.03]	0.015	High
$\epsilon_2$	Continuous	[0.0003, 0.03]	0.003	Medium
$\zeta_2$	Discrete	30, 60, 90	60	Low
$\eta_2$	Continuous	[0.15, 0.85]	0.5	High
$\theta_2$	Continuous	[0.25, 0.75]	0.5	Medium
$\iota_2$	Discrete	15, 30, 45	30	Low
$\kappa_2$	Continuous	[0.03, 0.45]	0.3	High
$\lambda_2$	Continuous	[0.003, 0.03]	0.015	Medium
$\mu_2$	Continuous	[0.25, 0.75]	0.5	Low
$\nu_2$	Continuous	[0.03, 0.45]	0.3	Medium
$\xi_2$	Discrete	3, 6, 9	6	Low
$\rho_2$	Continuous	[0.82, 0.92]	0.87	Medium
$\sigma_2$	Continuous	[0.25, 0.75]	0.5	High
$\tau_2$	Continuous	[0.025, 0.075]	0.05	Medium
$\upsilon_2$	Discrete	300, 600, 900	600	Low
$\phi_2$	Continuous	[0.35, 0.65]	0.5	High
$\chi_2$	Continuous	[0.003, 0.03]	0.015	Medium
$\psi_2$	Discrete	6, 12, 18	12	Low
$\omega_2$	Continuous	[0.7, 1.6]	1.4	High

This comprehensive parameter analysis provides the foundation for our model optimization process. The table is designed to span multiple pages if needed, ensuring readability and accessibility of all parameter information.

## 5 Layout of Formulas, Graphs and Tables

### 5.1 Layout of Formulas

We can use the following codes to describe a part of calculation.

1. A complex line of formulas...

$$C = \begin{bmatrix} Cov(x_1, x_1) & Cov(x_1, x_2) \\ Cov(x_2, x_1) & Cov(x_2, x_2) \end{bmatrix}, \text{ where } Cov(x_2, x_1) = \frac{\sum_{i=1}^M (x_1^i - \bar{x}_1)^2}{M-1} \quad (1)$$

A description of the formula...

2. A complex line of formulas...

$$\begin{bmatrix} y_1^i \\ y_2^i \\ \vdots \\ y_k^i \end{bmatrix} = \begin{bmatrix} u_1^T & \cdots & (x_1^i, x_2^i, x_3^i, \cdots, x_N^i)^T \\ u_2^T & \cdots & (x_1^i, x_2^i, x_3^i, \cdots, x_N^i)^T \\ \vdots & \cdots & \vdots \\ u_k^T & \cdots & (x_1^i, x_2^i, x_3^i, \cdots, x_N^i)^T \end{bmatrix} \quad (2)$$

A description of the formula...

3. A complex line of formulas...


$$Con = \frac{\lambda_i}{\sum_{k=1}^p \lambda_k}, (i = 1, 2, \dots, p) \quad (3)$$

$$Con^* = \frac{\sum_{k=1}^i \lambda_k}{\sum_{k=1}^p \lambda_k}, (i = 1, 2, \dots, p) \quad (4)$$


$$\frac{dx}{dy} = \frac{dx}{dz} \frac{dz}{dy}$$

A description of the formula....The Eq (1) is important.


## 5.2 Layout of Figures



(a) Subfigure1



(b) Subfigure2



(c) Subfigure3

Figure 4: Subfigures




Figure 5: Left Figure




Figure 6: Middle Figure




Figure 7: Right Figure

If we use complex algorithms, we need to illustrate them using pseudo-code.



**Algorithm 1:** CAT Fusion Pseudo-code**Input:** BIG CATS**Output:** LITTLE CATS

---

```

1 Definition:  $J = Inf$  & Create  $a_{right}$  matrix to record the values of  $a_1$ ,  $a_2$  and  $a_3$ ;
2 for  $a_3 = 0$  to  $1$  ( $step = 0.01$ ) do
3   Define the objective function:
4      $f(a_1) = \min \left\{ \sum (y - (a_1 x_1 + (1 - a_3 - a_2) x_2 + a_3 x_3))^2 \right\}$ ;
5   Using function fmincon, solve the optimization problem;
6   When the solution is complete, return the resulting  $a_1$  and  $f(a_1)$ ;
7   if  $f(a_1) < J$  then
8      $J < - - f(a_1)$ ;
9     Update  $a_{right}$  matrix;
10  end
11 end

```

---

### 5.3 Layout of Special Tables

Table 6: Cute Creatures

Cute Creatures on Earth			
CAT	CAT	CAT	CAT
Cat	Cat	Cat	Fat Cat
Cat	Cat	Cat	Cat
Cat	Cat	Cat	Cat
Cat	Cat	Cat	Cat

## 6 Conclusions and Interesting Information

...

### 6.1 Useful and Meaningful Conclusions

- As we can see...
- As we can see...
- As we can see...

## 7 Sensitivity Analysis

...

## 7.1 Visual Analysis



(a) Sensitivity Analysis of Parameter



(b) Sensitivity Analysis of Parameter



(c) Sensitivity Analysis of Parameter



(d) Sensitivity Analysis of Parameter

Figure 8: Visualization of Sensitivity Analysis Results

Through the four subfigures above, we can clearly observe the sensitivity impact of different parameters on the model output. The top-left figure shows the effect of parameter variation on the results, the top-right figure displays the sensitivity of parameter , the bottom-left figure analyzes the role of parameter , and the bottom-right figure demonstrates the influence of parameter .




Figure 9: Left Figure




Figure 10: Middle Figure

## 8 Model Evaluation and Further Discussion

### 8.1 Strengths

### 8.2 Weaknesses & Further Discussion

## 9 Conclusion

The cites<sup>[1][2][3][4][5]</sup>





## References

- [1] GLOBAL FOREST WATCH OF AUSTRALIA  
<https://www.globalforestwatch.org/topics/fires/?topic=fires#footer>
- [2] HU Teng, LIU Zhanjun, LIU Yang, et al. 3D reconnaissance path planning of multiple UAVs. Journal of Systems Engineering and Electronics, 2019, 41(7): 1551-1559.
- [3] BASBOUS B. 2D UAV path planning with radar threatening areas using simulated an-nealing algorithm for event detection. The 2018 International Conference on Artificial Intelligence and Data Processing. Malatya, Turkey: IEEE,2018: 1-7.
- [4] WANG W F, WU Y C, ZHANG X. Research of the unit decomposing traversal method based on grid method of the mobile robot. Techniques of Automation and Applications, 2013, 32(11): 34-38.
- [5] XU Jian, ZHOU Deyun, HUANG He. Multi UAV path planning based on improved ge-netic algorithm. Aeronautical Computing Technique, 2009, 39(4): 43-46.

## A First Section

Listing A.1: My 1st Code(Written by MATLAB)

```
1  % a comment
2  clear all, clc
3  % a comment
4  x = [1.00; 1.00; 1.00];
5  beta0 = [1 1 1];
6  modelfun = 'y ~ k*x^2+b'
7  mdl = fitnlm(tb,modelfun,beta0)
8  % a comment
9  plotResiduals(mdl,'fitt1111111111111111ed')
10 %this is so so so so so so so so so so so so so so so so so so so so so so
    ↳ so so so so so so so so long code
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
```

```
29
30
31 %1
32 111
```

**Listing A.2: My 2st Code**

```
1 disp('hello')
```

**Listing A.3: My 2st Code**

```
1 disp('hello')
```

## B Python Code Examples

### B.1 Basic Python Example

**Listing B.1: Simple Python Function**

```
1 # Python code example
2 def fibonacci(n):
3     """Calculate Fibonacci sequence"""
4     if n <= 1:
5         return n
6     else:
7         return fibonacci(n-1) + fibonacci(n-2)
8
9 # Test function
10 for i in range(10):
11     print(f"Fibonacci({i}) = {fibonacci(i)}")
```

### B.2 Data Analysis with Python

**Listing B.2: Data Processing Example**

```
1 import numpy as np
2 import pandas as pd
3 import matplotlib.pyplot as plt
4
5 # Create sample data
6 data = {
7     'x': np.linspace(0, 10, 100),
8     'y': np.sin(np.linspace(0, 10, 100))
9 }
10 df = pd.DataFrame(data)
11
12 # Data analysis and visualization
```

```
13 print("Data statistics:")
14 print(df.describe())
15
16 plt.figure(figsize=(10, 6))
17 plt.plot(df['x'], df['y'], 'b-', linewidth=2)
18 plt.title('Sine Function Plot')
19 plt.xlabel('x')
20 plt.ylabel('sin(x)')
21 plt.grid(True)
22 plt.show()
```

## C Use of AI

This section documents the interactions between the author and AI assistant during the development of this MCM/ICM paper. The conversations are presented in a question-and-answer format to demonstrate how AI was utilized for various aspects of the research.

### C.1 Model Development Assistance

#### Question: How to optimize the UAV path planning algorithm?

I'm working on a UAV path planning algorithm for wildfire monitoring. The current approach uses a grid-based method, but I'm encountering issues with computational efficiency when scaling to larger areas. What optimization techniques would you recommend?

#### AI Response

For UAV path planning optimization in wildfire scenarios, consider these approaches:

1. **Hybrid algorithms:** Combine genetic algorithms with simulated annealing for better convergence
2. **Multi-resolution grids:** Use coarse grids for initial planning, then refine locally
3. **Dynamic programming:** Implement Dijkstra's algorithm with priority queues
4. **Parallel processing:** Divide the search space for concurrent computation

The key is to balance exploration and exploitation while considering real-time constraints.

### C.2 Data Processing and Analysis

#### Question: Data preprocessing for wildfire detection

I have satellite imagery data for wildfire detection, but there's significant noise and missing values. What preprocessing steps should I implement before applying machine learning models?



### AI Response

Recommended preprocessing pipeline:

- **Missing data:** Use interpolation or k-nearest neighbors imputation
- **Noise reduction:** Apply Gaussian or median filters
- **Normalization:** Scale pixel values to [0,1] range
- **Feature extraction:** Consider texture features, thermal gradients
- **Data augmentation:** Rotate, flip, and scale images for robustness

Also, implement cross-validation to ensure model generalization.

## C.3 Mathematical Formulation Assistance

### Question: Mathematical modeling for fire spread prediction

I need to develop a mathematical model for wildfire spread prediction. What are the key factors and equations I should consider?

### AI Response

Key factors for wildfire spread modeling:

$$\frac{\partial T}{\partial t} = \alpha \nabla^2 T + Q \quad (\text{Heat equation with source})$$
$$\frac{\partial m}{\partial t} = -km \quad (\text{Fuel consumption})$$

Where:

- $T$ : Temperature distribution
- $m$ : Fuel mass density
- $\alpha$ : Thermal diffusivity
- $Q$ : Heat generation rate
- $k$ : Combustion rate constant

Consider wind effects, topography, and fuel moisture content as additional parameters.

## C.4 Code Implementation Support

### Question: MATLAB implementation for data visualization

I need to create effective visualizations for wildfire data analysis in MATLAB. What plotting techniques and functions would you recommend?

### AI Response

For wildfire data visualization in MATLAB:

```
% Heat map for temperature distribution
heatmap(temperatureData, 'Colormap', hot);

% Time series for fire progression
plot(time, fireArea, 'r-', 'LineWidth', 2);

% 3D surface for terrain and fire spread
surf(X, Y, elevation, fireIntensity);

% Geographic plotting with mapping toolbox
geoplot(lat, lon, 'r-', 'LineWidth', 2);
```

Use subplot for multi-panel figures and customize colormaps for better interpretation.

## C.5 Conclusion on AI Usage

The AI assistant provided valuable support in algorithm optimization, data pre-processing guidance, mathematical formulation, and code implementation. All final decisions, analysis, and interpretations were made by the human author, with AI serving as a collaborative tool for brainstorming and technical guidance.