DrawPauliTransferMap

SetDirectory @ NotebookDirectory[];
Import["../Link/QuESTlink.m"];

Doc

? DrawPauliTransferMap

Symbol

DrawPauliTransferMap [map] visualises the given PTMap as a graph where nodes are basis Pauli strings, and edges indicate the transformative action of the map.

DrawPauliTransferMap also accepts PTM, circuit and gate

instances, for which the corresponding PTMap is automatically calculated.

DrawPauliTransferMap accepts options "PauliStringForm", "ShowCoefficients" and "NodeDegreeEdgeStyles", in addition to all options accepted by Graph[].

- "ShowCoefficients" -> False hides the map's
 Pauli string coefficients which are otherwise shown as edge labels.
- "PauliStringForm" sets the vertex label format to one of
 "Subscript" (default), "Index", "Kronecker", "String" or "Hidden". These (except
 the latter) are the formats are supported by GetPauliStringReformatted[].
- "NodeDegreeEdgeStyles" specifies a list of styles (default informed by
 ColorData["Pastel"]) to set upon edges from nodes with increasing outdegree.
 For example, "NodeDegreeEdgeStyles"->{Red,Green,Blue} sets edges from
 Pauli states which are mapped to a single other state to the colour Red, but
 two-outdegree node out-edges become Green, and three-outdegree become
 Blue. The list is assumed repeated for higher outdegree nodes than specified.
- Graph[] options override these settings, so specifying EdgeStyle
 - -> Black will set all edges to Black regardless of their node's outdegree.

~

Correctness

PTMap


map = CalcPauliTransferMap @ Rz₀[x] DrawPauliTransferMap[map]

$$\begin{split} & \mathsf{PTMap}_0 \left[0 \to \left\{ \left\{ 0 \,,\, 1 \right\} \right\},\, 1 \to \left\{ \left\{ 1 \,,\, \mathsf{Cos} \left[x \right] \right\} ,\, \left\{ 2 \,,\, \mathsf{Sin} \left[x \right] \right\} \right\},\\ & 2 \to \left\{ \left\{ 1 \,,\, -\mathsf{Sin} \left[x \right] \right\} ,\, \left\{ 2 \,,\, \mathsf{Cos} \left[x \right] \right\} \right\},\, 3 \to \left\{ \left\{ 3 \,,\, 1 \right\} \right\} \right] \end{split}$$





DrawPauliTransferMap @ CalcPauliTransferMap @ Damp₄[x]





DrawPauliTransferMap @ CalcPauliTransferMap @ C₅[X₇]

 $1 \qquad \qquad 1 \qquad \qquad 1 \qquad \qquad X_7 Z_5$


${\tt DrawPauliTransferMap @ CalcPauliTransferMap @ Depol_{3,9}[x]}$


 $1 - \frac{16 \, x}{15} \qquad 1 -$


 $1 - \frac{16 x}{15} \qquad 1 \qquad 1 \qquad 1 - \frac{16 x}{15} \qquad 1$

 $1 - \frac{16x}{15} \qquad 1 -$

DrawPauliTransferMap @ CalcPauliTransferMap @ C₂[H₁]











PTM, gates, circuits


$DrawPauliTransferMap @ PTM_0 @ DiagonalMatrix[\{a,b,c,d\}]$







$DrawPauliTransferMap @ PTM_0 @ Table \big[c_{i,j}, \ \{i,4\}, \{j,4\} \big]$




DrawPauliTransferMap @ Rz₀[x]







DrawPauliTransferMap@Circuit[H₀ C₀[X₁]]




$\label{eq:decompact} {\tt DrawPauliTransferMap @ Circuit[H_1 Damp_1[y] C_0[X_1]]}$





$$\begin{array}{c}
Y_1 Z_0 \sqrt{1-y} \\
-\sqrt{1-y}
\end{array}$$







option "PauliStringForm"

circ = Circuit[$H_0 C_0[X_1]$];


DrawPauliTransferMap[circ, "PauliStringForm" → "Subscript"]




${\tt DrawPauliTransferMap[circ, "PauliStringForm" \rightarrow "Index"]}$




${\tt DrawPauliTransferMap[circ, "PauliStringForm" \rightarrow "Kronecker"]}$



DrawPauliTransferMap[circ, "PauliStringForm" → "String"]





circ = Circuit[H₀ C₀[X₁] SWAP_{1,2}]; DrawPauliTransferMap[circ, "PauliStringForm" → "Hidden"]



option "ShowCoefficients"

circ = Circuit $[H_0 Depol_{0,1}[x] Damp_1[y] C_0[X_1]];$ ${\tt DrawPauliTransferMap[circ, "ShowCoefficients" \rightarrow False]}$








circ = Circuit[$H_1 Damp_{\theta}[x] Depol_{\theta,1}[x] C_{\theta}[X_1] C_1[Rx_{\theta}[x]] R[x, X_{\theta} Y_1]$]; map = CalcPauliTransferMap[circ]; DrawPauliTransferMap[map,

"ShowCoefficients" → False, "PauliStringForm" → "String"]




DrawPauliTransferMap[

CalcPauliTransferMap @ $C_{0,2}[H_1]$,


"ShowCoefficients" → False,

"PauliStringForm" → "Index"]




$$\label{eq:DrawPauliTransferMap} \mathsf{DrawPauliTransferMap} \Big[\mathsf{U}_{0,1} @ \begin{pmatrix} 0 & 0 & a & 0 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 \end{pmatrix} \Big],$$

"ShowCoefficients" → False, "PauliStringForm" → "Hidden"



option "NodeDegreeEdgeStyles"

 $circ = Circuit[H_0 Depol_{0,1}[x] Rx_0[a] Damp_1[y] C_0[X_1]];$ DrawPauliTransferMap[circ, "ShowCoefficients" → False]





colors = ColorData["SolarColors"] /@ Range[0, 1, .2] DrawPauliTransferMap[circ, "ShowCoefficients" → False, "NodeDegreeEdgeStyles" → colors] **{■, ■, ■, ■, ■,** ■**}** Id₀ Id₁



option AssertValidChannels

 $DrawPauliTransferMap[Rx_{\theta}[x], AssertValidChannels \rightarrow True]$






$\label{eq:definition} DrawPauliTransferMap[Rx_0[x], AssertValidChannels \rightarrow False]$

$$\frac{1}{2} \left(2\cos^2 \left(\frac{x}{2} \right) - 2\sin^2 \left(\frac{x}{2} \right) \left(\frac{$$

$$\frac{1}{2} \left(2 \sin^2 \left(\frac{x}{2} \right) + 2 \cos^2 \left(\frac{kd}{2} \right) \right)$$

options of Graph

```
circ = Circuit[H_0 Depol_{0,1}[x] Rx_0[a] Damp_1[y] C_0[X_1]];
DrawPauliTransferMap[circ, "ShowCoefficients" → False,
     EdgeStyle → Directive[Red, Dashed],
     VertexShapeFunction → "Diamond",
     VertexSize ⇒ RandomReal[],
     VertexStyle → LightPurple,
     GraphLayout → "CircularEmbedding"
]
```



Errors

```
DrawPauliTransferMap[X_0], "BadOption" \rightarrow "bad"]
••• OptionValue: Unknown option BadOption for {DrawPauliTransferMap, Graph}.
$Failed
\label{eq:decomposition} DrawPauliTransferMap[X_0], \ "PauliStringForm" \rightarrow "bad"]
w DrawPauliTransferMap: Unrecognised value for option "PauliStringForm". See ?DrawPauliTransferMap
$Failed
DrawPauliTransferMap[PTMap<sub>0,-1</sub>[x]]
••• DrawPauliTransferMap: Failed to automatically obtain the PTMap due to the below error:
••• CalcPauliTransferMatrix: Circuit contained an unrecognised or unsupported gate: PTMap<sub>0,1</sub>[x]
$Failed
DrawPauliTransferMap[]
••• DrawPauliTransferMap : Invalid arguments. See ?DrawPauliTransferMap
$Failed
DrawPauliTransferMap @ Bado
••• DrawPauliTransferMap : Failed to automatically obtain the PTMap due to the below error:
··· CalcPauliTransferMatrix: Circuit contained an unrecognised or unsupported gate: Bado
$Failed
```