

Designer / engineer handoff

One PDF of the live specification system, updated 17 August 2026 to include the Artists area.

- Visual system: black & white only (plus existing red selected/hover)
- Fonts: Inter, Poppins, Source Sans 3 — do not add families
- Spacing scale: 4 / 12 / 16 / 24 / 30 / 36 / 60px
- Codebase is source of truth if a sentence here disagrees with the app

How to use: start with SYSTEM_INDEX, then tokens → type → layout → interaction. Artists pages live in LAYOUT §1.3, Type section D, Motion §4b, Form schema (Artist Join).

What changed — 17 August 2026

What changed — 17 August 2026

Handoff note for the next designer. Specs in this pack were updated to match the live site. If code and spec disagree, **the codebase is the source of truth**.

New public routes

Route	Model	Purpose
/artists	White Directory (LAYOUT §1.3)	A–Z list, Genre/Medium filters, overlapping four-artist billboard, four-column grid
/artists/[slug]	White Split Content	Portrait/bio left; CV, Exhibitions, Press, Talks, Works right. Empty sections keep their headings
/artists/join	Content Page (form)	Three-tab artist profile. Saved in <code>localStorage</code> until an <code>artists</code> table exists

White header (`WhiteSiteHeader`) on /partners and Artists: Become a Partner → Artists → Back to workspace (muted, last).

Billboard

- Four overlapping full-height artist pages. Default: name overlay, image to the top edge (no white header strip).
- Select: that page expands; the other three compress (~6% width), **name vertical, no image**.
- Motion: `700ms cubic-bezier(0.22, 1, 0.36, 1)` on left / width.
- Read more → is the existing CTA-with-arrow text button.
- v at the billboard bottom scrolls to the grid. Billboard bottom sits on the screen bottom under header + filters.

Filters

- Genre and Medium only, **collapsed by default**.
- Exhibition / When dropdown was removed.

Images

- About **half of the 15 editorial artists** have a portrait (7 with, 8 without).
- Empty = **white**. No grey square, no broken-image icon.
- Portraits or artworks only. No cityscapes or stock filler.
- Grid thumbs: 96px.

Tokens still in force

Black/white system. Fonts: Inter, Poppins, Source Sans 3. Spacing scale unchanged. Red (`#FF0000`) only for workspace activity-list hover and the selected A–Z artist name. Meta grey `#9A9A9A` for muted nav, field, years, letters.

Persistence

Artist join is **not** in Supabase yet. Draft: othering_artist_join_draft_v1. Submitted: othering_artist_submissions_v1. DATABASE_SCHEMA.md describes a later artists table — do not invent it in UI.

SYSTEM_INDEX.md

SYSTEM_INDEX.md

Purpose

This document serves as a table of contents and onboarding guide for the Art Festival 2026 platform specification system.

How to use this file:

1. Read this file first to understand the system structure
 2. Refer to specific specification files as needed
 3. Use this file to understand how files work together
-

Specification Files Overview

The system is organized into **9 specification files**, each with a clear, non-overlapping responsibility:

1. **DESIGN_TOKENS.md** - Visual primitives (colors, fonts, spacing, borders)
2. **Typography Mapping Table.md** - Text styling by semantic role
3. **LAYOUT_INTERACTION_SPEC.md** - Page models and scrolling behavior
4. **SPACE_SYSTEM_COMPLETE.md** - Global spacing rules
5. **SPACE_SYSTEM_DETAIL_PANEL.md** - Detail panel spacing specifics
6. **FORM_SCHEMA.md** - Data structure and validation
7. **FORM_PAGE_SPEC.md** - Form behavior and logic
8. **INTERACTION_MOTION_SPEC.md** - Interaction feedback and motion rules
9. **Project_scope.md** - Overall purpose and goals

Note: The system includes authentication (Supabase), navigation menu dropdown, login page, and dynamic label changes based on auth state.

File-by-File Guide

1. DESIGN_TOKENS.md

What it controls:

- Color tokens (black, white, grays, backgrounds)
- Font families (Inter, Poppins, Source Sans 3)
- Spacing scale (4px, 12px, 16px, 24px, 30px, 36px, 60px)
- Border tokens (width, color, radius)
- Button tokens (primary, secondary, outlined)
- Responsive typography patterns
- Scrollbar and animation tokens

What it MUST include:

- All visual primitive values
- Token names and exact values
- Usage guidelines for each token

What it MUST NOT include:

- Component definitions
- Layout structures
- Page-specific rules
- Form field definitions
- Business logic

When to use:

- Implementing any visual styling
 - Choosing colors, fonts, or spacing values
 - Creating buttons or UI elements
 - Setting up responsive typography
-

2. Typography Mapping Table.md

What it controls:

- Font family assignment by semantic role
- Font weight, size, line-height for each text role
- Text transform (uppercase, lowercase, capitalize, none)
- Text color for each role
- Responsive typography scaling

What it MUST include:

- Complete mapping of text roles to typography tokens
- Exact font sizes and line heights (with responsive formulas)
- Color assignments
- Transform rules

What it MUST NOT include:

- Layout or spacing rules
- Component structures
- Form field definitions
- Business logic

When to use:

- Styling any text element
 - Choosing font family for a text role
 - Setting font size and line height
 - Applying text transforms
-

3. LAYOUT_INTERACTION_SPEC.md

What it controls:

- Page model types (Workspace vs Content)
- Panel structure and dimensions
- Scrolling behavior (independent vs single scroll)
- Responsive breakpoints (860px, 1440px)
- Fixed elements (sticky headers/footers)
- Scroll-triggered reveal animations

What it MUST include:

- Clear distinction between Workspace and Content pages
- Panel width rules and responsive behavior
- Scrolling rules for each page type
- Breakpoint definitions

What it MUST NOT include:

- Visual styling (colors, fonts, spacing)
- Form field definitions
- Component implementations
- Business logic

When to use:

- Determining page structure
 - Implementing panel layouts
 - Setting up scrolling behavior
 - Adding responsive breakpoints
-

4. SPACE_SYSTEM_COMPLETE.md

What it controls:

- Global spacing rules across entire system
- Section spacing, dividers, padding logic
- Notion-like vertical rhythm
- Spacing for both Workspace and Content pages
- Form page spacing

What it MUST include:

- Complete spacing token reference
- Spacing for all major sections
- Panel spacing rules
- Form spacing rules
- Visual hierarchy summary

What it MUST NOT include:

- Typography rules
- Color definitions
- Component structures
- Business logic

When to use:

- Setting padding and margins
 - Determining gaps between sections
 - Creating vertical rhythm
 - Spacing form fields
-

5. SPACE_SYSTEM_DETAIL_PANEL.md

What it controls:

- Spacing and layout rules specific to Workspace detail panels
- Image/text/link vertical rhythm
- Detail panel-specific spacing values
- Media links layout and spacing

What it MUST include:

- Detail panel container spacing
- Title block spacing
- Meta information spacing
- Body text and image spacing
- Media links spacing

What it MUST NOT include:

- Primary panel spacing (see SPACE_SYSTEM_COMPLETE.md)
- Typography rules
- Color definitions
- Form spacing

When to use:

- Implementing detail panel layout
 - Spacing detail panel content
 - Arranging media links
 - Setting image spacing
-

6. FORM_SCHEMA.md

What it controls:

- All form field definitions (names, types, required/optional)
- Data structure (Submission type, Activity type)
- Status flow and transitions
- Identity locking rules (username vs author_name)

- Validation rules
- Image storage requirements

What it MUST include:

- Complete field list with types
- Required vs optional flags
- Editable vs locked rules
- Status definitions and transitions
- Validation requirements

What it MUST NOT include:

- UI or layout instructions
- Form behavior (see FORM_PAGE_SPEC.md)
- Visual styling
- Component structures

When to use:

- Defining form fields
 - Implementing validation
 - Understanding data structure
 - Setting up status transitions
-

7. FORM_PAGE_SPEC.md

What it controls:

- Tab structure and navigation
- Save Draft vs Submit logic
- Button behavior (Next, Back, Submit, Save Draft)
- Validation rules and timing
- Modal behavior
- Image upload handling
- Rich text editor usage

What it MUST include:

- Tab navigation rules
- Save Draft vs Submit differences
- Button states and behaviors
- Validation timing
- Modal triggers

What it MUST NOT include:

- Data structure (see FORM_SCHEMA.md)
- Visual styling
- Layout rules (see LAYOUT_INTERACTION_SPEC.md)
- Spacing rules (see SPACE_SYSTEM_COMPLETE.md)

When to use:

- Implementing form behavior
 - Setting up tab navigation
 - Adding validation logic
 - Creating button interactions
-

8. INTERACTION_MOTION_SPEC.md**What it controls:**

- Hover behavior (when enabled, when disabled)
- Focus states (keyboard and mouse)
- Click/active feedback
- Tab switching behavior
- Modal entrance/exit
- Image upload feedback
- Disabled states (visual and interaction)
- Scroll-triggered reveals
- Workspace vs Form interaction intensity

What it MUST include:

- Complete interaction patterns
- Motion timing and transitions
- Accessibility rules (prefers-reduced-motion)
- When hover/focus/active states apply
- When interactions are disabled

What it MUST NOT include:

- Visual styling (colors, fonts - see DESIGN_TOKENS.md)
- Layout rules (see LAYOUT_INTERACTION_SPEC.md)
- Component structures
- Business logic

When to use:

- Implementing hover states
 - Adding focus indicators
 - Creating button interactions
 - Implementing modals
 - Adding scroll animations
 - Ensuring accessibility
-

9. Project_scope.md**What it controls:**

- Overall purpose and goals

- Target users (Partners, Admins, Public)
- Core flows and features
- Non-goals (out of scope)
- Success criteria

What it MUST include:

- Clear purpose statement
- User personas
- In-scope features
- Out-of-scope features
- Success metrics

What it MUST NOT include:

- Technical implementation details
- Design specifications
- Data structure details
- Layout rules

When to use:

- Understanding project goals
 - Determining if a feature is in scope
 - Onboarding new team members
 - Making scope decisions
-

How Files Work Together

Visual Styling Flow

1. **DESIGN_TOKENS.md** → Provides color, font, spacing tokens
2. **Typography Mapping Table.md** → Maps tokens to text roles
3. **SPACE_SYSTEM_COMPLETE.md** → Defines spacing application
4. **SPACE_SYSTEM_DETAIL_PANEL.md** → Refines detail panel spacing

Example: Styling a detail panel title

- Use DESIGN_TOKENS.md for font family (Inter) and color (black)
 - Use Typography Mapping Table.md for size (`clamp(40px, 4.17vw, 60px)`) and transform (capitalize)
 - Use SPACE_SYSTEM_DETAIL_PANEL.md for spacing around title (16px gap)
-

Layout Flow

1. **LAYOUT_INTERACTION_SPEC.md** → Determines page model (Workspace vs Content)
2. **SPACE_SYSTEM_COMPLETE.md** → Provides spacing for panels
3. **SPACE_SYSTEM_DETAIL_PANEL.md** → Refines detail panel layout

Example: Building a Workspace page

- Use LAYOUT_INTERACTION_SPEC.md to determine two-panel structure

- Use SPACE_SYSTEM_COMPLETE.md for panel padding (36px) and gaps (12px)
 - Use SPACE_SYSTEM_DETAIL_PANEL.md for detail panel content spacing
-

Form Implementation Flow

1. **FORM_SCHEMA.md** → Defines fields and data structure
2. **FORM_PAGE_SPEC.md** → Defines behavior and logic
3. **LAYOUT_INTERACTION_SPEC.md** → Determines Content Page model
4. **SPACE_SYSTEM_COMPLETE.md** → Provides form spacing
5. **DESIGN_TOKENS.md** → Provides button and input styling
6. **Typography Mapping Table.md** → Provides form text styling

Example: Building the submission form

- Use FORM_SCHEMA.md to list all fields (first_name, last_name, etc.)
 - Use FORM_PAGE_SPEC.md to implement tab navigation and validation
 - Use LAYOUT_INTERACTION_SPEC.md to ensure single scroll (Content Page)
 - Use SPACE_SYSTEM_COMPLETE.md for form container and field spacing
 - Use DESIGN_TOKENS.md for button styles (primary, outlined)
 - Use Typography Mapping Table.md for form label and input text styling
-

Decision Tree

"Where do I find...?"

- **Colors, fonts, spacing values** → DESIGN_TOKENS.md
 - **How to style text** → Typography Mapping Table.md
 - **Page structure (panels, scrolling)** → LAYOUT_INTERACTION_SPEC.md
 - **Spacing between elements** → SPACE_SYSTEM_COMPLETE.md or SPACE_SYSTEM_DETAIL_PANEL.md
 - **Form field definitions** → FORM_SCHEMA.md
 - **Form behavior (tabs, validation)** → FORM_PAGE_SPEC.md
 - **Hover, focus, click interactions** → INTERACTION_MOTION_SPEC.md
 - **Public artist pages** → LAYOUT_INTERACTION_SPEC.md §1.3, Typography Mapping Table section D, INTERACTION_MOTION_SPEC.md §4b, FORM_SCHEMA.md (Artist Join)
 - **Project goals and scope** → Project_scope.md
-

System Features

Navigation & Authentication

Workspace Menu Dropdown:

- Located in Primary Panel header (right side)
- Menu items:
 - "All our partners" → /partners (map-based partner browsing page)
 - "Take part" → /submit (submission form)

- "About us" → /about-us (placeholder page)
- "Login" / "Logout" (dynamic based on auth state)
- Dropdown styling: Dark background (#2d2d2d), white text, Poppins Light (300), 16px
- Item borders: Light gray (#e9e9f2) between items
- Padding: 24px horizontal, 16px vertical per item
- Dropdown closes on outside click or item selection
- Instant appearance/disappearance (no animation)

White site header (WhiteSiteHeader, used on /partners, /artists, /artists/[slug]):

- Festival logo → /
- "Become a Partner" → /submit
- "Artists" → /artists (plain text when current)
- "Back to workspace" → / (muted #9A9A9A, weight 400, last)

Login Page (/login):

- Split-screen layout (left: billboard, right: form)
- Left panel hidden below 860px
- Form: email + password inputs, primary "Login" button
- Secondary action: "Take part" button (text-only style) below login button, links to /submit
- Error display: Inline text below form (no toast)
- Return path: Stores `returnTo` in `sessionStorage`, redirects after login

Post-Login UI Changes:

- Detail Panel: "Become a Partner" label changes to "My program" when logged in
- Same button style and placement, only label changes
- Uses existing auth state from `getCurrentUser()`

Return Path Logic:

- When user clicks "Login" from any page, current path stored as `returnTo` in `sessionStorage`
- After successful login, redirects to `returnTo` if present, otherwise /
- `returnTo` cleared after redirect

Version

Version: 2026-08-17

Source of truth: Current codebase

Intended use: System specification index and onboarding guide

Version Control

All specification files include a version footer:

```
## Version
**Version: 2026-01-23
**Source of truth:** Current codebase
**Intended use:** Reusable system specification
```

When updating:

- Update version date
 - Ensure source of truth matches current implementation
 - Maintain strict responsibility boundaries
-

Best Practices

1. **Read SYSTEM_INDEX.md first** to understand the system
 2. **Use the decision tree** to find the right file
 3. **Respect boundaries** - don't mix concerns between files
 4. **Follow the flow** - use files in the order they work together
 5. **Check version dates** - ensure you're using current specifications
 6. **Current codebase is source of truth** - if spec conflicts with code, update spec
-

Version

Version: 2026-08-17

Source of truth: Current codebase

Intended use: System specification index and onboarding guide

Project_scope.md

Project Scope

Purpose

Defines the overall purpose, target users, core flows, non-goals, and success criteria for the Art Festival 2026 platform.

Goal

Build an MVP art / exhibition platform for approximately 30 partner organisations or artists.

Core Functionality:

- Partners can register accounts, submit exhibition or activity content, and edit drafts
 - All submissions must be reviewed by an admin before being publicly published
 - Public-facing pages display **approved and published content only**
-

Target Users

Partners (Artists/Organizations)

- Individual artists or organizations
- Can register accounts and submit content
- Can save drafts and edit submissions
- Can resubmit after rejection

Administrators

- Review and manage submissions
- Approve or reject submissions
- Publish approved content
- Remove published content

Public Visitors

- Browse published exhibitions/activities
 - View detailed activity information
 - Access external links (websites, media)
-

In Scope (MVP)

Public Pages

Workspace Page Model:

- Public exhibition browsing uses a **Workspace Page model**

- Layout follows a **master–detail structure**:
- **Primary Panel**: List of all published activities / exhibitions
- **Detail Panel**: Detailed view of the currently selected activity / exhibition
- Interaction rules:
 - Selecting an item in the Primary Panel updates the Detail Panel
 - On small screens (< 860px), panels stack vertically
 - Selecting an item scrolls to the Detail Panel on mobile
 - Scroll-triggered reveal animations for editorial feel
 - No Gallery Grid layout in MVP (list-based navigation only)

Navigation Menu:

- Menu dropdown in Primary Panel header
- Menu items:
 - "All our partners" → navigates to /partners (map-based visitor browsing page)
 - "Take part" → navigates to /submit
 - "About us" → navigates to /about-us
 - "Login" / "Logout" (dynamic based on auth state)
- Dropdown styling: Dark background (#2d2d2d), white text, Poppins Light font
- Dropdown closes on outside click or item selection
- Post-login label change: "Become a Partner" (Detail Panel) becomes "My program" when logged in

Partners Page (/partners):

- Content Page model
- WhiteSiteHeader: Become a Partner → /submit, Artists → /artists, Back to workspace → /

Artists (/artists, /artists/[slug], /artists/join):

- Directory is a **White Directory Page** (see LAYOUT_INTERACTION_SPEC.md §1.3): A–Z list, Genre/Medium filters, four-page overlapping billboard, four-column grid
- Detail is White Split Content (photo/bio | CV / Exhibitions / Press / Talks / Works)
- Join is a Content Page form (localStorage until an artists table exists)
- Images: portraits or artworks only; about half the editorial roster has no image (white, not grey)

Partner Registration & Access

- Partner account registration (Basic Info form)
- Each partner represents an individual artist or organisation
- Identity fields (first_name, last_name, username) locked after first submission
- Display name (author_name) always editable
- Authentication via Supabase Auth (email/password)
- Passwords managed by Supabase Auth only (never stored in database)
- User profiles stored in profiles table (username, role)
- Login page with split-screen layout (billboard left, form right)
- Login form: Email + password inputs, primary "Login" button
- Secondary action: "Take part" button (text-only style) below login button, links to /submit

- Logout functionality redirects to public landing page
 - Return path storage: When user clicks "Login" from any page, current path is stored as `returnTo`; after successful login, redirects to `returnTo` if present, otherwise /
-

Partner Submission Form

Content Page Model:

- Submission form uses **Content Page model** (single scroll)
- Form split into **three tabs**:
- **Basic Info**: Partner account and registration information
- **About the Exhibition / Activity**: Content with strict order, image uploads, rich text
- **Links / Media**: Website link and optional additional media links
- Partners can:
- Create new submissions
- Save drafts (status: `draft`, no validation required)
- Submit for review (status: `pending_review`, validation required)
- Edit drafts or previously approved content

Form Features:

- Rich text editor for long descriptions
 - Image upload (Supabase Storage or data URL fallback)
 - Tab navigation (Next/Back buttons)
 - Save Draft always available
 - Submit only on final tab (disabled until valid + terms accepted)
-

Admin Review

Minimal Admin System:

- Admin users can review submitted content
 - Admin list shows only submitted items (filters out draft status)
 - Admin actions:
 - **Approve & Publish**: Sets status to `published`, adds to activities list
 - **Reject**: Sets status to `rejected`
 - **Remove**: Sets `is_deleted: true`, removes from activities list
 - Read-only detail view (no editing UI)
 - No pagination, filters, search, or bulk actions
-

Publishing & Status Workflow

Status Flow:

```
draft → pending_review → approved → published
                        ↓
                    rejected (can resubmit)
```

Status Rules:

- Only content with status published is visible on public pages
 - Editing any approved or published content resets status to pending_review
 - Drafts are not visible to admins
 - Rejected submissions can be edited and resubmitted
-

Data & Content Rules

Schema Compliance:

- All fields, validation rules, image requirements, alt text, and content order must strictly follow FORM_SCHEMA.md

Visual Styling:

- Black & white visual system only
- Must follow DESIGN_TOKENS.md for colors, fonts, spacing
- Must follow Typography Mapping Table.md for text styling
- Must follow SPACE_SYSTEM_COMPLETE.md for spacing

Layout & Interaction:

- Must follow LAYOUT_INTERACTION_SPEC.md for page models and scrolling
 - Workspace Pages: Master–detail layout with independent scrolling
 - Content Pages: Single scroll, max-width containers
-

Out of Scope (MVP)

- Payment processing or ticket sales
 - Advanced analytics or reporting dashboards
 - Multi-language support
 - Notifications, comments, likes, or social features
 - Gallery Grid layout on the **Workspace** page (Artists directory grid is specified and in use)
 - Password reset functionality
 - Email notifications
 - Search functionality
 - Pagination or infinite scroll
 - Advanced admin features (bulk actions, filters, search)
 - User registration (partners register via submission form)
-

Key Principles

1. **Avoid over-engineering:** Finish usable flows before adding complexity
2. **Visual structure first:** Layout and interaction rules defined before implementation
3. **Specification-driven:** All implementation must follow provided specification files
4. **Black & white only:** No color variations beyond grayscale
5. **Reusable patterns:** Workspace components and button styles reused across pages

6. **Editorial feel:** Scroll-triggered reveals, calm interactions, respects prefers-reduced-motion

Success Criteria

Functional:

- Partners can register and submit content
- Admins can review and publish content
- Public visitors can browse published exhibitions
- All status transitions work correctly
- Identity fields lock after first submission
- Display name logic works (author_name fallback to username)

Technical:

- All pages follow specified layout models (Workspace vs Content)
- All styling follows design tokens and typography mapping
- All spacing follows space system specifications
- Form validation works correctly
- Image upload and storage works (Supabase or data URL fallback)

User Experience:

- Clear visual hierarchy
 - Consistent spacing and typography
 - Smooth interactions (with motion preference respect)
 - Accessible (alt text, semantic HTML)
-

Version

Version: 2026-08-17

Source of truth: Current codebase (app/page.tsx, app/submit/page.tsx, app/admin/page.tsx, app/login/page.tsx, app/about-us/page.tsx, app/partners/page.tsx, app/artists/page.tsx, app/lib/auth.ts)

Intended use: Reusable system specification

DESIGN_TOKENS.md

DESIGN_TOKENS.md

Purpose

Single source of truth for visual primitives.

These tokens are **immutable constants**.

Do not invent new values.

1. Color Tokens

Token	Value	Usage
--color-black	#000000	Primary text, borders, buttons
--color-white	#FFFFFF	Backgrounds, text on dark
--color-primary-bg	#1C1C1C	Primary panel background
--color-detail-bg	#FFFFFF	Detail panel background
--color-text-muted	#E1E1E1	Unselected activity list items
--color-text-placeholder	#999999	Placeholder text
--color-text-meta	#9A9A9A	White-site muted nav, A–Z letters, artist field labels
--color-selection	#FF0000	Workspace activity-list hover; selected artist name in the A–Z list
--color-border	#000000	Borders (20% opacity: <code>rgba(0, 0, 0, 0.2)</code>)
--color-gray-300	#D1D5DB	Workspace / event image placeholders only . Do not use on /artists empty slots
--color-gray-400	#9CA3AF	Image borders
--color-gray-600	#4B5563	Secondary text
--color-dropdown-bg	#2d2d2d	Dropdown menu background
--color-dropdown-border	#e9e9f2	Dropdown menu item borders

Rules:

- Black & white visual system only
- No color variations beyond grayscale
- Opacity used for borders and overlays only

2. Typography Tokens

Font Families

Token	Value	Usage
--font-inter	Inter	Primary UI font (body, buttons, labels)

Token	Value	Usage
--font-poppins	Poppins	Display font (author names, body text)
--font-source-sans-3	Source Sans 3	Navigation, meta labels, meta values

Font Loading:

- Inter: Variable font, subsets: latin, display: swap
- Poppins: Weights 400, 500, 600, 700, subsets: latin, display: swap
- Source Sans 3: Loaded via CSS variable (if available)

3. Spacing Tokens (px)

Token	Value	Usage
--space-1	4px	Minimal spacing, tight groups (author line, label-value pairs)
--space-2	12px	Section gaps, menu padding, vertical rhythm
--space-3	16px	Content grouping, label-value spacing, button gaps
--space-4	24px	Menu top padding, footer bottom padding, title wrapper gaps
--space-5	30px	Activity list item spacing
--space-6	36px	Major section gaps, horizontal padding
--space-7	60px	Page-level separation, bottom padding

Rules:

- Do not use spacing values outside this scale
- All spacing is fixed pixel values at 1440px reference
- Responsive scaling uses `clamp()` for typography only, not spacing

4. Border Tokens

Token	Value	Usage
--border-width	1px	Standard border width
--border-color	<code>rgba(0, 0, 0, 0.2)</code>	Standard border color (20% opacity)
--border-radius	2px	Standard border radius (form inputs, images)
--border-radius-lg	4px	Large border radius (modals, containers)

5. Button Tokens

Primary Button (Black Background)

- Background: `#000000`
- Text: `#FFFFFF`
- Padding: 24px horizontal, 4px vertical
- Border: None
- Font: Inter, medium weight, uppercase

- Font size: `clamp(16px, 1.39vw, 20px)`
- Line height: `clamp(24px, 2.08vw, 30px)`
- Hover: opacity: 0.9 OR background: `rgba(0, 0, 0, 0.9)`

Secondary Button (Text Only)

- Background: Transparent
- Text: #000000
- Padding: 24px horizontal, 4px vertical
- Border: None
- Font: Inter, medium weight, uppercase
- Font size: `clamp(16px, 1.39vw, 20px)`
- Line height: `clamp(24px, 2.08vw, 30px)`
- Hover: opacity: 0.7

Save Draft Button (Outlined)

- Background: Transparent
- Text: #000000
- Padding: 24px horizontal, 4px vertical
- Border: 1px solid #000000
- Font: Inter, medium weight, uppercase
- Font size: `clamp(16px, 1.39vw, 20px)`
- Line height: `clamp(24px, 2.08vw, 30px)`
- Hover: opacity: 0.7

Rules:

- Buttons use responsive typography via `clamp()`
- Padding remains fixed (not responsive)
- All buttons are `shrink=0` (hug content)

6. Responsive Typography

Typography scales using CSS `clamp()` with viewport width.

Reference Breakpoints:

- 1280px: Minimum viewport
- 1440px: Reference viewport (design target)
- Maximum: No upper limit (typography continues scaling)

Common Patterns:

- Menu/Navigation: `clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)`
- Page Titles: `clamp(40px, 4.17vw, 60px) / clamp(40px, 4.17vw, 60px)`
- Hero Title (Primary Panel): `clamp(96px, calc(-160px + 25vw), 240px) / clamp(62.4px, calc(-104px + 16.25vw), 156px)` - Uses language-aware hyphenation (`hyphens: auto`) with suppressed visible hyphens (`hyphenate-character: ""`) for user-generated content
- Activity List Items: `clamp(20px, 2.08vw, 36px) / clamp(20px, 2.08vw, 36px)`

Rules:

- Only typography scales responsively
 - Spacing, padding, and layout remain fixed
 - Use `clamp(min, preferred, max)` format
-

7. Scrollbar Tokens

Token	Value	Usage
<code>scrollbar-hide</code>	CSS class	Hides scrollbars completely (always invisible)

Implementation:

- `-ms-overflow-style: none` (IE/Edge)
 - `scrollbar-width: none` (Firefox)
 - `::-webkit-scrollbar { display: none }` (Chrome/Safari)
-

8. Animation Tokens

Token	Value	Usage
<code>--transition-base</code>	<code>200ms</code>	Standard hover transitions
<code>--transition-slow</code>	<code>1000ms</code>	Scroll-triggered reveals
<code>--transition-delay</code>	<code>200ms</code>	Image reveal delay
<code>--transition-image</code>	<code>400ms</code>	Observational image hover (opacity, filter)
<code>--easing-out</code>	<code>ease-out</code>	Default hover / reveal easing
<code>--easing-editorial</code>	<code>cubic-bezier(0.22, 1, 0.36, 1)</code>	Already used by <code>.othering-enter</code> ; reuse for artist billboard squeeze
<code>--transition-editorial</code>	<code>700ms</code>	Artist billboard left / width squeeze only

Rules:

- Respect `prefers-reduced-motion`
- Animations disabled when motion preference is reduced
- Default timing function is `ease-out`
- Billboard squeeze uses `--easing-editorial` at `700ms`; compressed-card image fade uses the same easing at `500ms`

Artists image assets (sizes, not spacing):

- Directory grid thumbnail: `96px × 96px`
 - Billboard expanded work/portrait: up to `480px` (also capped at `70%` height / `55%` width of the expanded peek)
 - Filter checkbox: `12px × 12px`, radius `2px`, black border; checked fill `#000000`
-

Version

Version: 2026-08-17

Source of truth: Current codebase (app/globals.css, app/layout.tsx, app/page.tsx, app/artists/page.tsx, app/submit/page.tsx, app/login/page.tsx)

Intended use: Reusable system specification

Typography Mapping Table.md

Typography Mapping Table

Purpose

Maps typography tokens to semantic roles across the system.

Defines font family, weight, size, line-height, transform, and color for each text role.

A. Primary Panel (Workspace)

Visual Role	UI Area	Font	Weight	Size / Line Height	Transform	Color	Notes
Logo	Primary Header (Left)	Inter	700	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Uppercase	White	"OT FESTIVAL"
Menu Link	Primary Header (Right)	Inter	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	White	"Menu", "Admin"
Dropdown Menu Item	Menu Dropdown	Poppins	300	16px / normal	None	White	"All our partners", "Take part", "About us", "Login", "Logout"
Hero Title (Selected) / Display XXL	Primary Panel Main Title	Inter	700 (bold)	clamp(96px, calc(-160px + 25vw), 240px) / clamp(62.4px, calc(-104px + 16.25vw), 156px)	Uppercase	White	Selected activity title (very large display type). Word-breaking rule: hyphens: auto (language-aware), hyphenate-character: "" (no visible hyphens), word-break: normal, overflow-wrap: break-word. Applied via .hero-title-hyphenate class. Required for user-generated content that cannot be manually line-broken.
Activity List Item	Primary Panel List	Inter	500	clamp(20px, 2.08vw, 36px) / clamp(20px, 2.08vw, 36px)	Uppercase	#E1E1E1 (unselected)	Each activity (non-selected)
CTA Button	Primary Footer	Inter	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Uppercase	White	"Join us →"

B. Detail Panel (Workspace)

Visual Role	UI Area	Font	Weight	Size / Line Height	Transform	Color	Notes
Nav Link	Detail Header	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	"View all programmes", "Become a Partner"
Main Title	Detail Content Title	Inter	500	clamp(40px, 4.17vw, 60px) / clamp(40px, 4.17vw, 60px)	Capitalize	Black	Activity title, tracking: -4.8px
Author Prefix	Detail Author Line	Poppins	500	clamp(12px, 0.97vw, 14px) / normal	Capitalize	Black	"by"
Author Name	Detail Author Line	Poppins	500	clamp(12px, 0.97vw, 14px) / normal	Capitalize	Black	Artist / organiser (author_name or username fallback)
Meta Label	Detail Meta Section	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	"Location:", "Date:", "Category:", "Organisers / Partners."
Meta Value	Detail Meta Section	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Lowercase	Black	Location / date text
Website Button	Detail Footer Links	Inter	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Uppercase	Black	"Website" (text link button)
Media Link	Detail Footer Links	Inter	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Uppercase	Black	Additional media links (media_name)
Category Label	Detail Category	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	"Category:"
Category Value	Detail Category	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	Category text
Organisers Label	Detail Organisers	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	"Organisers / Partners."
Organisers Link	Detail Organisers	Inter	600	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize + Underline	Black	Clickable partner link
Body Text	Detail Content	Poppins	500	clamp(12px, 0.97vw, 14px) / normal	None	Black	Long-form paragraphs (HTML content from rich text editor)

D. White Site (Partners header, Artists directory / detail / join)

Visual Role	UI Area	Font	Weight	Size / Line Height	Transform	Color	Notes
White-site nav link	WhiteSiteHeader	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	"Become a Partner", "Artists"

Visual Role	UI Area	Font	Weight	Size / Line Height	Transform	Color	Notes
White-site nav (current)	WhiteSiteHeader	Source Sans 3	500	same	Capitalize	Black	Current page is plain text, not a link
White-site nav muted	WhiteSiteHeader	Source Sans 3	400	same	Capitalize	#9A9A9A	"Back to workspace" — last item
Artist name (directory)	/artists list, peeks, grid	Inter	600	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black; selected list name #FF0000	Underlined in A–Z list. Hover: underline off
Artist field	Grid / expanded peek	Poppins	500	clamp(12px, 0.97vw, 14px) / normal	Capitalize	#9A9A9A	Discipline, e.g. "Sculptor"
Artist bio	Expanded peek / detail	Poppins	500	clamp(12px, 0.97vw, 14px) / normal	None	Black	Same as Body Text
Read more →	Expanded peek	Inter	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	Text button with arrow; same motion as "Join us →" (opacity 70%, arrow 1px)
A–Z letter	Left list	Inter	500	10px / 16px, tracking 0.08em	Uppercase	#9A9A9A	Section label
Filter heading	Genre / Medium	Inter	500	12px / 16px, tracking 0.08em	Uppercase	Black	Collapsed by default; chevron v closed, ^ open
Filter option	Genre / Medium	Inter	400	16px / 24px	None	Black	Checkbox + label
Search input	Left column	Inter	400	16px / 24px	None	Black	Placeholder #999999
Artist page title	/artists/[slug]	Inter	500	clamp(40px, 4.17vw, 60px) / same, tracking −4.8px	Capitalize	Black	Same role as Detail Main Title
Artist section title	CV, Exhibitions, Press, Talks, Works	Source Sans 3	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Capitalize	Black	Heading remains when the section is empty
Entry year	Artist lists	Inter	500	10px / 16px, tracking 0.08em	Uppercase	#9A9A9A	
Entry title	Artist lists	Poppins	500	clamp(12px, 0.97vw, 14px) / normal	None	Black	
Entry venue	Artist lists	Inter	400	12px / 16px	None	#9A9A9A	
Compressed peek name	Billboard	Inter	600	same as Artist name	Capitalize	Black	writing-mode: vertical-rl; no image

C. Form Page (Submission)

Visual Role	UI Area	Font	Weight	Size / Line Height	Transform	Color	Notes
Page Title	Form Header	Inter	500	clamp(40px, 4.17vw, 60px) / clamp(40px, 4.17vw, 60px)	Capitalize	Black	"Submission Form"
Tab Label	Tab Navigation	Inter	500	16px / 24px	None	Black / Black 50%	"Basic Info", "About the Exhibition", "Links / Media"
Form Label	Form Field	Inter	500	12px / 16px	Uppercase	Black	Field labels with asterisk for required
Input Text	Form Field	Inter	400	16px / 24px	None	Black	Input values
Helper Text	Form Field	Inter	400	12px / 16px	None	Black 70%	Helper/hint text below inputs
Button Text	Form Actions	Inter	500	clamp(16px, 1.39vw, 20px) / clamp(24px, 2.08vw, 30px)	Uppercase	Black / White	"Save Draft", "Next", "Submit", "Back"
Terms Text	Terms Section	Inter	400	14px / 20px	None	Black 80%	Terms and conditions text

Font Family Summary

Inter

- Logo
- Primary CTA / Buttons
- Detail Main Title
- Form labels, inputs, buttons
- Menu links
- Hero title (Primary Panel)
- Activity list items
- Website/media link buttons

Poppins

- Author prefix ("by")
- Author name
- Body text (long paragraphs)

Source Sans 3

- Navigation (Detail Panel and White Site header)
- Meta labels (Location, Date, Category, Organisers)
- Meta values (location/date text)
- Artist detail section titles (CV, Exhibitions, Press, Talks, Works)

Responsive Typography Rules

1. **Primary Panel Hero Title:** Uses complex `clamp()` formula for linear scaling between 1280px (160px) and 1440px (200px)
 2. **All other text:** Uses standard `clamp(min, preferred, max)` pattern
 3. **Line heights:** Scale proportionally with font-size using `clamp()`
 4. **Fixed sizes:** Form labels and helper text remain fixed (not responsive)
-

Word-Breaking Rules

Hero Title (Primary Panel) - Special Word-Breaking Behavior

Scope: ONLY applies to the Hero Title (Display XXL) in the Primary Panel.

Implementation:

- CSS class: `.hero-title-hyphenate`
- `hyphens: auto` - Enables language-aware hyphenation
- `hyphenate-character: ""` - Suppresses visible hyphen characters
- `word-break: normal` - Prevents aggressive breaking (no `break-all`)
- `overflow-wrap: break-word` - Allows breaking when necessary

Rationale:

- Hero titles are user-generated content and cannot be manually line-broken
- Large-scale display type requires proper syllable-based breaking
- Classic print typography approach adapted for web
- No visible hyphens maintain clean visual appearance

Important:

- This rule applies ONLY to the Hero Title
 - Body text, smaller headings, and all other typography use default word-breaking behavior
 - No manual line breaks (`<br>`) or JavaScript string manipulation should be used
-

Version

Version: 2026-08-17

Source of truth: Current codebase (`app/page.tsx`, `app/submit/page.tsx`, `app/login/page.tsx`, `app/about-us/page.tsx`, `app/partners/page.tsx`, `app/artists/page.tsx`, `app/artists/[slug]/page.tsx`, `app/globals.css`)

Intended use: Reusable typography specification

LAYOUT_INTERACTION_SPEC.md

LAYOUT_INTERACTION_SPEC.md

Purpose

Defines layout logic, scrolling behavior, and responsiveness.

This file controls **structure only**, never visual styling.

All rules in this file are **authoritative and non-negotiable**.

Do not infer, invent, or substitute alternative structures.

1. Page Model Types

The system supports **exactly two** page models.

These models are mutually exclusive and must never be mixed.

1.1 Workspace Pages

Examples:

- Public exhibition browsing (master–detail)
- Gallery list + detail interfaces (do not use this model for /artists; see §1.3)

Characteristics:

- Multi-panel layout (exactly two panels)
- Panels are role-based: Panel / Primary and Panel / Detail
- Independent panel scrolling (each panel scrolls separately)
- Fixed top and bottom bars (menu bars, footers)
- Scrollbars are always hidden (invisible)

Workspace Pages exist to manage stateful interaction.

1.2 Content Pages

Examples:

- Submission form (/submit)
- Admin review pages (/admin)
- Login page (/login)
- About us page (/about-us)
- Partners page (/partners)
- Artist join form (/artists/join)
- Blog pages, preview pages

Characteristics:

- Single vertical page scroll
- No independent panel scrolling
- Max-width content containers allowed (e.g., `max-w-[874px]`)
- No fixed top/bottom bars (unless explicitly specified)

Content Pages exist to present linear content or input flows.

1.3 White Directory Pages (Artists) — authorised exception

`/artists` is **not** a Workspace Page and **not** a standard Content Page.

This exception is specified here so it is not inferred.

Used by: `/artists` only.

Characteristics:

- Full-viewport shell: page does not scroll; header is sticky
- Two white columns at $\geq 860\text{px}$ (identity list + preview). Columns are **not** `Panel / Primary / Panel / Detail`
- Left column: search + A–Z artist names; independent internal scroll; `scrollbar-hide`
- Right column: collapsed Genre / Medium filters stay at the top of the column (not inside the scroller)
- Right scroller: **billboard** fills the remaining viewport so its bottom edge sits on the screen bottom; a four-column artist grid follows below
- Below 860px : columns stack (list first, then filters + billboard + grid)
- Scrollbars hidden

Billboard + grid (right scroller on `/artists`):

- Billboard is four overlapping artist “pages”. Default: each page is offset to the right so only a name and a slice of image (when a photo exists) is visible
- Selecting an artist expands that page; the other three compress to $\sim 6\%$ width with the name rotated 90° (`writing-mode: vertical-rl`). Compressed peeks show **no image**
- Billboard bottom edge aligns with the viewport bottom under the sticky header + filter row
- A centred `v` control at the billboard bottom scrolls the right column to the four-column grid
- Grid: 4 columns from 1100px , 2 from 700px , 1 below; cell borders `1px rgba(0,0,0,0.2)`
- Empty image slots are white (no grey fill, no broken-image glyph)

-
- White sticky header (`WhiteSiteHeader`)
 - Two independently scrolling white columns at $\geq 860\text{px}$
 - Left: name, birth, portrait (if present), biography, Join text control
 - Right: CV, Exhibitions, Press, Talks, Works (section headings remain even when a section is empty)
 - Stacks vertically below 860px
 - Scrollbars hidden
 - Scroll-triggered reveals (`reveal-content`, `reveal-image`) apply here
-

2. Workspace Page Rules (Master–Detail)

These rules apply **only** to Workspace Pages.

2.1 Panel Structure

A Workspace Page consists of **exactly two panels**:

- Panel / Primary
- Panel / Detail

No additional panels are permitted.

Panel roles are semantic and must not be replaced with:

- Left / Right
- Sidebar / Main
- Aside / Content

2.2 Panel Dimensions

At 1440px viewport (reference):

- Panel / Primary: Fixed width 720px
- Panel / Detail: Flexible width, minimum 720px, expands to fill remaining space

Below 1440px (down to 860px):

- Both panels: Equal widths, `clamp(430px, 50vw, 720px)`
- Minimum width: 430px each

Below 860px (mobile):

- Panels stack vertically (flex-direction: column)
- Both panels: Full width (100%)
- User scrolls to read detail panel below primary panel

Above 1440px:

- Panel / Primary: Fixed 720px
- Panel / Detail: Expands to fill remaining viewport width

2.3 Scrolling Behavior

- Panel / Primary scrolls independently (internal scroll container)
- Panel / Detail scrolls independently (internal scroll container)
- The page itself must not scroll
- Scrollbars are always hidden (CSS class `scrollbar-hide`)

2.4 Fixed Elements

- Top menu bars are fixed (sticky positioning)
 - Bottom footers are fixed (sticky positioning)
 - Fixed elements do not participate in panel scrolling
 - Fixed elements use backdrop blur for visual separation
-

2.5 Panel Background Colors

- Panel / Primary: #1C1C1C (dark background)
 - Panel / Detail: #FFFFFF (white background)
-

3. Content Page Rules

These rules apply **only** to Content Pages.

3.1 Scrolling Model

- The page itself is the only scroll container
 - No internal or independent scroll regions are permitted
 - Standard browser scroll behavior
-

3.2 Structural Constraints

Content Pages must not include:

- Panel / Primary
- Panel / Detail
- Any element named Panel

Side panels must never be inferred or added unless a separate spec explicitly overrides this rule.

3.3 Content Container

- Max-width: 874px (form pages, about-us page)
- Centered: margin: 0 auto
- Horizontal padding: 36px
- Vertical padding: 36px

3.4 Split-Screen Layout (Login Page)

Login Page (/login):

- Left-right split layout
- **Left Panel (Billboard):**
 - Background: #1C1C1C (dark)
 - Hidden below 860px (mobile: full-width form only)
 - Content: Festival name + short copy
 - Padding: 36px horizontal
 - Centered content with max-width 400px
- **Right Panel (Form):**
 - Background: #FFFFFF (white)
 - Full width on mobile, 50% on desktop
 - Content: Login form (email, password, submit button)
 - Padding: 36px horizontal and vertical

- Max-width: 400px, centered
 - Single page scroll (Content Page model)
-

4. Responsive Layout Switch

Breakpoint: 860px

When viewport width is **less than 860px**:

- Workspace Pages: Horizontal layouts switch to vertical stacking
- Stacking order: Panel / Primary first, then Panel / Detail
- Content Pages: No layout change (single scroll remains)
- White Directory (/artists) and White Split Content (/artists/[slug]): columns stack vertically, list / left column first

Rules:

- This switch is **layout-based only**
 - Typography does not change based on this breakpoint
 - Panel roles remain unchanged when stacked
 - Left / Right orientation must not be inferred
-

5. Scroll-Triggered Reveals

Workspace Pages only:

- Content elements use reveal-content class
- Image elements use reveal-image class
- Reveal animation: opacity: 0 → 1, translateY: 16px → 0
- Timing: 1000ms ease-out
- Image delay: 200ms after text
- Uses IntersectionObserver API

Accessibility:

- Respects prefers-reduced-motion
 - Animations disabled when motion preference is reduced
-

6. Enforcement Rules (Critical)

- Page model type must be determined before layout implementation
- Workspace rules must never leak into Content Pages
- Content rules must never be relaxed by assumption
- If ambiguity exists, **Content Page rules take precedence**

Any deviation from this specification is considered incorrect.

Version

Version: 2026-08-17

Source of truth: Current codebase (app/page.tsx, app/globals.css, app/login/page.tsx, app/partners/page.tsx, app/artists/page.tsx, app/artists/[slug]/page.tsx, app/artists/join/page.tsx)

Intended use: Reusable system specification

SPACE_SYSTEM_COMPLETE.md

Complete Space System Documentation

Purpose

Global spacing rules across the entire system.

Defines section spacing, dividers, padding logic, and Notion-like rhythm.

Reference: 1440px viewport width

Space Token Reference

Token	Value (px)	Usage
--space-1	4px	Minimal spacing, tight groups (author line, label-value pairs, checkbox spacing)
--space-2	12px	Section gaps, menu padding, vertical rhythm between major sections
--space-3	16px	Content grouping, label-value spacing, button gaps, title block elements
--space-4	24px	Menu top padding, footer bottom padding, title wrapper gaps, button horizontal padding
--space-5	30px	Activity list item spacing
--space-6	36px	Major section gaps, horizontal padding (panels, containers)
--space-7	60px	Page-level separation, bottom padding (detail panel end)

PANEL / PRIMARY

Container

- **Width:** 720px (fixed at 1440px+)
- **Min Width:** 430px (below 1440px)
- **Vertical gap between sections:** 12px (space-2)
- Between: Menu, Activity List, Footer

Menu 1 (Primary Panel Header)

- **Top padding:** 24px (space-4) - responsive: `clamp(16px, 1.67vw, 24px)`
- **Bottom padding:** 12px (space-2) - responsive: `clamp(8px, 0.83vw, 12px)`
- **Horizontal padding:** 36px (space-6)
- **Background:** #1C1C1C (matches panel background)
- **Position:** Sticky top, z-index 10

Activity List Container

- **Horizontal padding:** 36px (space-6)
- **Vertical gap between items:** 30px (space-5)

- Between: Hero title (selected activity), Activity list items

Activity List Items:

- All activities are part of the same list with 30px gap between each item
 - No additional spacing for selected vs non-selected items
 - Hero title (selected) uses same spacing as list items
-

Footer (JOIN US Section)

- **Top padding:** 12px (space-2) - responsive: `clamp(8px, 0.83vw, 12px)`
- **Bottom padding:** 24px (space-4) - responsive: `clamp(20px, 1.67vw, 24px)`
- **Horizontal padding:** 36px (space-6)
- **Position:** Sticky bottom

JOIN US Button:

- **Gap between text and arrow:** 12px (space-2)
-

PANEL / DETAIL

Container

- **Width:** Flexible (minimum 720px at 1440px+)
 - **Vertical gap between sections:** 12px (space-2)
 - Between: Menu and Content
 - **Horizontal padding:** 36px (space-6)
 - **Bottom padding:** 60px (space-7) - ensures content is fully visible
-

Menu 2 (Detail Panel Header)

- **Top padding:** 24px (space-4) - responsive: `clamp(16px, 1.67vw, 24px)`
 - **Bottom padding:** 12px (space-2) - responsive: `clamp(8px, 0.83vw, 12px)`
 - **Horizontal padding:** Inherits from container (36px space-6)
 - **Background:** #FFFFFF (matches panel background)
 - **Position:** Sticky top, z-index 10
-

Main Content Container

- **Gap between major sections:** 36px (space-6)
 - Between: Title section, Body text 1, Image 1, Body text 2, Image 2, Media links
-

Title Section Wrapper

- **Gap:** 24px (space-4)
 - Between: Title block (title + author + image) and Location/Date block
-

Title Block (Title + Author + Image)

- **Gap:** 16px (space-3)
- **Between:** Title, Author line, Primary Image

Author Line:

- **Gap between "by" and name:** 4px (space-1)
-

Location/Date Section

- **Gap between Location and Date rows:** 4px (space-1)
- **Gap between label and value** (within each row): 16px (space-3)

Location Row:

- **Label:** Auto width (hugs content)
- **Value:** Auto width (hugs content), no flex-1

Date Row:

- **Label:** Auto width (hugs content)
 - **Value:** Auto width (hugs content)
-

Website Button / Media Links

- **Padding:**
 - **Horizontal:** 24px (space-4)
 - **Vertical:** 4px (space-1)
 - **Width:** shrink-0 (hugs content, NOT full width)
 - **Gap between links:** 16px (space-3) - inline flex with wrap
 - **Gap to next section:** 36px (space-6) - from main container gap
 - **Separator:** Dot (·) between Website and additional media links, same typography as links
-

Category/Organisers Section

- **Gap between Category and Organisers rows:** 4px (space-1)
- **Gap between label and value** (within each row): 16px (space-3)

Category Row:

- **Label and value:** Auto width (hug content)

Organisers Row:

- **Label and value:** Auto width (hug content)
-

Body Text Sections

- **Gap:** Inherits from main container (36px space-6)
- **Between** Body text 1 and Image 1
- **Between** Image 1 and Body text 2

- Between Body text 2 and Image 2
-

FORM PAGE SPACING

Container

- **Max-width:** 874px
- **Horizontal padding:** 36px (space-6)
- **Vertical padding:** 36px (space-6)

Page Title

- **Bottom margin:** 36px (space-6)

Tabs

- **Gap between tabs:** 16px (space-3)
- **Bottom margin:** 36px (space-6)
- **Bottom border:** 1px solid black

Banner

- **Bottom margin:** 36px (space-6)

Form Fields (Table Rows)

- **Vertical padding:** 16px (space-3) per row
- **Horizontal padding:** 16px (space-3) per row
- **Border between rows:** 1px solid rgba(0, 0, 0, 0.1)
- **Gap between label and input:** 16px (space-3)
- **Gap between input and helper text:** 8px (if helper text exists)

Action Buttons


- **Gap between buttons:** 16px (space-3)
 - **Top padding:** 24px (space-4)
 - **Top margin:** 24px (space-4)
-

VISUAL HIERARCHY SUMMARY

Spacing Scale (Smallest to Largest)

1. **4px** (space-1): Tight text groups (author line, category/date rows, checkbox spacing)
 2. **12px** (space-2): Section gaps, menu padding, vertical rhythm
 3. **16px** (space-3): Content grouping (label-value pairs, title block, button gaps, form rows)
 4. **24px** (space-4): Menu top, footer bottom, title wrapper, button horizontal padding
 5. **30px** (space-5): Activity list spacing
 6. **36px** (space-6): Major sections, horizontal padding
 7. **60px** (space-7): Page-level separation, bottom padding
-

STRUCTURE DIAGRAM



KEY DESIGN PRINCIPLES

1. **Horizontal Padding:** Consistent 36px (space-6) for both panels and form containers
2. **Vertical Section Gaps:** 12px (space-2) for panel-level structure
3. **Major Content Gaps:** 36px (space-6) for main content sections
4. **Content Grouping:** 16px (space-3) for related content pairs
5. **Tight Text Groups:** 4px (space-1) for minimal spacing needs
6. **Auto Width:** Location/Date values hug content (no flex-1 or fixed widths)
7. **Button Sizing:** All buttons hug content with padding (not full width)
8. **Notion-like Rhythm:** Consistent vertical spacing creates editorial flow

RESPONSIVE CONSIDERATIONS

All spacing values are fixed pixel values at 1440px reference.

Menu/Footer Padding:

- Uses responsive `clamp()` for top/bottom padding only
- Horizontal padding remains fixed 36px

Panel Widths:

- Responsive via CSS media queries (see `LAYOUT_INTERACTION_SPEC.md`)
- Spacing within panels remains fixed

Version

Version: 2026-01-23

Source of truth: Current codebase (app/page.tsx, app/submit/page.tsx, app/login/page.tsx, app/about-us/page.tsx, app/partners/page.tsx)

Intended use: Reusable system specification

SPACE_SYSTEM_DETAIL_PANEL.md

Detail Panel Space System

Purpose

Spacing and layout rules specific to workspace detail panels.

Defines image/text/link vertical rhythm.

Reference: 1440px viewport width

Space Token Reference

- `--space-1`: 4px
 - `--space-2`: 12px
 - `--space-3`: 16px
 - `--space-4`: 24px
 - `--space-5`: 30px
 - `--space-6`: 36px
 - `--space-7`: 60px
-

Panel / Detail Container

- **Horizontal padding:** 36px (space-6)
 - **Vertical gap between sections:** 12px (space-2)
 - **Bottom padding:** 60px (space-7) - ensures content is fully visible at end of scroll
-

Menu 2 (Detail Panel Header)

- **Top padding:** 24px (space-4) - responsive: `clamp(16px, 1.67vw, 24px)`
 - **Bottom padding:** 12px (space-2) - responsive: `clamp(8px, 0.83vw, 12px)`
 - **Horizontal padding:** Inherits from container (36px)
 - **Position:** Sticky top, z-index 10
-

Main Content Container

- **Gap between major sections:** 36px (space-6)
 - **Between:** Title section, Body text 1, Image 1, Body text 2, Image 2, Media links
-

Title Section Wrapper

- **Gap:** 24px (space-4)
- **Between:** Title block (title + author + image) and Location/Date block

Title Block (Title + Author + Image)

- **Gap:** 16px (space-3)
- Between: Title, Author line, Primary Image

Author Line

- **Gap between "by" and name:** 4px (space-1)

Primary Image

- **Height:** 388px (fixed)
 - **Border:** 1px solid #9CA3AF (gray-400)
 - **Object fit:** cover
-

Location/Date Section

- **Gap between Location and Date rows:** 4px (space-1)
- **Gap between label and value** (within each row): 16px (space-3)

Location Row:

- Label: Auto width (hugs content)
- Value: Auto width (hugs content), no flex-1

Date Row:

- Label: Auto width (hugs content)
 - Value: Auto width (hugs content)
-

Website Button / Media Links Section

- **Padding** (per link):
- Horizontal: 24px (space-4)
- Vertical: 4px (space-1)
- **Width:** shrink-0 (hugs content, NOT full width)
- **Gap between links:** 16px (space-3) - inline flex with wrap
- **Gap to next section:** 36px (space-6) - from main container gap
- **Separator:** Dot (·) between Website and additional media links
- Same typography styling as links
- Only shown when both website link and additional media links exist

Link Display:

- Website link: Label is "Website" (not the URL)
 - Additional media links: Label is media_name from form data
-

Category/Organisers Section

- **Gap between Category and Organisers rows:** 4px (space-1)

- **Gap between label and value** (within each row): 16px (space-3)

Category Row:

- Label and value: Auto width (hug content)

Organisers Row:

- Label and value: Auto width (hug content)
 - Organiser link: Underlined, Inter 600 weight
-

Body Text Sections

- **Gap:** Inherits from main container (36px space-6)
- Between Body text 1 and Image 1
- Between Image 1 and Body text 2
- Between Body text 2 and Image 2

Body Text:

- Renders HTML content from rich text editor
- Uses dangerouslySetInnerHTML
- Links are styled with underline

Images:

- **Aspect ratio:** 538/319 (for additional_images_1)
 - **Additional images 2:** Array of images, each with 538/319 aspect ratio
 - **Gap between multiple images:** 12px (space-2)
 - **Border:** 1px solid #9CA3AF (gray-400)
 - **Object fit:** cover
-

Summary Structure

```
Panel / Detail (gap: 12px, px: 36px, pb: 60px)
├─ Menu 2 (pt: 24px, pb: 12px, sticky)
├─ Main Content (gap: 36px)
│   ├── Title Section Wrapper (gap: 24px)
│   │   ├── Title Block (gap: 16px)
│   │   │   ├── Title
│   │   │   ├── Author (gap: 4px)
│   │   │   └─ Primary Image (h: 388px)
│   │   └─ Location/Date (gap: 4px between rows, 16px label-value)
│   └─ Website Button / Media Links (px: 24px, py: 4px, gap: 16px, shrink=0)
│       ├── Website (label: "Website")
│       ├── · (separator dot)
│       └─ Media Link 1, Media Link 2, ...
│   └─ Category/Organisers (gap: 4px between rows, 16px label-value)
├─ Body Text 1 (HTML content)
├─ Image 1 (aspect: 538/319)
├─ Body Text 2 (HTML content)
└─ Image 2 (array, aspect: 538/319 each, gap: 12px)
```

Key Principles

1. **Vertical Rhythm:** Consistent 36px gaps between major content sections
 2. **Tight Grouping:** 4px for related meta information (Location/Date, Category/Organisers)
 3. **Content Grouping:** 16px for label-value pairs and title block elements
 4. **Auto Width:** All meta values hug content (no flex-1)
 5. **Button/Link Sizing:** All links hug content with padding (not full width)
 6. **Image Consistency:** Fixed heights/aspect ratios for visual stability
 7. **Bottom Padding:** 60px ensures content is never clipped at end of scroll
-

Version

****Version:** 2026-01-23

Source of truth: Current codebase (app/page.tsx)

Intended use: Reusable system specification

FORM_SCHEMA.md

FORM_SCHEMA.md

Purpose

Complete data schema for partner submissions.

All frontend forms, backend tables, and AI-generated code must strictly follow this schema.

This file defines data structure only. No UI or layout instructions.

TAB 1 — Basic Info (Partner Account Registration)

Field	Type	Required	Editable After Submit	Notes
first_name	string	Yes	No (locked)	Cannot be edited after first submission
last_name	string	Yes	No (locked)	Cannot be edited after first submission
username	string	Yes	No (locked)	Account identity, locked after first submit. Auto-generated if empty: first_name_last_name (lowercase, underscores)
organization_name	string	Yes	Yes	Organization or artist name
email	string	Yes	Yes	Must be valid email format (regex: /^[^\s@]+@[^\s@]+\.[^\s@]+\$/)
role	string	Yes	Yes	Default: 'partner'
is_student	boolean	No	Yes	Optional checkbox. Helper text: "If you are a student, please email proof to info@spira9.art with the subject: name_spira9_student_application"

Identity Locking Rules:

- first_name, last_name, username become read-only (disabled, greyed) after first successful submit
- username is locked in profiles table after first submit (cannot be changed)
- author_name (in TAB 2) is **always editable** and is NOT locked
- Locking is controlled by is_locked flag on submission and profiles.username field

TAB 2 — About the Exhibition / Activity

All fields are required except partner.

Field	Type	Required	Editable	Notes
activity_title	string	Yes	Yes	Exhibition/activity title
author_name	string	Yes	Yes	Display credit, always editable (never locked). Used for public display. Falls back to username if empty.
activity_type	string	Yes	Yes	Type of activity/exhibition

Field	Type	Required	Editable	Notes
activity_description	string (HTML)	Yes	Yes	Rich text (HTML content from rich text editor)
activity_location	string	Yes	Yes	Location of activity
activity_date	string	Yes	Yes	Date of activity
primary_image	string (URL)	Yes	Yes	Image URL (Supabase Storage URL). Must start with http. Images are uploaded to Supabase Storage, not stored as data URLs in database.
primary_image_alt	string	Yes	Yes	Alt text for primary image
website_link	string (URL)	Yes	Yes	Must be valid URL format. Can be used for video, ticket, press, or other media
body_text_1	string (HTML)	Yes	Yes	Rich text (HTML content from rich text editor)
additional_images_1	string (URL)	Yes	Yes	Image URL (Supabase Storage URL). Must start with http. Images are uploaded to Supabase Storage.
additional_images_1_alt	string	Yes	Yes	Alt text for additional image 1
body_text_2	string (HTML)	Yes	Yes	Rich text (HTML content from rich text editor)
additional_images_2	string[] (URLs)	Yes	Yes	Array of 1-3 image URLs. Each must start with http. Images are uploaded to Supabase Storage.
additional_images_2_alt	string[]	Yes	Yes	Array of alt texts (one per image)
organizer	string	Yes	Yes	Organizer name
partner	string	No	Yes	Optional, can be a link to partner organization

Content Sequence (strict order):

1. body_text_1 (paragraph)
2. additional_images_1 (single image)
3. body_text_2 (paragraph)
4. additional_images_2 (1-3 images, carousel)

Image Requirements:

- Minimum resolution: 1920x1080 per image
- 72dpi
- Max 5MB per image
- JPG or PNG
- Stored in Supabase Storage bucket `images/activities/`
- Database stores only URLs (strings), not File objects or data URLs
- Images are publicly accessible via Supabase Storage URLs

TAB 3 — Links / Media

Field	Type	Required	Editable	Notes
website_link	string (URL)	Yes	Yes	Main website link (also in TAB 2, same field)

Field	Type	Required	Editable	Notes
additional_media_links	MediaLink[]	No	Yes	Optional, up to 5 items. Each item: { media_name: string, media_link: string }
accept_terms	boolean	Yes	Yes	Required for submission. Must be checked to enable Submit button

Terms & Conditions Text:

"I confirm that:

- 1) I have the rights to submit and display the uploaded materials (images/text), and I grant SPIRA9 ART permission to use them for exhibition presentation and related promotion (website, social media, press) with credit.
- 2) The information I provide is accurate, and I understand SPIRA9 ART may request clarification.
- 3) I understand submissions may be reviewed and may be edited for formatting (not altering meaning) for publication/presentation.
- 4) I understand my submission may be accepted or declined, and participation/publication is not guaranteed.
- 5) I agree to be contacted by SPIRA9 ART regarding my submission."

Status Flow

Status	Editable	Visible to Admin	Visible to Public	Notes
draft	Yes	No	No	Saved but not submitted
pending_review	Yes	Yes	No	Submitted, awaiting admin review
approved	Yes	Yes	No	Approved by admin, not yet published
published	Yes	Yes	Yes	Visible on public pages
rejected	Yes	Yes	No	Rejected by admin, can be edited and resubmitted
removed	No	Yes	No	Soft deleted (is_deleted: true)

Status Transition Rules:

- draft → pending_review: On Submit (if all required fields valid + terms accepted)
- pending_review → approved: Admin action
- approved → published: Admin action (manual publish)
- Any edit to approved or published content resets status to pending_review
- rejected → pending_review: On resubmit after editing

Identity & Display Name Logic

Username vs Author Name:

- username: Account identity, locked after first submit
- author_name: Display credit, always editable

Display Fallback:

- If author_name is empty, use username for display

- If author_name is filled, use author_name for display
- Do not auto-sync author_name with username

Implementation:

```
displayName = submission.author_name || submission.username
```

Data Types

Submission Type

```
type Submission = {
  id: string;
  owner_id: string; // UUID, matches auth.users.id
  // TAB 1
  first_name: string;
  last_name: string;
  username: string; // Locked after first submit (stored in profiles table)
  organization_name: string;
  email: string;
  role: string;
  is_student?: boolean;
  // TAB 2
  activity_title: string;
  author_name: string;
  activity_type: string;
  activity_description: string; // HTML
  activity_location: string;
  activity_date: string;
  primary_image: string | null; // URL
  primary_image_alt: string;
  website_link: string; // URL
  body_text_1: string; // HTML
  additional_images_1: string | null; // URL
  additional_images_1_alt: string;
  body_text_2: string; // HTML
  additional_images_2: string[] | null; // URLs
  additional_images_2_alt: string[];
  organizer: string;
  partner: string;
  // TAB 3
  additional_media_links?: MediaLink[];
  accept_terms?: boolean;
  // System fields
  status: 'draft' | 'pending_review' | 'approved' | 'published' | 'rejected' | 'removed';
  createdAt: string; // ISO string
  is_deleted?: boolean;
  is_locked?: boolean;
}

type MediaLink = {
  media_name: string;
  media_link: string;
}
```

Validation Rules

Required Field Validation:

- All TAB 1 fields except `is_student` are required
- All TAB 2 fields except `partner` are required
- `accept_terms` is required for submission

Format Validation:

- `email`: Must match regex `/^[^\\s@]+@[^\\s@]+\\.[^\\s@]+$/`
- `website_link`: Must be valid URL (can use `new URL()` constructor)
- `primary_image`, `additional_images_1`, `additional_images_2`: Must be valid URLs (start with `http` or `data:image`)

Image Validation:

- Images must be uploaded to Supabase Storage before submission
 - File objects are converted to Supabase Storage URLs
 - Only URLs (strings) are stored in database, never File objects or data URLs
 - Images are stored in `images/activities/` bucket
-

Notes for Implementation

- Partners can save drafts multiple times (`status: draft`)
 - Submission form is split into 3 tabs
 - Tab 2 content sequence **must be preserved**
 - Video is always a link (no upload)
 - Admin handles approval and manual publish
 - All fields except `partner` and `is_student` are required
 - Alt text should be filled for SEO and accessibility
 - Frontend should show placeholder/help text (character limit, small text indicator, image size hints)
 - Rich text fields (`activity_description` , `body_text_1` , `body_text_2`) store HTML content
 - Image fields store URLs only (not File objects)
-

Production Notes

Authentication:

- Passwords are managed by Supabase Auth only
- Passwords are NEVER stored in database or `localStorage`
- Users authenticate via `/login` page using email/password

User Profiles:

- Each user has a `profiles` table entry (created on first login)
- `profiles.username` is locked after first successful submit
- `profiles.role` determines admin access (`'admin'` or `'user'`)

Data Storage:

- All data stored in Supabase database (`activities` table)
- Images stored in Supabase Storage (`images` bucket)
- No `localStorage` or `sessionStorage` for activity data
- Single source of truth: Supabase

Artist Join Schema (festival artists)

This is **not** the partner activity submission. It does not write to the `activities` table in the current build.

Persistence (current):

- Draft: `localStorage` key `othering_artist_join_draft_v1`
- Submitted profiles: `localStorage` key `othering_artist_submissions_v1`
- Editorial roster: `app/lib/artists.ts` (`EDITORIAL_ARTISTS`)

Artist object

Field	Type	Required	Notes
<code>slug</code>	<code>string</code>	Yes	Derived from name (lowercase, hyphenated). Unique key
<code>name</code>	<code>string</code>	Yes	Public display name
<code>field</code>	<code>string</code>	No	Art discipline (e.g. Oil painter, Sculptor)
<code>birth</code>	<code>string</code>	No	Line such as b. 1989, Lagos
<code>photo</code>	<code>string</code> URL or null	No	Portrait or artwork only. No cityscapes, stock interiors, or grey placeholders. Null = white empty slot
<code>photoAlt</code>	<code>string</code>	No	Defaults to name
<code>bio</code>	<code>string</code>	No	Plain text biography
<code>cv</code>	<code>ArtistLinkedItem[]</code>	No	{ year?, title, detail?, href? }
<code>exhibitions</code>	<code>ArtistLinkedItem[]</code>	No	Same shape
<code>press</code>	<code>ArtistLinkedItem[]</code>	No	Same shape
<code>talks</code>	<code>ArtistLinkedItem[]</code>	No	Same shape
<code>works</code>	{ <code>src</code> , <code>alt?</code> }[]	No	Max 5. <code>src</code> must start with <code>http</code> or <code>data:image</code>

Directory image rule: About **half of the editorial roster** (7 of 15) have a portrait; the rest have `photo: null`. Directory cards never fall back to activity images or generic filler. Failed loads hide the `<img>` (white remains).

Filters on `/artists` (client-side, do not persist):

- Genre: All / Spatial practice / Performance / Time-based / Lens-based / Object & material — derived from `field`
- Medium: All + Installation, Sculpture, Photography, Film, Sound art, Performance art, Textile, Prints, Works on paper

Version

Version: 2026-08-17

Source of truth: Current codebase (app/lib/storage.ts, app/submit/page.tsx, app/lib/profiles.ts, app/lib/artists.ts, app/lib/artist-submissions.ts, DATABASE_SCHEMA.md)

Intended use: Reusable system specification

FORM_PAGE_SPEC.md

FORM_PAGE_SPEC.md

Purpose

Scoped specification for building Form pages.

Defines tab structure, Save Draft vs Submit logic, validation rules, and button behavior.

This file defines form behavior only. No layout or styling details.

1. Page Definition

- **Page type:** Content Page
 - **Scroll model:** Single page scroll
 - **No side panels**
 - **Max-width container:** 874px
 - **Centered:** margin: 0 auto
 - **Padding:** 36px horizontal and vertical
-

2. Tab Structure

Three tabs:

1. **Basic Info** (TAB 1)
2. **About the Exhibition** (TAB 2)
3. **Links / Media** (TAB 3)

Tab Navigation:

- Tabs are clickable buttons
 - Active tab: Black text, black bottom border (2px)
 - Inactive tabs: Black 50% opacity
 - Tab gap: 16px
 - Bottom border: 1px solid black (below all tabs)
-

3. Tab Navigation Buttons

Tab 1 and Tab 2:

- Show "Next" button (primary style: black background, white text)
- Show "Back" button (text-only style) if on Tab 2 or 3
- "Next" advances to next tab
- "Back" returns to previous tab

Tab 3 (Final Tab):

- Show "Submit" button (primary style: black background, white text)
- Submit button is disabled until:
- All required fields are valid and filled
- `accept_terms` is checked
- User is on Tab 3

All Tabs:

- "Save Draft" button always available (outlined style: black border, transparent background)
 - "Save Draft" works with partially filled form (no validation required)
-

4. Save Draft vs Submit Logic

Save Draft

- **Always available:** Can be clicked at any time, on any tab
- **No validation required:** Can save with missing required fields
- **Status:** Sets `status = 'draft'`
- **Behavior:** Saves current form state to `localStorage`
- **Success:** Shows success modal ("Upload successful")
- **Admin visibility:** Drafts are NOT shown in admin list (filtered out)

Submit

- **Only on Tab 3:** Submit button only appears on final tab
 - **Disabled until valid:** Submit button disabled until:
 - All required fields are filled and valid
 - `accept_terms` checkbox is checked
 - **Validation:** Runs `isFormValid()` function (checks all required fields + format validation)
 - **Status:** Sets `status = 'pending_review'`
 - **Locking:** Sets `is_locked = true` (locks `username`, `first_name`, `last_name`)
 - **Success:** Shows success modal ("Upload successful")
 - **Admin visibility:** Submitted items (`pending_review/published/etc`) are shown in admin list
-

5. Validation Rules

Required Fields Check:

- TAB 1: `first_name`, `last_name`, `username`, `organization_name`, `email`, `password`
- TAB 2: `activity_title`, `author_name`, `activity_type`, `activity_description`, `activity_location`, `activity_date`, `primary_image`, `website_link`, `body_text_1`, `additional_images_1`, `body_text_2`, `additional_images_2`, `organizer`

Format Validation:

- `email`: Must match regex `/^[^\s@]+@[^\s@]+\.[^\s@]+$/`
- `website_link`: Must be valid URL (use `new URL()` constructor)
- `primary_image`: Must be string starting with `http` or `data:image`

- `additional_images_1`: Must be string starting with `http` or `data:image`
- `additional_images_2`: Must be array with at least 1 item, all items must be strings starting with `http` or `data:image`

Terms Validation:

- `accept_terms`: Must be `true` (checkbox checked)

Validation Function:

```
isFormValid(): boolean {  
  // Check all required fields  
  // Check format validation  
  // Return true only if all pass  
}
```

6. Editable vs Locked Fields

Locked After First Submit

- `first_name`: Read-only, disabled, greyed (opacity 50%)
- `last_name`: Read-only, disabled, greyed (opacity 50%)
- `username`: Read-only, disabled, greyed (opacity 50%)

Locking Logic:

- Check if user has submitted before: Look for submission with `status === 'pending_review' || 'published' || 'approved'` and `is_locked === true`
- If locked, load `first_name`, `last_name`, `username` from existing submission
- Set `isLocked` state to `true`
- Apply `disabled` and `opacity-50` classes to locked fields

Always Editable

- `author_name`: **Always editable** (never locked)
- All other fields: Always editable

Display Name Logic:

- `author_name` is used for public display
- Falls back to `username` if `author_name` is empty
- Do not auto-sync `author_name` with `username`

7. Button Behavior

Save Draft Button

- **Style**: Outlined (black border, transparent background, black text)
- **Padding**: 24px horizontal, 4px vertical
- **Always enabled**: Can click at any time
- **Action**: `handleSaveDraft()` - saves with `status: 'draft'`

Next Button (Tabs 1-2)

- **Style:** Primary (black background, white text)
- **Padding:** 24px horizontal, 4px vertical
- **Action:** `handleNext()` - advances to next tab
- **Only on:** Tab 1 and Tab 2

Back Button (Tabs 2-3)

- **Style:** Text-only (transparent background, black text)
- **Padding:** 24px horizontal, 4px vertical
- **Action:** `handleBack()` - returns to previous tab
- **Only on:** Tab 2 and Tab 3 (hidden on Tab 1)

Submit Button (Tab 3)

- **Style:** Primary (black background, white text)
- **Padding:** 24px horizontal, 4px vertical
- **Disabled state:** `opacity: 50%, cursor: not-allowed`
- **Enabled when:** `isFormValid() && accept_terms === true`
- **Action:** `handleSubmit()` - saves with status: 'pending_review', sets `is_locked: true`

Button Layout:

- All buttons in same row: `flex gap-[16px]`
 - "Save Draft" always first
 - Then "Back" (if applicable)
 - Then "Next" or "Submit"
-

8. Modal Behavior

Success Modal

- **Trigger:** After successful Save Draft, Submit, or image upload
 - **Content:**
 - Title: "Success"
 - Body: "Upload successful"
 - Button: "OK" (closes modal)
 - **Style:** White background, black border, centered overlay
 - **Backdrop:** Black 50% opacity
 - **Close:** Click backdrop or "OK" button
-

9. Image Upload Handling

Upload Process:

1. User selects file(s)
2. File(s) uploaded to Supabase Storage (if configured)
3. Get public URL from Supabase

4. If Supabase not configured, convert to data URL (base64) as fallback
5. Store URL in form data (not File object)
6. Show preview immediately
7. Show success modal

Image Preview:

- Display thumbnail/preview after upload
- Show placeholder if image not available
- Preview updates form data immediately

Image Validation:

- Must be valid URL (starts with `http` or `data:image`)
 - File objects are converted to URLs before storage
-

10. Rich Text Editor

Fields using Rich Text Editor:

- `activity_description`
- `body_text_1`
- `body_text_2`

Features:

- Bold, italic, underline formatting
- Link insertion
- Character count display
- HTML content storage
- Placeholder text support

Height:

- Minimum height: 180px (50% taller than standard inputs)
-

11. Form Field Layout

Notion-like Table Style:

- Each field is a table row
- Two columns: Label (200px) | Input (flex-1)
- Border between rows: 1px solid `rgba(0, 0, 0, 0.1)`
- Row padding: 16px vertical, 16px horizontal
- No hover effects on rows
- No outline on form container

Label:

- Uppercase, Inter 500, 12px/16px
- Required indicator: Asterisk (*)

- Helper text below input (if provided)

Input:

- Full width within column
 - Border: 1px solid rgba(0, 0, 0, 0.2)
 - Border radius: 2px
 - Padding: 12px horizontal, 8px vertical
 - Focus: No outline (removed)
-

12. Student Checkbox

Location: TAB 1 (Basic Info)

Field:

- is_student: boolean checkbox
- Optional (not required)

Helper Text:

"If you are a student, please email proof to info@spira9.art with the subject: name_spira9_student_application"

13. Terms Checkbox

Location: TAB 3 (Links / Media)

Field:

- accept_terms: boolean checkbox
- **Required for submission**

Terms Text:

"I confirm that:

- 1) I have the rights to submit and display the uploaded materials (images/text), and I grant SPIRA9 ART permission to use them for exhibition presentation and related promotion (website, social media, press) with credit.
- 2) The information I provide is accurate, and I understand SPIRA9 ART may request clarification.
- 3) I understand submissions may be reviewed and may be edited for formatting (not altering meaning) for publication/presentation.
- 4) I understand my submission may be accepted or declined, and participation/publication is not guaranteed.
- 5) I agree to be contacted by SPIRA9 ART regarding my submission."

Styling:

- Checkbox: 16px × 16px, black border
 - Terms text: Inter 400, 14px/20px, black 80% opacity
 - Numbered list: Decimal, inside positioning
-

14. Artist Join Form (/artists/join)

Page type: Content Page (single scroll). Uses SubmitShell chrome.

Purpose: Festival artist profile, separate from the partner activity submission at /submit.

Three tabs:

1. **Basic Info** — name, birth line, field (art discipline, e.g. "Oil painter"), photo, biography
2. **CV / Exhibitions** — repeatable year / title / venue / URL rows
3. **Press / Talks / Works** — same row pattern for press and talks; works = up to 5 image URLs

Navigation: Same tab chrome as the partner form (instant switch). Final tab shows Submit. Save Draft persists to localStorage without validation.

Required to submit:

- name (non-empty; slug is derived)
- accept_terms checked
- CV / exhibitions / press / talks / works / photo / bio are optional. Empty sections still render their headings on the public page.

After submit:

- Artist is stored in localStorage under othering_artist_submissions_v1
- Browser navigates to /artists/{slug}

Join control on /artists/[slug]: text button, not a filled primary button; navigates to /artists/join.

Version

Version: 2026-08-17

Source of truth: Current codebase (app/submit/page.tsx, app/submit/form/page.tsx, app/artists/join/page.tsx)

Intended use: Reusable system specification

INTERACTION_MOTION_SPEC.md

INTERACTION_MOTION_SPEC.md

Purpose

Define consistent interaction feedback and motion rules across the system.

Ensures predictable, calm, and reusable interaction behavior for future projects.

Principles:

- Motion must be subtle, functional, and minimal
 - No expressive or decorative animations
 - Black & white system only
 - Respect `prefers-reduced-motion`
-

1. Hover Behavior

When Hover Feedback Exists

Buttons (Primary - Black Background):

- Hover: Background opacity changes to 90% (`rgba(0, 0, 0, 0.9)`)
- Transition: `200ms ease-out`
- Timing: Immediate on hover, immediate on hover out

Buttons (Secondary - Text Only):

- Hover: Text opacity changes to 70%
- Transition: `200ms ease-out`
- Timing: Immediate on hover, immediate on hover out

Buttons (Outlined - Save Draft):

- Hover: Text opacity changes to 70%
- Transition: `200ms ease-out`
- Timing: Immediate on hover, immediate on hover out

Text Link Buttons (Workspace Detail Panel):

- Hover: Text opacity changes to 70%
- Transition: `200ms ease-out`
- Timing: Immediate on hover, immediate on hover out

Navigation Links (Menu Items):

- Hover: Text opacity changes to 70% (Detail Panel) or 80% (Primary Panel logo)
- Transition: `200ms ease-out`
- Timing: Immediate on hover, immediate on hover out

Activity List Items (Primary Panel):

- Hover: Background color changes to #FF0000 (red), text color changes to white
- Transition: 200ms ease-out
- Timing: Immediate on hover, immediate on hover out
- Note: Only applies to non-selected items (selected item uses hero title styling)

Hero Title (Selected Activity):

- Hover: Text opacity changes to 90%
- Transition: opacity only (no transform)
- Timing: Immediate on hover, immediate on hover out

CTA Button with Arrow (Join Us):

- Hover: Text opacity changes to 70%
- Arrow: Translates right by 1px (translate-x-1)
- Transition: 200ms ease-out
- Timing: Immediate on hover, immediate on hover out

Images (Workspace Detail Panel):

- Hover: Opacity changes to 85%, grayscale filter 10%, brightness 98%
- Transition: 400ms ease-out
- Timing: Immediate on hover, immediate on hover out
- Purpose: Observational feedback, not clickable indication

Form Action Buttons (Remove, Add Media Link):

- Hover: Background color changes to rgba(0, 0, 0, 0.05) (black 5% opacity)
- Transition: Immediate (no explicit transition)
- Timing: Immediate on hover, immediate on hover out

Organiser Links (Underlined):

- Hover: Underline removed (hover:no-underline)
- Transition: Immediate
- Timing: Immediate on hover, immediate on hover out

When Hover Must Be Disabled

Form Input Fields:

- No hover feedback
- No visual change on hover
- Hover state is ignored

Disabled Form Fields:

- No hover feedback
- Cursor: not-allowed
- Visual: opacity: 50%

Disabled Buttons:

- No hover feedback

- Cursor: not-allowed
- Visual: opacity: 50%

Locked Fields (first_name, last_name, username after submit):

- No hover feedback
 - Cursor: not-allowed
 - Visual: opacity: 50%
-

2. Focus States

Keyboard Focus

Form Input Fields:

- Focus: **No visible outline** (focus:outline-none)
- No focus ring or border change
- Focus is functional but not visually indicated

Buttons:

- Focus: Standard browser default focus ring
- No custom focus styling
- Focus ring appears on keyboard navigation (Tab key)

Links:

- Focus: Standard browser default focus ring
- No custom focus styling
- Focus ring appears on keyboard navigation (Tab key)

Tabs:

- Focus: Standard browser default focus ring
- No custom focus styling
- Focus ring appears on keyboard navigation (Tab key)

Mouse Focus

Form Input Fields:

- Click focus: No visual change (same as keyboard focus - no outline)
- Cursor changes to text input cursor

Buttons:

- Click focus: No visual change (focus ring only on keyboard)
 - Cursor changes to pointer
-

3. Click / Active Feedback

Buttons

Primary Buttons (Black Background):

- Active state: Uses hover state (background opacity 90%)
- No separate active state
- Click feedback: Immediate state change (no animation)

Secondary Buttons (Text Only):

- Active state: Uses hover state (text opacity 70%)
- No separate active state
- Click feedback: Immediate state change (no animation)

Outlined Buttons (Save Draft):

- Active state: Uses hover state (text opacity 70%)
- No separate active state
- Click feedback: Immediate state change (no animation)

Text Link Buttons

Workspace Detail Panel Links:

- Active state: Uses hover state (text opacity 70%)
- No separate active state
- Click feedback: Immediate navigation (no animation)

Navigation Links:

- Active state: Uses hover state (text opacity 70–80%)
- No separate active state
- Click feedback: Immediate navigation (no animation)

Activity List Items

Selection Feedback:

- Click: Immediate selection (no animation)
 - Selected item: Renders as hero title (large typography, white)
 - Non-selected items: Small typography, #E1E1E1 color
 - No transition between selected states
-

4. Tab Switching

Behavior:

- Tab switching is **instant** (no animation)
- State change: Immediate
- Visual change: Active tab shows black text and black bottom border (2px)
- Inactive tabs: Black text at 50% opacity
- Transition: `transition-colors` class present but no visible animation (instant color change)

Timing:

- Click → Tab change: Immediate
- No fade, slide, or other motion

4a. Menu Dropdown

Behavior:

- Dropdown appears **instant** (no animation)
- Position: Absolute, below menu button, right-aligned
- Background: #2d2d2d (dark gray)
- Items: White text, Poppins Light (300), 16px, hover opacity 70%
- Item borders: #e9e9f2 (light gray) between items
- Padding: 24px horizontal, 16px vertical per item
- Close triggers:
 - Click outside dropdown
 - Click any menu item
 - Navigation occurs
 - No fade, slide, or other motion

Timing:

- Click menu button → Dropdown appears: Immediate
 - Click outside/item → Dropdown closes: Immediate
-

4b. Artists Directory

List name (left A–Z):

- Click: immediately sets the selected artist in the billboard (toggle off if the same name is clicked again)
- Selected name: #FF0000, still underlined until hover
- Hover: underline removed (same as organiser links)

Billboard peeks:

- Default: overlapping full-height pages; name overlays the image; image is full-bleed (no reserved white header strip)
- Expand / compress: 700ms cubic-bezier(0.22, 1, 0.36, 1) on left and width
- Compressed peeks: vertical name only, **no image** (opacity: 0, pointer-events: none)
- Clicking a compressed peek expands that artist
- Clicking an A–Z name that is not in the four featured peeks inserts that artist into the stack and expands them
- prefers-reduced-motion: reduce: no left/width/opacity transition

Read more →:

- Same as CTA with arrow: text opacity 70% on hover; arrow translates 1px right; 200ms ease-out; gap 12px

Genre / Medium filters:

- Collapsed by default
- Open / close is instant (no animation)
- Checkbox is visual only (12px square, black fill when on); row is the hit target

Billboard scroll cue:

- v centred on the billboard bottom
- Hover: opacity 70%, 200ms ease-out
- Click: smooth-scrolls the right column to the grid (scroll-behavior disabled under reduced motion)

Images:

- Hover matches Workspace detail images (400ms ease-out, opacity 85%, grayscale 10%, brightness 98%)
 - Missing or failed images render nothing (white). Never grey squares or broken-image icons
 - Do not use cityscapes, stock rooms, or other filler that is not a portrait or an artwork
-

5. Modal Behavior

Success Modal

Entrance:

- Appearance: **Instant** (no animation)
- Modal appears immediately when showSuccessModal state becomes true
- No fade-in, slide-in, or scale animation

Exit:

- Dismissal: **Instant** (no animation)
- Modal disappears immediately when showSuccessModal state becomes false
- No fade-out, slide-out, or scale animation

Backdrop:

- Color: Black at 50% opacity (rgba(0, 0, 0, 0.5))
- Click behavior: Clicking backdrop closes modal
- No animation on backdrop appearance/disappearance

Modal Content:

- Background: White
- Border: 1px solid black
- Padding: 24px
- Max width: 400px
- Centered: Flexbox centering

Dismiss Methods:

1. Click "OK" button → Closes modal
2. Click backdrop → Closes modal
3. No keyboard escape (not implemented)

Timing:

- Modal appears: Immediately after action (Save Draft, Submit, Image Upload)
 - Modal stays: Until user dismisses (no auto-dismiss)
 - No timeout or auto-close
-

6. Toast / Success Dialog Behavior

Current Implementation:

- Uses modal pattern (not toast)
- See "Modal Behavior" section above

Future Toast Pattern (if needed):

- Not currently implemented
 - Would follow same instant appearance/disappearance pattern
-

7. Image Upload Feedback

Loading State

Current Implementation:

- No visible loading indicator
- Upload happens synchronously (or with brief delay simulation)
- No spinner, progress bar, or skeleton state

Success State

Feedback:

- Success modal appears immediately after upload
- Modal content: "Upload successful"
- Image preview appears immediately in form
- No separate success animation for image itself

Timing:

- Upload → Success modal: Immediate (or 500ms delay simulation)
- Preview appears: Immediately after URL is available

Error State

Current Implementation:

- No visible error state
 - Errors logged to console only
 - No error message displayed to user
 - Fallback: Image converts to data URL if Supabase upload fails
-

8. Disabled States

Visual Rules

Disabled Buttons:

- Opacity: 50%
- Cursor: not-allowed
- Hover: Disabled (no hover feedback)

- Background: Same as enabled state (just dimmed)

Disabled Form Fields:

- Opacity: 50%
- Cursor: not-allowed
- Background: Same as enabled state (just dimmed)
- Border: Same as enabled state (just dimmed)

Locked Fields (first_name, last_name, username):

- Opacity: 50%
- Cursor: not-allowed
- Background: Same as enabled state (just dimmed)
- Border: Same as enabled state (just dimmed)
- Visual indication: Greyed out appearance

Interaction Rules

Disabled Elements:

- Cannot be clicked
- Cannot receive focus (or focus is ignored)
- Cannot be edited (for form fields)
- No hover feedback
- No active state

Submit Button Disabled Logic:

- Disabled when: `!isFormValid() || !accept_terms`
 - Visual: opacity: 50%, cursor: not-allowed
 - No hover feedback when disabled
-

9. Scroll-Triggered Reveals (Workspace Only)

Content Reveals

Behavior:

- Elements with `reveal-content` class fade in and slide up on scroll
- Initial state: opacity: 0, translateY: 16px
- Revealed state: opacity: 1, translateY: 0
- Transition: 1000ms ease-out
- Trigger: IntersectionObserver API (threshold: 0.1, rootMargin: 0px 0px -50px 0px)

Timing:

- Reveal starts: When element enters viewport (with 50px bottom margin)
- Reveal duration: 1000ms
- Once revealed: Stays revealed (no fade out on scroll away)

Image Reveals

Behavior:

- Elements with `reveal-image` class fade in and slide up on scroll
- Initial state: `opacity: 0, translateY: 16px`
- Revealed state: `opacity: 1, translateY: 0`
- Transition: `1000ms ease-out` with `200ms` delay
- Trigger: Same as content reveals

Timing:

- Reveal starts: `200ms` after content reveals
- Reveal duration: `1000ms`
- Once revealed: Stays revealed

Accessibility

Reduced Motion:

- When `prefers-reduced-motion: reduce`:
 - All reveal animations disabled
 - Elements appear immediately (`opacity: 1, transform: none`)
 - Transition durations set to `0.01ms`
-

10. Workspace vs Form Interaction Intensity

Workspace Pages

Interaction Intensity: Medium

- More structural feedback
- Hover states on all interactive elements
- Activity list items have color change on hover (red background, white text)
- Scroll-triggered reveals for editorial feel
- Image hover effects (observational)
- Arrow translation on CTA button hover

Motion Level:

- Scroll reveals: `1000ms` (slow, calm)
- Hover transitions: `200ms` (quick, responsive)
- Image hover: `400ms` (smooth, observational)

Form Pages

Interaction Intensity: Low

- Reduced motion, calm interactions
- No hover feedback on form inputs
- Minimal hover feedback on buttons only
- No scroll-triggered reveals

- Instant tab switching (no animation)
- Instant modal appearance (no animation)

Motion Level:

- Button hover: 200ms (quick, minimal)
- No other motion
- Focus on clarity and calmness

White Directory (/artists)

Interaction Intensity: Medium (structural only)

- Billboard squeeze is the only expressive-feeling motion, and it must stay editorial: 700ms cubic-bezier(0.22, 1, 0.36, 1)
 - Filters and tab-like chrome remain instant
 - Image hover matches Workspace observation rules
 - No red hover bars on the A–Z list (selected name uses #FF0000 as static selected state)
-

11. General Motion Rules

Transition Timing

Standard Transitions:

- Duration: 200ms
- Timing function: ease-out
- Properties: opacity, background-color, transform

Slow Transitions (Workspace Reveals):

- Duration: 1000ms
- Timing function: ease-out
- Properties: opacity, transform

Image Hover:

- Duration: 400ms
- Timing function: ease-out
- Properties: opacity, filter

Motion Reduction

Respect prefers-reduced-motion:

- All transitions disabled when motion preference is reduced
- Transition durations set to 0.01ms
- Animations set to 1 iteration
- Scroll reveals appear immediately
- Hover transitions disabled

Implementation:

- Use `motion-reduce:transition-none` class where applicable

- CSS media query: @media (prefers-reduced-motion: reduce)
-

12. Interaction Patterns Summary

Instant Interactions (No Animation)

- Tab switching
- Modal appearance/disappearance
- Activity selection
- Form field focus
- Button clicks (state change only)

Animated Interactions (Subtle Motion)

- Button hover (200ms opacity/background)
- Link hover (200ms opacity)
- Activity list item hover (200ms color change)
- Image hover (400ms opacity/filter)
- Scroll-triggered reveals (1000ms fade/slide)
- Artist billboard squeeze (700ms, cubic-bezier(0.22, 1, 0.36, 1) on left and width)
- Compressed peek image fade (500ms, same easing, to opacity: 0)

No Interaction Feedback

- Form input hover
 - Disabled elements hover
 - Locked fields hover
-

Version

Version: 2026-08-17

Source of truth: Current codebase (app/page.tsx, app/submit/page.tsx, app/login/page.tsx, app/artists/page.tsx, app/globals.css)

Intended use: Reusable system specification

AUTH_IDENTITY_SPEC.md

Authentication and User Identity Specification

Version: 2026-08-17

Source of truth: Current codebase

Intended use: Reusable authentication and user identity specification

Core Principles

Display Name Resolution (CRITICAL RULE)

The resolved display name MUST NOT be written back to the database.

This rule applies to:

- Workspace list
- Workspace detail
- Admin views
- Public event pages

Implementation:

- Display name is resolved in UI only: `author_name || username`
- `Activity.author_name` stores the original value (may be empty)
- `Activity.username` stores the account identity
- Never persist the resolved value: `author_name || username` is computed at render time only

Example:

```
// ✅ CORRECT: Resolve in UI
const displayName = activity.author_name || activity.username;

// ❌ WRONG: Persisting resolved value
activity.author_name = activity.author_name || activity.username; // NEVER DO THIS
```

Status Flow

Draft

- `status = draft`
- Incomplete data allowed
- Visible only to the owner (and admin)

Submit

- Triggered when all required fields are valid and terms accepted
- Actions:
- `status → pending_review`

- If username is empty:
- Set it (from form data: `first_name_last_name` pattern)
- Lock it permanently (`is_locked: true`)

Publish

- `pending_review` → `published`
- Activity becomes publicly visible
- Added to activities list via `submissionToActivity()`

Remove

- Any state → removed (or `is_deleted: true`)
 - Activity disappears from workspace and public routes
-

Route Access Rules

Public Routes (No Login Required)

- `/` - Workspace page
- `/submit` - Partner submission form
- `/partners` - Partners page
- `/artists` - Artist directory
- `/artists/[slug]` - Artist detail
- `/artists/join` - Artist join form
- `/about-us` - About us page
- `/login` - Login page
- `/signup` - Signup page
- `/event/[id]` - Public event detail (including preview)
- `/admin` - Admin review list (viewable without login in current build)
- Calendar export (`.ics` file downloads)

Private Routes (Login Required)

- Currently none at the route-guard layer. Admin **actions** still depend on an admin profile in application logic.

Route Protection Behavior

If a logged-out user accesses a private route:

1. Store current path as `returnTo` in `sessionStorage`
2. Redirect to `/login?returnTo={encodedPath}`
3. After successful login, redirect back to `returnTo`
4. Clear `returnTo` after redirect

Implementation:

- `RouteGuard` component wraps all routes in `app/layout.tsx`
- `checkRouteAccess()` function determines if redirect is needed
- Login page reads `returnTo` from both URL params and `sessionStorage`

User Identity Model

Username (Account Identity)

- **Purpose:** Stable account identifier
- **Source:** Form field or auto-generated from `first_name_last_name`
- **Locking:** Locked after first successful submit (`is_locked: true`)
- **Persistence:** Stored in `Submission.username` and `Activity.username`
- **Never changes:** Once set and locked, cannot be modified

Author Name (Display Credit)

- **Purpose:** Public-facing display name
- **Source:** Form field (`author_name`)
- **Locking:** Never locked, always editable
- **Persistence:** Stored in `Submission.author_name` and `Activity.author_name`
- **May be empty:** If empty, UI falls back to username for display

Display Name Resolution

- **Formula:** `displayName = author_name || username`
 - **Location:** UI only (never persisted)
 - **Usage:** All views that show author/artist name
-

Implementation Files

Core Logic

- `app/lib/storage.ts` - Data storage and `submissionToActivity()` conversion
- `app/lib/auth.ts` - Authentication utilities
- `app/lib/route-protection.ts` - Route access control
- `app/lib/artists.ts` - Editorial artist roster and directory helpers
- `app/lib/artist-submissions.ts` - Artist join draft / submit (`localStorage`)

Components

- `app/components/RouteGuard.tsx` - Route protection wrapper

Pages

- `app/page.tsx` - Workspace (public)
- `app/submit/page.tsx` - Submission form (public)
- `app/admin/page.tsx` - Admin list
- `app/admin/[id]/page.tsx` - Admin detail
- `app/partners/page.tsx` - Partners (public)
- `app/artists/page.tsx` - Artist directory (public)
- `app/artists/[slug]/page.tsx` - Artist detail (public)
- `app/artists/join/page.tsx` - Artist join form (public)
- `app/login/page.tsx` - Login (public)

- `app/about-us/page.tsx` - About us (public)
-

Summary

- **Auth User** controls access (login required for private routes)
- **Profile/Username** controls stable identity (locked after first submit)
- **Activity** controls content and authorship (`author_name` always editable)
- **Display logic** is resolved in the UI, never persisted

This separation is mandatory for system consistency and future scalability.

Version

Version: 2026-08-17

Source of truth: Current codebase (`app/lib/route-protection.ts`, `app/lib/auth.ts`)

Intended use: Reusable authentication and user identity specification

DATABASE_SCHEMA.md

Database Schema

Purpose

Defines the Supabase database schema for the production-ready multi-user platform.

Tables

1. profiles

User profile information linked to Supabase Auth users.

Column	Type	Constraints	Description
id	uuid	PRIMARY KEY, REFERENCES auth.users (id)	User ID (matches auth.users.id)
username	text	NULLABLE, UNIQUE	Username (locked after first submit)
role	text	NOT NULL, DEFAULT 'user'	User role: 'user' or 'admin'
created_at	timestamp	NOT NULL, DEFAULT now()	Profile creation timestamp

Indexes:

- Primary key on id
- Unique index on username (where not null)

Row Level Security (RLS):

- Users can read their own profile
- Users can update their own profile (but username is locked after first submit)
- Admins can read all profiles

Triggers:

- Auto-create profile on user signup (via Supabase trigger or application logic)
-

2. activities

Activity/submission data (single table for both drafts and published activities).

Column	Type	Constraints	Description
id	uuid	PRIMARY KEY, DEFAULT gen_random_uuid()	Activity ID
owner_id	uuid	NOT NULL, REFERENCES auth.users (id)	Owner user ID
status	text	NOT NULL, DEFAULT 'draft'	Status: 'draft', 'pending_review', 'published', 'rejected', 'removed'
created_at	timestamp	NOT NULL, DEFAULT now()	Creation timestamp
updated_at	timestamp	NOT NULL, DEFAULT now()	Last update timestamp

Column	Type	Constraints	Description
is_deleted	boolean	NOT NULL, DEFAULT false	Soft delete flag
is_locked	boolean	NOT NULL, DEFAULT false	Username locked flag
first_name	text	NOT NULL	First name
last_name	text	NOT NULL	Last name
username	text	NOT NULL	Account username
organization_name	text	NOT NULL	Organization name
email	text	NOT NULL	Email address
role	text	NOT NULL	User role (e.g., 'partner')
is_student	boolean	NOT NULL, DEFAULT false	Student flag
activity_title	text	NOT NULL	Activity title
author_name	text	NOT NULL	Display author name
activity_type	text	NOT NULL	Activity type
activity_description	text	NOT NULL	HTML description
activity_location	text	NOT NULL	Location (neighbourhood / venue)
activity_area	text	NULL	Region: South London, East London, West London, or North London
activity_date	text	NOT NULL	Date string
primary_image	text	NULLABLE	Primary image URL (Supabase Storage)
primary_image_alt	text	NULLABLE	Primary image alt text
website_link	text	NOT NULL	Website URL
body_text_1	text	NOT NULL	First body text (HTML)
additional_images_1	text	NULLABLE	Additional image 1 URL
additional_images_1_alt	text	NULLABLE	Additional image 1 alt text
body_text_2	text	NOT NULL	Second body text (HTML)
additional_images_2	jsonb	NULLABLE	Array of image URLs (JSON)
additional_images_2_alt	jsonb	NULLABLE	Array of alt texts (JSON)
organizer	text	NOT NULL	Organizer name
partner	text	NOT NULL	Partner name
additional_media_links	jsonb	NULLABLE	Array of media links (JSON)
accept_terms	boolean	NOT NULL, DEFAULT false	Terms acceptance flag

Indexes:

- Primary key on id
- Index on owner_id for user queries
- Index on status for filtering
- Index on is_deleted for soft delete filtering
- Composite index on (status, is_deleted) for published activities query

Row Level Security (RLS):

- Users can read their own activities (all statuses)
- Users can create/update their own activities (draft/pending_review only)
- Public can read activities with `status='published'` and `is_deleted=false`
- Admins can read/update all activities

JSONB Fields:

- `additional_images_2`: Array of strings `["url1", "url2", ...]`
 - `additional_images_2_alt`: Array of strings `["alt1", "alt2", ...]`
 - `additional_media_links`: Array of objects `[{"media_name": "...", "media_link": "..."}, ...]`
-

Storage Buckets

images

Supabase Storage bucket for activity images.

Structure:

- `activities/{timestamp}_{random}.{ext}` - Activity images (primary, additional)

Policies:

- Public read access for published activities
 - Authenticated users can upload to their own folder
 - Admins can manage all images
-

SQL Migration Script

```
-- Create profiles table
CREATE TABLE IF NOT EXISTS profiles (
  id UUID PRIMARY KEY REFERENCES auth.users(id) ON DELETE CASCADE,
  username TEXT UNIQUE,
  role TEXT NOT NULL DEFAULT 'user' CHECK (role IN ('user', 'admin')),
  created_at TIMESTAMP WITH TIME ZONE NOT NULL DEFAULT now()
);

-- Create activities table
CREATE TABLE IF NOT EXISTS activities (
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),
  owner_id UUID NOT NULL REFERENCES auth.users(id) ON DELETE CASCADE,
  status TEXT NOT NULL DEFAULT 'draft' CHECK (status IN ('draft', 'pending_review', 'published',
'rejected', 'removed')),
  created_at TIMESTAMP WITH TIME ZONE NOT NULL DEFAULT now(),
  updated_at TIMESTAMP WITH TIME ZONE NOT NULL DEFAULT now(),
  is_deleted BOOLEAN NOT NULL DEFAULT false,
  is_locked BOOLEAN NOT NULL DEFAULT false,
  first_name TEXT NOT NULL,
  last_name TEXT NOT NULL,
  username TEXT NOT NULL,
  organization_name TEXT NOT NULL,
  email TEXT NOT NULL,
  role TEXT NOT NULL,
  is_student BOOLEAN NOT NULL DEFAULT false,
  activity_title TEXT NOT NULL,
  author_name TEXT NOT NULL,
  activity_type TEXT NOT NULL,
  activity_description TEXT NOT NULL,
  activity_location TEXT NOT NULL,
  activity_area TEXT,
  activity_date TEXT NOT NULL,
  primary_image TEXT,
  primary_image_alt TEXT,
  website_link TEXT NOT NULL,
  body_text_1 TEXT NOT NULL,
  additional_images_1 TEXT,
  additional_images_1_alt TEXT,
  body_text_2 TEXT NOT NULL,
  additional_images_2 JSONB,
  additional_images_2_alt JSONB,
  organizer TEXT NOT NULL,
  partner TEXT NOT NULL,
  additional_media_links JSONB,
  accept_terms BOOLEAN NOT NULL DEFAULT false
);

-- Create indexes
CREATE INDEX IF NOT EXISTS idx_activities_owner_id ON activities(owner_id);
CREATE INDEX IF NOT EXISTS idx_activities_status ON activities(status);
CREATE INDEX IF NOT EXISTS idx_activities_is_deleted ON activities(is_deleted);
CREATE INDEX IF NOT EXISTS idx_activities_status_deleted ON activities(status, is_deleted) WHERE
is_deleted = false;
CREATE UNIQUE INDEX IF NOT EXISTS idx_profiles_username ON profiles(username) WHERE username IS
NOT NULL;

-- Enable RLS
```

```
ALTER TABLE profiles ENABLE ROW LEVEL SECURITY;
ALTER TABLE activities ENABLE ROW LEVEL SECURITY;

-- RLS Policies for profiles
CREATE POLICY "Users can read own profile" ON profiles
  FOR SELECT USING (auth.uid() = id);

CREATE POLICY "Users can update own profile" ON profiles
  FOR UPDATE USING (auth.uid() = id);

-- RLS Policies for activities
CREATE POLICY "Users can read own activities" ON activities
  FOR SELECT USING (auth.uid() = owner_id);

CREATE POLICY "Public can read published activities" ON activities
  FOR SELECT USING (status = 'published' AND is_deleted = false);

CREATE POLICY "Users can create own activities" ON activities
  FOR INSERT WITH CHECK (auth.uid() = owner_id);

CREATE POLICY "Users can update own activities" ON activities
  FOR UPDATE USING (auth.uid() = owner_id);

-- Create storage bucket (run in Supabase dashboard or via API)
-- Storage bucket: 'images'
-- Public: true (for published activities)
```

Artist profiles (current vs next)

Current production: there is **no** artists table. Public artists come from:

1. Editorial array in app/lib/artists.ts
2. Browser localStorage (othering_artist_submissions_v1) for join-form submissions
3. Activity authors merged into the A–Z directory by name/slug, without copying activity images onto blank cards

Proposed later (do not implement until product asks):

```
CREATE TABLE IF NOT EXISTS artists (  
  id UUID PRIMARY KEY DEFAULT gen_random_uuid(),  
  slug TEXT NOT NULL UNIQUE,  
  name TEXT NOT NULL,  
  field TEXT,  
  birth TEXT,  
  photo TEXT,  
  photo_alt TEXT,  
  bio TEXT NOT NULL DEFAULT '',  
  cv JSONB NOT NULL DEFAULT '[]'::jsonb,  
  exhibitions JSONB NOT NULL DEFAULT '[]'::jsonb,  
  press JSONB NOT NULL DEFAULT '[]'::jsonb,  
  talks JSONB NOT NULL DEFAULT '[]'::jsonb,  
  works JSONB NOT NULL DEFAULT '[]'::jsonb,  
  status TEXT NOT NULL DEFAULT 'draft'  
  CHECK (status IN ('draft', 'pending_review', 'published', 'rejected')),  
  created_at TIMESTAMPTZ NOT NULL DEFAULT now(),  
  updated_at TIMESTAMPTZ NOT NULL DEFAULT now()  
);
```

JSONB rows follow ArtistLinkedItem / ArtistWork in FORM_SCHEMA.md.

Version

Version: 2026-08-17

Source of truth: Production Supabase database (activities / profiles); artist roster is code + localStorage until an artists table ships

Intended use: Database schema reference and migration guide