

Meteor

Part No: FW.43.B.SMA.M

Description:

Meteor ISM Band 433MHz

Flexible Whip Monopole Antenna SMA(M) Straight

Features:

External ISM Band 433MHz

Monopole Antenna

Designed for Outdoor Use

60%+ efficiency*

OdBi peak gain'

Robust Inner Steel Core

Antenna Length: 323mm

SMA Type(M) Straight Connector

IP65 dust and water-resistant

*Tested on 30cm*30cm Ground Plane

RoHS Compliant



1.	Introduction	3
2.	Specifications	4
3.	Antenna Characteristics	5
4.	Radiation Patterns	7
5.	Mechanical Drawing	9
6.	Packaging	10
	Changelog	11

Taoglas makes no warranties based on the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Taoglas reserves all rights to this document and the information contained herein. Reproduction, use or disclosure to third parties without express permission is strictly prohibited.













The FW.43 is a flexible 433MHz whip antenna with a SMA type (M) connector for outdoor use. It features excellent efficiency (>60%) and peak gain (>0 dBi) at 433MHz on a 30x30 cm ground plane.

Common applications are wireless sensor monitoring, smart metering, remote asset monitoring, and security systems.

The FW.43 has an excellent omnidirectional radiation pattern, ensuring wide coverage. The antenna's high efficiency means that it allows your radio to consume less power than with a lower efficiency antenna when transferring data. It also means a better signal strength and better sensitivity in areas of low signal levels. The antenna performs at its best while attached to a ground plane with dimensions of at least 30x30 cm

The FW.43 whip is made of a flexible inner steel core covered by PE so it is extremely resistant to abrasion and maintains its original shape and RF performance even after shock. This rugged design and IP65 waterproof rating on the housing ensure high reliability.

This antenna comes with SMA(M) connector as standard. Other custom variants can be provided subject to NRE and MOQ. Contact your regional Taoglas office for details.




2. Specifications

	ISM Band 433MHz
Center Frequency	433MHz
Design Environment	On 30x30cm ground
Efficiency	66.42%
Peak Gain	0.46dBi
Return loss	<-15dB
VSWR	≤ 1.5:1
Impedance	50Ω
Polarization	Linear
Radiation Pattern	Omni-Directional
Input Power	2 W
Total Power	10 W
	Mechanical
Dimensions	Height 323 ± 10 mm
Base Diameter	16 ± 0.6 mm
Whip Diameter	6.2 ± 0.6 mm
Casing	ABS
Connector	SMA Type(M) Straight
Weight	66 g
Dust and Water Resistance	IP65
	Environmental
Temperature Range	-40°C to 85°C
Humidity	Non-condensing 65°C 95% RH




3. Antenna Characteristics

3.1 Return Loss




3.2 Efficiency






3.3 Peak Gain




3.4 Average Gain





4. Radiation Patterns

4.1 Test Setup




On 30x30 cm ground plane




8

4.2 3D and 2D Radiation Patterns


3-D Radiation Pattern on 30cm*30cm Ground Plane @433MHz







5. Mechanical Drawing (Units: mm)



	Name	Material	Finish	QTY
1	Housing	ABS	Black	1
2	Flexible Whip	Steel+PE Jacket	Black	1
3	Сар	ABS	Black	1
4	SMA(M)ST	Brass	Black	1




6. Packaging

1pcs FW.43.B.SMA.M per PE Bag Bag Dimensions - 370*50mm Weight - 66g

50 PE bags per Large PE Bag 50 pcs FW.43.B.SMA.M per Large Polybag Large PE Bag Dimensions - 470*340mm Weight - 3.4Kg

5 Large PE Bags per Carton 250 pcs FW.43.B.SMA.M per Carton Carton Dimensions - 360*310*180mm Weight - 17Kg

Pallet Dimensions: 1200*1000*1350mm 63 Cartons Per Pallet 9 Cartons Per Layer 7 Layers





11

Changelog for the datasheet

SPE-16-8-004 - FW.43.B.SMA.M

Revision: C	
Date:	2019-08-16
Changes:	Updated to new format
Changes Made by:	Dan Cantwell

Previous Revisions

Date: 2017-07-01 Changes: Reformatted specs and added disclaimer Changes Made by: Andy Mahoney	Revision: B (Current Version)		
Changes Made by: Andy Mahoney Revision: A (Original First Release) Date: 2015-12-01 Notes:	Date:	2017-07-01	
Revision: A (Original First Release) Date: 2015-12-01 Notes:	Changes:	Reformatted specs and added disclaimer	
Date: 2015-12-01 Notes:	Changes Made by:	Andy Mahoney	
Notes:	Revision: A (Origina	l First Release)	
	Date:	2015-12-01	
Author: Wayne Yang			
	Author:	Wayne Yang	



www.taoglas.com

