

Zabira Academy Public API

1.1.0

OAS 3.0

[./openapi.php](#)

Public and student APIs for the Zabira Academy website and mobile apps.

Authentication: send **Authorization: Bearer <JWT>** on protected operations. Tokens are issued by **POST /auth/login.php** (portal **student**) or **POST /auth/google_auth.php** .

Admin, SuperAdmin, teacher-studio, OMS admin, webhooks, cron, and internal debug endpoints are **not** part of this specification.

Standard envelope:

```
{ "success": true, "message": "...", "data": {} }
```

Servers

<https://api.zabiraacademy.com/api> - Production



Authorize



Filter by tag

Authentication Login, registration, password reset, and token refresh.

Books Purchased books, PDF access, and book checkout.

Cart Authenticated shopping cart.

Certificates Student certificates and public certificate verification.

Courses Public course catalogue, enrollment, reviews, and course quizzes.

Events

Public events and student registrations.



Games

Kids games.

**POST**`/kids/game_play.php` Kids: Game Play

Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: `api/kids/game_play.php`.

Parameters

Cancel

No parameters

Request body required`application/json`**Edit Value** | Schema

```
{
  "game_id": 1
}
```

**Execute****Clear**

Responses

Curl

```
curl -X 'POST' \
  'https://api.zabiraacademy.com/api/kids/game_play.php' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "game_id": 1
  }'
```



Request URL

https://api.zabiraacademy.com/api/kids/game_play.php

Server response

Code

Details

403

Undocumented

Error: response status is 403

Response body

```
{
  "success": false,
  "message": "Request origin not allowed."
}
```



Download

Response headers

```
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-Authorization,Accept,Cache-Control,Pragma
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS
access-control-max-age: 3600
alt-svc: h3=":443"; ma=86400
cache-control: no-store,no-cache,must-revalidate,max-age=0
content-encoding: br
content-length: 61
content-security-policy: upgrade-insecure-requests
content-type: application/json; charset=UTF-8
date: Mon,17 Aug 2026 19:02:09 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: d33b0101a850b7265c6c9f471527c76e-mum-edge8
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json



Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

Code	Description	Links
201	Created Media type application/json Example Value Schema <pre>{ "success": false, "message": "Created"}</pre>	No links
400	Bad request Media type application/json Example Value Schema <pre>{ "success": false, "message": "Bad request"}</pre>	No links
404	Not found Media type application/json Example Value Schema <pre>{ "success": false, "message": "Not found"}</pre>	No links
405	Method not allowed Media type application/json Example Value Schema <pre>{ "success": false, "message": "Method not allowed"}</pre>	No links
500	Server error Media type application/json Example Value Schema <pre>{ "success": false,</pre>	No links

Code

Description

Links

```
{  
  "message": "Server error"  
}
```

POST

/kids/game_result.php Kids: Game Result



Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: `api/kids/game_result.php`.

Parameters

Cancel

No parameters

Request body **required**

application/json



Edit Value | Schema

```
{  
  "attempt_token": "attempt_token",  
  "score": "score",  
  "max_score": "max_score",  
  "time_taken_seconds": "time_taken_seconds",  
  "result": "result"  
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'https://api.zabiraacademy.com/api/kids/game_result.php' \  
  -H 'accept: application/json' \  
  -H 'Content-Type: application/json'
```

```
-H 'Content-Type: application/json' \
-d '{
  "attempt_token": "attempt_token",
  "score": "score",
  "max_score": "max_score",
  "time_taken_seconds": "time_taken_seconds",
  "result": "result"
}'
```



Request URL

https://api.zabiraacademy.com/api/kids/game_result.php

Server response

Code	Details
------	---------

403

Undocumented

Error: response status is 403

Response body

```
{
  "success": false,
  "message": "Request origin not allowed."
}
```



Download

Response headers

```
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-Authorization,Accept,Cache-Control,Pragma
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS
access-control-max-age: 3600
alt-svc: h3=":443"; ma=86400
cache-control: no-store,no-cache,must-revalidate,max-age=0
content-encoding: br
content-length: 61
content-security-policy: upgrade-insecure-requests
content-type: application/json; charset=UTF-8
date: Mon,17 Aug 2026 19:02:16 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: 7eafa233399d2f7c8b6f58b6c9b375f5-mum-edge8
x-powered-by: PHP/8.3.30
```

Responses

Code	Description	Links
------	-------------	-------

200

Successful response

No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

Code	Description	Links
400	Bad request Media type application/json Example Value Schema <pre>{ "success": false, "message": "Bad request"}</pre>	No links
404	Not found Media type application/json Example Value Schema <pre>{ "success": false, "message": "Not found"}</pre>	No links
405	Method not allowed Media type application/json Example Value Schema <pre>{ "success": false, "message": "Method not allowed"}</pre>	No links
500	Server error Media type application/json Example Value Schema <pre>{ "success": false, "message": "Server error"}</pre>	No links

GET

/kids/public_game.php Kids: Public Game



Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: [api/kids/public_game.php](#).

Parameters

Cancel

Name	Description
------	-------------

slug * requiredstring
(query)

sample-slug

id

integer
(query)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://api.zabiraacademy.com/api/kids/public_game.php?slug=sample-slug&id=1' \  
  -H 'accept: application/json'
```



Request URL

https://api.zabiraacademy.com/api/kids/public_game.php?slug=sample-slug&id=1

Server response

Code

Details

404

Error: response status is 404

Response body

```
{  
  "success": false,  
  "message": "Game not found."  
}
```



Download

Response headers

```
access-control-allow-credentials: true  
access-control-allow-headers: Content-Type,Access-Control-Allow-  
Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-  
Authorization,Accept,Cache-Control,Pragma  
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS  
access-control-allow-origin: https://zabiraacademy.com  
access-control-max-age: 3600  
alt-svc: h3=":443"; ma=86400  
cache-control: no-store,no-cache,must-revalidate,max-age=0  
content-encoding: br
```


Code

Details

```
content-length: 49
content-security-policy: upgrade-insecure-requests
content-type: application/json; charset=UTF-8
date: Mon,17 Aug 2026 19:02:21 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: daa94c7e4477659fbdce9d4a0e4e1025-mum-edge8
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

400

Bad request

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Bad request"
}
```

404

Not found

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Not found"
}
```

405

Method not allowed

No links

Media type

application/json ▼

Code	Description	Links
Example Value Schema <pre>{ "success": false, "message": "Method not allowed" }</pre>		
500	Server error	No links
Media type application/json Example Value Schema <pre>{ "success": false, "message": "Server error" }</pre>		

GET

/kids/public_games.php Kids: Public Games

Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: `api/kids/public_games.php`.

Parameters

Cancel

Name	Description
page integer (query)	1
limit integer (query)	1
search string (query)	search
q string (query)	q
category string	category

Name	Description
------	-------------

(query)

age

string

(query)

age

age_group

string

(query)

age_group

difficulty

string

(query)

difficulty

featured

boolean

(query)

true



game_type

string

(query)

game_type

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'https://api.zabiraacademy.com/api/kids/public_games.php?page=1&limit=1&search=search&q=q&cate'
-H 'accept: application/json'
```



Request URL

```
https://api.zabiraacademy.com/api/kids/public_games.php?
page=1&limit=1&search=search&q=q&category=category&age=age&age_group=age_group&difficulty=dif
ficulty&featured=true&game_type=game_type
```

Server response

Code	Details
------	---------

500

Error: response status is 500

Response body

```
{
  "success": false,
  "message": "Unable to load games."
}
```



Download

Response headers

Code

Details

```
access-control-allow-credentials: true
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-Authorization,Accept,Cache-Control,Pragma
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS
access-control-allow-origin: https://zabiraacademy.com
access-control-max-age: 3600
alt-svc: h3=":443"; ma=86400
cache-control: no-store,no-cache,must-revalidate,max-age=0
content-encoding: br
content-length: 55
content-security-policy: upgrade-insecure-requests
content-type: application/json; charset=UTF-8
date: Mon,17 Aug 2026 19:02:26 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: 118a8092580008388d43006261d026a0-mum-edge8
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

405

Method not allowed

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Method not allowed"
}
```

500

Server error

No links

Media type

application/json ▼

Example Value | Schema

Code

Description

Links

```
{  
  "success": false,  
  "message": "Server error"  
}
```

Kids

Public kids categories.



Library

Public library catalogue and collections.



Notifications

Student notifications.



Orders

Student order history, tracking, invoices, and cancellation.



Payments

Checkout sessions, gateways, coupons, plans, and verification.



Profile

Student profile, avatar, and password.



Public Content

Gallery, nasheed, media, announcements, contact, and homepage content.



Quizzes

Kids quizzes.



Scholarships

Public scholarship content, applications, and donations.



Search

Public SEO and content lookup.



Store

Public store catalogue, product details, and store checkout.



Students

Authenticated student workspace: dashboard, lessons, progress, free trials.



Authenticated wishlist.

Wishlist



Schemas

