

Zabira Academy Public API

1.1.0

OAS 3.0

[./openapi.php](#)

Public and student APIs for the Zabira Academy website and mobile apps.

Authentication: send **Authorization: Bearer <JWT>** on protected operations. Tokens are issued by **POST /auth/login.php** (portal **student**) or **POST /auth/google_auth.php** .

Admin, SuperAdmin, teacher-studio, OMS admin, webhooks, cron, and internal debug endpoints are **not** part of this specification.

Standard envelope:

```
{ "success": true, "message": "...", "data": {} }
```

Servers

<https://api.zabiraacademy.com/api> - Production

Authorize



Filter by tag

Authentication Login, registration, password reset, and token refresh.

Books Purchased books, PDF access, and book checkout.

Cart Authenticated shopping cart.

Certificates Student certificates and public certificate verification.

Courses Public course catalogue, enrollment, reviews, and course quizzes.

Events

Public events and student registrations.

▼

Games

Kids games.

▼

Kids

Public kids categories.

▼

Library

Public library catalogue and collections.

▼

Notifications

Student notifications.

▼

Orders

Student order history, tracking, invoices, and cancellation.

▼

Payments

Checkout sessions, gateways, coupons, plans, and verification.

▼

Profile

Student profile, avatar, and password.

▼

Public Content

Gallery, nasheed, media, announcements, contact, and homepage content.

▼

Quizzes

Kids quizzes.

▲

GET

/kids/public_quiz.php Kids: Public Quiz

▲

Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: `api/kids/public_quiz.php`.

Parameters

Cancel

Name	Description
------	-------------

slug * requiredstring
(query)

sample-slug

id

integer
(query)

1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://api.zabiraacademy.com/api/kids/public_quiz.php?slug=sample-slug&id=1' \  
  -H 'accept: application/json'
```



Request URL

```
https://api.zabiraacademy.com/api/kids/public_quiz.php?slug=sample-slug&id=1
```

Server response

Code	Details
------	---------

404

Error: response status is 404

Response body

```
{  
  "success": false,  
  "message": "Quiz not found."  
}
```



Download

Response headers

```
access-control-allow-credentials: true  
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-Authorization,Accept,Cache-Control,Pragma  
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS  
access-control-allow-origin: https://zabiraacademy.com  
access-control-max-age: 3600  
alt-svc: h3=":443"; ma=86400  
cache-control: no-store,no-cache,must-revalidate,max-age=0  
content-encoding: br  
content-length: 49  
content-security-policy: upgrade-insecure-requests  
content-type: application/json; charset=UTF-8  
date: Tue,18 Aug 2026 05:12:43 GMT  
panel: hpanel  
platform: hostinger  
pragma: no-cache  
referrer-policy: strict-origin-when-cross-origin
```

Code

Details

```
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: de8e3f7e664f21ac337270ae1ca785c6-mum-edge6
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

400

Bad request

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Bad request"
}
```

404

Not found

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Not found"
}
```

405

Method not allowed

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Method not allowed"
}
```

Code	Description	Links
500	Server error	No links
Media type		
application/json		
Example Value Schema		
{ "success": false, "message": "Server error" }		

GET

/kids/public_quizzes.php Kids: Public Quizzes



Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: [api/kids/public_quizzes.php](#).

Parameters

[Cancel](#)

Name	Description
page	1
integer (query)	
limit	1
integer (query)	
search	search
string (query)	
q	q
string (query)	
category	category
string (query)	
age	age
string (query)	

Name	Description
------	-------------

age_group string (query)	age_group
--------------------------------	--

difficulty string (query)	difficulty
---------------------------------	---

featured boolean (query)	true
--------------------------------	-----------------------------------

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://api.zabiraacademy.com/api/kids/public_quizzes.php?page=1&limit=1&search=search&q=q&category=category&age=age&age_group=age_group&difficulty=difficulty&featured=true' \
  -H 'accept: application/json'
```

Request URL

```
https://api.zabiraacademy.com/api/kids/public_quizzes.php?page=1&limit=1&search=search&q=q&category=category&age=age&age_group=age_group&difficulty=difficulty&featured=true
```

Server response

Code	Details
------	---------

500	Error: response status is 500
-----	-------------------------------

Response body

```
{
  "success": false,
  "message": "Unable to load quizzes."
}
```



Download

Response headers

```
access-control-allow-credentials: true
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-Authorization,Accept,Cache-Control,Pragma
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS
access-control-allow-origin: https://zabiraacademy.com
access-control-max-age: 3600
alt-svc: h3=":443"; ma=86400
cache-control: no-store,no-cache,must-revalidate,max-age=0
content-encoding: br
content-length: 57
content-security-policy: upgrade-insecure-requests
```

Code

Details

```
content-type: application/json; charset=UTF-8
date: Tue, 18 Aug 2026 05:12:48 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: 18d453068835a95e48913bddff835545-mum-edge6
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

405

Method not allowed

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Method not allowed"
}
```

500

Server error

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Server error"
}
```

POST

/kids/quiz_start.php Kids: Quiz Start



Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: `api/kids/quiz_start.php`.

Parameters

[Cancel](#)

No parameters

Request body required

application/json

Edit Value | Schema

```
{
  "quiz_id": 1
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://api.zabiraacademy.com/api/kids/quiz_start.php' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "quiz_id": 1
  }'
```



Request URL

`https://api.zabiraacademy.com/api/kids/quiz_start.php`

Server response

Code

Details

403

Undocumented

Error: response status is 403

Response body

```
{
  "success": false,
  "message": "Request origin not allowed."
}
```



Download

Response headers

```
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-
Authorization,Accept,Cache-Control,Pragma
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS
access-control-max-age: 3600
alt-svc: h3=":443"; ma=86400
cache-control: no-store,no-cache,must-revalidate,max-age=0
content-encoding: br
content-length: 61
content-security-policy: upgrade-insecure-requests
content-type: application/json; charset=UTF-8
date: Tue,18 Aug 2026 05:12:53 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: 919a229650afe946d7c12137689c96b3-mum-edge6
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

201

Created

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Created"
}
```

Code	Description	Links
400	Bad request Media type application/json Example Value Schema <pre>{ "success": false, "message": "Bad request"}</pre>	No links
404	Not found Media type application/json Example Value Schema <pre>{ "success": false, "message": "Not found"}</pre>	No links
405	Method not allowed Media type application/json Example Value Schema <pre>{ "success": false, "message": "Method not allowed"}</pre>	No links
500	Server error Media type application/json Example Value Schema <pre>{ "success": false, "message": "Server error"}</pre>	No links

POST

/kids/quiz_submit.php Kids: Quiz Submit



Public endpoint — no authentication.

Audience: PUBLIC.

Implementation: [api/kids/quiz_submit.php](#).**Parameters****Cancel**

No parameters

Request body

application/json

**Edit Value** | Schema

```
{
  "attempt_token": "attempt_token",
  "answers": "answers"
}
```

Execute**Clear****Responses****Curl**

```
curl -X 'POST' \
  'https://api.zabiraacademy.com/api/kids/quiz_submit.php' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "attempt_token": "attempt_token",
    "answers": "answers"
  }'
```

**Request URL**https://api.zabiraacademy.com/api/kids/quiz_submit.php**Server response****Code****Details**

403

Error: response status is 403

Code

Details

Undocumented

Response body

```
{
  "success": false,
  "message": "Request origin not allowed."
}
```



Download

Response headers

```
access-control-allow-headers: Content-Type,Access-Control-Allow-Headers,Authorization,X-Requested-With,X-Auth-Scope,X-Zabira-
Authorization,Accept,Cache-Control,Pragma
access-control-allow-methods: GET,POST,PUT,PATCH,DELETE,OPTIONS
access-control-max-age: 3600
alt-svc: h3=":443"; ma=86400
cache-control: no-store,no-cache,must-revalidate,max-age=0
content-encoding: br
content-length: 61
content-security-policy: upgrade-insecure-requests
content-type: application/json; charset=UTF-8
date: Tue,18 Aug 2026 05:12:57 GMT
panel: hpanel
platform: hostinger
pragma: no-cache
referrer-policy: strict-origin-when-cross-origin
server: hcdn
strict-transport-security: max-age=31536000; includeSubDomains
x-content-type-options: nosniff
x-frame-options: DENY
x-hcdn-request-id: bca9fd2663c680fb6669a19848196123-mum-edge6
x-powered-by: PHP/8.3.30
```

Responses

Code

Description

Links

200

Successful response

No links

Media type

application/json ▼

Controls Accept header.

Example Value | Schema

```
{
  "success": false,
  "message": "Successful response"
}
```

400

Bad request

No links

Media type

application/json ▼

Example Value | Schema

```
{
  "success": false,
  "message": "Bad request"
}
```

404

Not found

No links

Code	Description	Links
	Media type application/json ▼ Example Value Schema <pre>{ "success": false, "message": "Not found" }</pre>	
405	Method not allowed	No links
	Media type application/json ▼ Example Value Schema <pre>{ "success": false, "message": "Method not allowed" }</pre>	
500	Server error	No links
	Media type application/json ▼ Example Value Schema <pre>{ "success": false, "message": "Server error" }</pre>	

Scholarships

Public scholarship content, applications, and donations.



Search

Public SEO and content lookup.



Store

Public store catalogue, product details, and store checkout.



Students

Authenticated student workspace: dashboard, lessons, progress, free trials.



Wishlist

Authenticated wishlist.



Schemas

