

INSURANCE POLICY

DOCUMENT — POLICY ID:

P013

Policy Classification: Autonomous Rail Transit Network & Critical Signaling Infrastructure Indemnity Underwriting
Issued By: SecureShield Property & Casualty Insurance Corporation **Target Object:** Autonomous Rolling Stock, Communication-Based Train Control (CBTC) Systems, Mainline Switching Matrix, and Traction Sub-Stations **Regulatory Status:** Active Legal Framework for Claims Underwriting

SECTION 1: SCOPE OF COVERAGE & INSURED PERILS

This foundational contract of indemnity governs the insured operational assets against direct physical loss, catastrophic degradation, or sudden structural impairment arising out of verified transit, electrical, and kinetic perils. The underwriter agrees to indemnify the policyholder for the reasonable cost of repair, replacement, or structural remediation of the target object, provided that the proximate cause of the loss is an explicitly insured peril and is not otherwise excluded under the concurrent causation doctrines established within this framework.

- High-Velocity Kinetic Rail Obstruction Impact:** Direct structural damage, frame deformation, or wheel-bogie displacement of autonomous rolling stock resulting from a high-velocity impact with an undetected physical object on the running rail line.
- Traction Sub-Station Regenerative Braking Thermal Arcing:** Sudden, accidental electrical arcing or localized thermal conflagration inside traction power sub-stations, directly induced by un-absorbed energy feedback loops during emergency regenerative braking sequences.
- CBTC Microwave Radio Link Atmospheric Disruption:** Complete hardware failure or internal electronic burnout of trackside microwave radio units and automated signaling transponders directly caused by a verified localized lightning strike or atmospheric plasma discharge.
- Mainline Switching Point Geometric Mechanical Binding:** Accidental mechanical seizure or hydraulic fracturing of high-speed switching points during remote alignment execution, resulting in immediate guide-rail distortion or wheel-flange structural shearing.

SECTION 2: COMPREHENSIVE COVERAGE LIMITS & LIABILITY CAP

The liability of the insurance corporation is strictly capped up to the Maximum Deductible Limit / Sum Insured per individual incident. Claims exceeding these specified thresholds will be subject to partial approval or out-of-pocket expenses by the policyholder.

- **Network System Aggregate Limit:** The maximum payable financial liability limit per single transit network accident or catastrophic infrastructure event is capped strictly at **Rs. 1,10,00,00,000 (One Hundred and Ten Crore Rupees)**. This includes structural track clearing, technical salvage, and initial main-line alignment re-stabilization.
- **Autonomous Rolling Stock Sub-Limit:** In the event of standalone train set failure, carbody deformation, or catastrophic bogie degradation from kinetic impacts, the maximum indemnity payout is legally capped at **Rs. 40,00,00,000 (Forty Crore Rupees)** per incident for coach replacement and automated subsystem recalibration.
- **CBTC and Automated Signaling Array Sub-Limit:** For structural or electronic damage caused to trackside interlocking processors, server architecture, or localized transponder arrays due to an insured peril, the total coverage limit per incident is capped at **Rs. 20,00,00,000 (Twenty Crore Rupees)**.
- **Traction Power Distribution and Switching Cap:** Damage caused by sudden utility-room electrical explosions or switching matrix mechanical binding is bound to baseline evaluation limits up to a maximum payout threshold of **Rs. 25,00,00,000 (Twenty-Five Crore Rupees)** per single localized event.

SECTION 3: POLICY EXCLUSIONS & NON-PAYABLE CLAIMS

The corporation is not legally liable to make any transaction or award compensation under this comprehensive policy if the damage or loss arises from the following strict policy exclusions:

- **Wheel-Flange Abrasion and Track Over-Wear:** Any progressive railhead thinning, corrugated rail degradation, or predictable rolling stock wheel-flange abrasion resulting from standard wheel-to-rail friction or failure to execute scheduled grinding maintenance.
- **Network Protocol Manipulation and Intangible Software Corruption:** Total or partial loss of transit scheduling accuracy, operational downtime, or telemetry database degradation caused by unauthorized logic modifications, malicious server overrides, or software execution errors unaccompanied by physical hardware destruction.
- **Thermal Traction Burnout from Passenger Over-Allocation:** Absolute exclusion of coverage applies if the train propulsion motors suffer localized thermal meltdown or stator winding burnouts while operating under vehicle passenger weights that exceed the maximum axle load engineering specifications.
- **Uncertified Trackside Modifications:** No coverage is provided if the automated signaling topology, electrical traction supply, or mainline switching arrays were altered, modified, or repaired by an individual or contractor who does not hold active, legally valid credentials from regional railway safety boards.

SECTION 4: MANDATORY CLAIM REQUIREMENTS & DOCUMENTATION

To successfully initiate, validate, and verify an active insurance claim evaluation process, the claimant must submit the following verified evidentiary proof within the stipulated filing window:

1. **Train Control Event Recorder Cryptographic Export:** Presentation of an authentic, unedited cryptographic export of the on-board and trackside Event Recorder (OTMR) log files illustrating speed profiles, braking commands, traction voltages, and signaling inputs at the precise minute of the incident.
 2. **Certified Railway Safety Inspector Accident Valuation Report:** An official, certified regulatory accident report copy issued by an independent, licensed railway safety inspector confirming the proximate cause of the derailment, collision, or sub-station failure.
 3. **Mainline Maintenance Ledger Compliance Logs:** Active transit infrastructure ledger records and logbooks confirming the affected rail section and rolling stock had passed all automated ultrasonic flaw detection checks within the thirty days prior to the incident.
 4. **Authorized Transit Infrastructure OEM Material Invoices:** Itemized financial invoices and repair estimates compiled by a certified original equipment manufacturer workshop or licensed transit asset surveyor.
-

SECTION 5: GENERAL CLAIMS PROCESSING & EVALUATION RULE

All submitted claim applications undergo automated risk scoring, context-aware semantic screening, and policy coverage validation parameters. All coverage validation parameters are strictly subject to the stated incident limits, explicit policy exclusions, and strict claim requirements documented above.

Regulatory Disclaimer: Any automated or AI-generated recommendation (such as APPROVE, REJECT, or REFER) should not be treated as a definitive or final claim decision. A certified human claims handler and authorized insurance underwriter must thoroughly review the generated recommendation, examine the associated evidence logs, and execute the final authorization.

