

INSURANCE POLICY

DOCUMENT — POLICY ID:

P015

Policy Classification: Offshore Wind Energy Infrastructure & Deepwater Subsea Cable Network Indemnity **Issued By:** SecureShield Property & Casualty Insurance Corporation **Target Object:** Deepwater Wind Turbine Generators, Offshore Transformer Substations, High-Voltage Direct Current (HVDC) Subsea Cables, and Marine Monopile Foundations
Regulatory Status: Active Legal Framework for Claims Underwriting

SECTION 1: SCOPE OF COVERAGE & INSURED PERILS

This foundational contract of indemnity governs the insured operational assets against direct physical loss, catastrophic degradation, or sudden structural impairment arising out of verified marine, meteorological, and high-voltage electrical perils. The underwriter agrees to indemnify the policyholder for the reasonable cost of repair, replacement, or structural remediation of the target object, provided that the proximate cause of the loss is an explicitly insured peril and is not otherwise excluded under the concurrent causation doctrines established within this framework.

- Meteorological Kinetic Blade Delamination:** Catastrophic aerodynamic structural cracking, surface splitting, or complete blade detachment from the rotor hub assembly directly induced by extreme un-forecasted cyclonic wind shears or lightning strikes exceeding structural dissipation limits.
- Subsea Trawl Equipment Kinetic Anchor Dragging:** Sudden physical severing, armor tearing, or geometric displacement of buried high-voltage subsea transmission cables directly resulting from the verified impact or dragging actions of commercial marine vessels or deep-sea anchors.
- Offshore Substation Dielectric Fluid Flash Conflagration:** Rapidly spreading fire, electrical arcing, or thermal runaway events originating within high-voltage step-up transformers or power conversion equipment situated on the marine topside platform.
- Monopile Scour Protection Dynamic Fluid Displacement:** Rapid and catastrophic displacement of underlying seabed rock armor and sediment stabilization matrices due to extreme hydrodynamic current action, leading to verified tilt or structural axis misalignment of the turbine tower.

SECTION 2: COMPREHENSIVE COVERAGE LIMITS & LIABILITY CAP

The liability of the insurance corporation is strictly capped up to the Maximum Deductible Limit / Sum Insured per individual incident. Claims exceeding these specified thresholds will be subject to partial approval or out-of-pocket expenses by the policyholder.

- **Offshore Array Global Aggregate Limit:** The maximum payable financial liability limit per single offshore incident or integrated array failure event is capped strictly at **Rs. 1,80,00,00,000 (One Hundred and Eighty Crore Rupees)**. This includes specialized marine salvage vessels, underwater remote operated vehicle (ROV) deployment, and deepwater cable splicing overheads.
- **Turbine Generator and Nacelle Sub-Limit:** In the event of standalone gearbox failure, generator rotor burnout, or catastrophic nacelle structural degradation from mechanical over-torquing, the maximum indemnity payout is legally capped at **Rs. 55,00,00,000 (Fifty-Five Crore Rupees)** per incident for hardware replacement and offshore crane stabilization.
- **HVDC Subsea Transmission Line Sub-Limit:** For structural or insulation damage caused to marine export cables, touchdown zones, or localized landfall transition bays due to an insured peril, the total coverage limit per incident is capped at **Rs. 45,00,00,000 (Forty-Five Crore Rupees)**.
- **Topside Transformer Platform and Substation Cap:** Damage caused by sudden catastrophic platform electrical explosions or structural deck failures is bound to baseline evaluation limits up to a maximum payout threshold of **Rs. 60,00,00,000 (Sixty Crore Rupees)** per single localized event.

SECTION 3: POLICY EXCLUSIONS & NON-PAYABLE CLAIMS

The corporation is not legally liable to make any transaction or award compensation under this comprehensive policy if the damage or loss arises from the following strict policy exclusions:

- **Salty Atmosphere Surcharging and Micro-Pitting Cavitation:** Any progressive metallurgical oxidation, saltwater pitting corrosion, or structural leading-edge erosion that occurs over a multi-year period as a function of standard maritime atmospheric exposure or inadequate anti-corrosive coating maintenance.
 - **Sovereign Blockades and Territorial Fishing Exclusions:** Total or partial loss of array access, platform seizure, or transmission curtailment caused by deliberate regulatory boundary changes, international maritime economic zone changes, or naval blockades.
 - **Turbine Overspeed Brake System Maintenance Omissions:** Absolute exclusion of coverage applies if the turbine nacelle undergoes catastrophic rotor runaway or centrifugal fragmentation during extreme weather events where mandatory emergency brake calibrations or software pitch-control parameters were explicitly bypassed or un-updated by operators.
 - **Uncertified Marine Vessel Operations:** No coverage is provided if the underwater repair operations, cable splicing arrays, or topside diagnostic interventions were performed by an individual, contractor, or vessel crew that does not hold active certification from authorized international offshore safety associations.
-

SECTION 4: MANDATORY CLAIM REQUIREMENTS & DOCUMENTATION

To successfully initiate, validate, and verify an active insurance claim evaluation process, the claimant must submit the following verified evidentiary proof within the stipulated filing window:

1. **SCADA Telemetry and Nacelle Sensor Cryptographic Export:** Presentation of an authentic, unedited cryptographic export of the wind farm's central SCADA platform logs illustrating blade pitch coordinates, generator temperatures, oil pressure metrics, and anemometer wind data at the precise minute of the incident.
 2. **Certified ROV Subsea Sonar Video and Forensic Report:** An official, certified regulatory incident report and 3D sonar mapping file issued by an independent underwater engineering team confirming the physical location, depth, and proximate cause of the subsea cable separation.
 3. **Automated Identification System (AIS) Marine Vessel Tracking Log:** Active satellite radar tracking data proving the exact identity, speed, and track profile of all marine commercial ships present within the designated array exclusion zone at the time of the mechanical disruption.
 4. **Authorized Offshore EPC Contractor Replacement Invoices:** Itemized financial invoices and logistics estimates compiled by a certified engineering, procurement, and construction (EPC) marine contractor or licensed maritime asset surveyor.
-

SECTION 5: GENERAL CLAIMS PROCESSING & EVALUATION RULE

All submitted claim applications undergo automated risk scoring, context-aware semantic screening, and policy coverage validation parameters. All coverage validation parameters are strictly subject to the stated incident limits, explicit policy exclusions, and strict claim requirements documented above.

Regulatory Disclaimer: Any automated or AI-generated recommendation (such as APPROVE, REJECT, or REFER) should not be treated as a definitive or final claim decision. A certified human claims handler and authorized insurance underwriter must thoroughly review the generated recommendation, examine the associated evidence logs, and execute the final authorization.

