

Women's Health

Not exclusively woman also men health included

Dr Rozhgar A. Saleem

RH specialist



Table of contents

01

Healthcare

SRH Programs serving
Women's health

02

Screening

Examinations and tests
to prevent adverse
health outcomes

03

Vaccines

Identifying necessary
vaccines

04

Treatment

Required treatments if
any



What's women's health education ?

Equipping women with the tools they need to make informed decisions about their bodies and lives.

It provides a roadmap for navigating life's transitions, from puberty to menopause and beyond.



Key Areas



Sexual and Reproductive health

Education on puberty, menstrual cycles, contraception, STIs, fertility, pregnancy, & menopause

Screening and Preventive care

Crucial screenings like breast cancer, Pap smears, (HPV) tests, age-appropriate vaccinations, & bone density → is Papanicolaou test

Comprehensive Wellbeing

Broader aspects of health, nutrition, physical activity, mental health, & managing hormonal changes throughout life



Gender- specific health concerns

Issues disproportionately affect women due to sex differences, as cardiovascular diseases, osteoporosis, autoimmune diseases, and Alzheimer's disease, often due to factors like hormonal changes and a longer lifespan.

Also, GBV concerns like intimate partner violence and sexual assault and social pressures.

↳ Gender-Based Violence

(CVD)

→ Post-menopausal
hormonal
CVD
have
risk
of





COLLEGE
OF
MEDICINE

01

Healthcare

SRH Programs serving Women's health



SRH Programs Serving Women's Health



Premarital

To identify potential health risks and provide medical consultation.

Checking for infectious diseases like HIV, HBV, and STDs, blood type & Rh factor, genetic blood disorders such as thalassemia and other types of anemia

if Rh- mother and fetus are Rh+ cause Rh syndrome



Preconceptual


To plan and address any issues that could affect a future pregnancy beforehand,

- Anemia correction
- PID / treating partner
- Dental caries & Vaccination
- Weight reduction/ correction
- Chronic disease control & treatment modification (DM, thyroid, epilepsy HT..)
- Health habits as smoking, drinking, salt intake
- Folic acid supplement

3 month prior

what are consequences of pregnant with IDA

- premature delivery
- intra-uterine growth restriction
- worsened anaemia



Perinatal

Screenings performed during pregnancy to monitor the health of both mother & fetus

- Scheduled check up for weight & fundal height
- Blood for anemia, Rh & virology
- Urine for UTI, glucosuria & proteinuria
- Ultrasonography & Fetal sonic aid

↳ severe blood loss may even lead to death

02

Screening



Required check-ups for women

01


Breasts

breast self examination
BSE from age of 20
Mamography from age of 40

Colon

Colonoscopy at age of 45 or earlier accordingly

03



04

Others

HT, hyperlipidemia, bone density

Cervical

Pap smear and colposcopy age 25-65

02



COLLEGE
OF
MEDICINE

03

Vaccines



Key Vaccinations

Hepatitis B vaccine



If vaccinated at birth, **anti HBs antibody** required to determine booster dose

HPV vaccine



Recommended age is 11-12 but can be given as early as 9 , prevents up to 90% of HPV related cancers (**type 16, 18**) , CI during pregnancy

Td



Tetanus Toxoid previously is replaced by Tetanus/diphtheria for WCBA, (full dose-1)

Annual influenza vaccine



Can be given after 6 months of age, safe during pregnancy


Handwritten notes in blue ink:

- Give if 4-12
- Give 2 dose in adult
- 5-12-4
- give on 1
- to complete

Schedule For - HBV



Age	HBV
First 24 hrs	1 st dose
2 months	2 nd dose (penta)
4 months	3 rd dose (penta)
6 months	4 th dose (penta)
After age of 18	Check for AB



Time of vaccination	HBV
Day 0	1 st dose
After 1 month	2 nd dose
After 6 months	3 rd dose
After 5 years of last dose	Check for AB





04

Treatment

Treatment



Physical

Diagnosing and Identifying conditions such as CVD, UTIs, osteoporosis, breast conditions ... and treating accordingly



Psychological

Addressing both biological and non-biological factors: Anxiety, depression, perimenstrual syndrome, intimate partner violence, social pressure

Any Questions ?

