

3rd week Tuesday case scenario

1-dr.

2-dr.

3-dr.

4-dr.

Instrumental vaginal deliveries and postpartum complications.

Case 42

Mrs. Kawthar Bedir is a 26-years-old, G1P1, who had just delivered a term 4.1 kg male infant 7 hrs. ago after prolonged 1st stage and 2nd stage of labour. Forceps delivery was needed to overcome poor maternal effort of bearing down in the 2nd stage, which was complicated by extended episiotomy. Repair of episiotomy is done under general anesthesia. Now she feels exhausted, and in pain.

42.1 At this moment where the fundal level would be?

.....
.....

42.2 How would you help her perineal discomfort?

.....
.....

.....

42.3 She found that it is painful to void and she refuses to move from bed. How
would you explain the consequences of full bladder on future bladder
function?

.....

.....

.

.....

.....

...

42.4 At the 2nd postpartum day you saw Mrs. Kawthar at the maternity ward with
malaise. Her temperature was 39 c. O/E: both breasts were over-distended
and
are very uncomfortable. What is the most probable diagnosis? How would
you
advise her

.....

....

.....

....

.....

...

.....

.....

.....

regarding her breast problem?

At the next post-partum day fever was subsided, she understood the importance of breast feeding for both herself and her baby's health & she was discharged well. However, 7 days later she was presented to the outpatient clinic for fever and lower abdominal pain.

O/E: pyrexia, tachycardia and boggy tender enlarged uterus were found.

42.5 What do you think about the cause of these findings?

.....
.....
.....
.....
.....

42.6 How would you investigate and treat her?

.....
.....
.....
.....
.....
.....

.

42.7 What are the possible complications of this condition?

.....

.....

.....

.....

.....

.....