


第六章作业-任超越-2106410106-计算机 2101

第六章： √

p176 6.3 通过广播接收器实现两个 App 之间通过自定义广播进行数据通信。

study

study2



study2 点击按钮后，study 的界面

手机上的两个应用程序图标



Study 中的 MainActivity 中的代码

```
public class MainActivity extends AppCompatActivity {
    EatReceiver eatReceiver;
    @SuppressWarnings("StaticFieldLeak")
    static TextView textView;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main); // 动态注册
        IntentFilter intentFilter = new
        IntentFilter("android.intent.action.WuHu");
        EatReceiver eatReceiver = new EatReceiver();
        registerReceiver(eatReceiver, intentFilter);
        textView = findViewById(R.id.textView); // 文本框
    }
}
```

```

    public static class EatReceiver extends BroadcastReceiver {
        @Override
        public void onReceive(Context context, Intent intent) {
            textView.setText("Rcy 觉得 Lmx 真好看啊");
        }
    }
}

```

Study 中的 MyReceiver 中的代码

```

public class MyReceiver extends BroadcastReceiver {

    @Override
    public void onReceive(Context context, Intent intent) {
        // TODO: This method is called when the
        BroadcastReceiver is receiving
        // an Intent broadcast.
        throw new UnsupportedOperationException("Not yet
        implemented");
    }
}

```

Study2 中的 MainActivity 中的代码

```

public class MainActivity extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        Button button = findViewById(R.id.button);
        button.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Intent intent = new
                Intent("android.intent.action.WuHu");
                ComponentName componentName = new
                ComponentName("com.example.study", "com.example.study.MainActivity$EatReceiver");
                intent.setComponent(componentName);
                intent.setPackage("com.example.study");
                sendBroadcast(intent);
            }
        });
    }
}

```