

第六章:

p176 6.3 通过广播接收器实现两个 App 之间通过自定义广播进行数据通信。

```
<application
    android:allowBackup="true"
    android:icon="@mipmap/ic_launcher"
    android:label="@string/app_name"
    android:roundIcon="@mipmap/ic_launcher_round"
    android:supportsRtl="true"
    android:theme="@style/Theme.T604">
    <receiver
        android:name=".MyReceiver"
        android:enabled="true"
        android:exported="true">
        <intent-filter>
            <action android:name="MyReceiver.Custom"/>
        </intent-filter>
    </receiver>
    <activity android:name=".MainActivity">
        <intent-filter>
            <action
                android:name="android.intent.action.MAIN" />

            <category
                android:name="android.intent.category.LAUNCHER" />
        </intent-filter>
    </activity>
</application>
</manifest>
```

```
<uses-permission
    android:name="android.permission.ACCESS_NETWORK_STATE" />
<application
    android:allowBackup="true"
    android:icon="@mipmap/ic_launcher"
    android:label="@string/app_name"
    android:roundIcon="@mipmap/ic_launcher_round"
    android:supportsRtl="true"
    android:theme="@style/Theme.T603">
    <receiver
```

```

        android:name=".MyReceiver"
        android:enabled="true"
        android:exported="true">
        <intent-filter>
            <action android:name=" MyRecceiver.Custom"/>
        </intent-filter>
    </receiver>
    <activity android:name=".MainActivity">
        <intent-filter>
            <action
android:name="android.intent.action.MAIN" />

            <category
android:name="android.intent.category.LAUNCHER" />
            </intent-filter>
        </activity>
    </application>
</manifest>

```

```

        private MyReceiver myReceiver = new MyReceiver();
        private boolean mRegistered = false;
        @Override
        protected void onCreate(Bundle savedInstanceState) {
            super.onCreate(savedInstanceState);
            setContentView(R.layout.activity_main);
            findViewById(R.id.btn_send1).setOnClickListener(v->{
                Intent intent=new Intent();
                intent.setAction("MyRecceiver.Custom");

                intent.putExtra("info","玛卡巴卡，古西蒂希

(T603->T604)");

            intent.addFlags(Intent.FLAG_ACTIVITY_PREVIOUS_IS_TOP);
                sendBroadcast(intent);

            });
            findViewById(R.id.btn_register).setOnClickListener(v
-> {
                IntentFilter intentFilter = new IntentFilter();

            intentFilter.addAction(ConnectivityManager.CONNECTIVITY_A
CTION);

```

```

        intentFilter.addAction(Intent.ACTION_SCREEN_ON);
        intentFilter.addAction(Intent.ACTION_SCREEN_OFF);
        intentFilter.addAction(Intent.ACTION_USER_PRESENT);
        intentFilter.addAction(Intent.ACTION_BATTERY_OKAY);
        intentFilter.addAction(Intent.ACTION_BATTERY_LOW);

intentFilter.addAction(Intent.ACTION_BATTERY_CHANGED);

intentFilter.addAction("com.vt.t604.MyReceiver.ss");
        registerReceiver(myReceiver, intentFilter);
        mRegistered = true;
    });
    findViewById(R.id.btn_send2).setOnClickListener(new
View.OnClickListener() {
    @Override
    public void onClick(View v) {
        Intent intent=new Intent();
        intent.setAction("MyReceiver.Custom");

        intent.putExtra("info","广告信息已发送");

intent.addFlags(Intent.FLAG_ACTIVITY_PREVIOUS_IS_TOP);
        sendOrderedBroadcast(intent,null);

    }
});
}

```

```

ANDROID_EMU_direct_mem ANDROID_EMU_host_composition_v1 ANDROID_EMU_host_composition_v2 ANDROID_EMU_vulkan ANDROID_EMU_deferred_vulkan_commands
ANDROID_EMU_vulkan_null_optional_strings ANDROID_EMU_vulkan_create_resources_with_requirements ANDROID_EMU_YUV_Cache ANDROID_EMU_vulkan_ignored_handles
ANDROID_EMU_has_shared_slots_host_memory_allocator ANDROID_EMU_vulkan_free_memory_sync ANDROID_EMU_vulkan_shader_float16_int8 ANDROID_EMU_vulkan_async_queue_submit
ANDROID_EMU_vulkan_queue_submit_with_commands ANDROID_EMU_sync_buffer_data ANDROID_EMU_read_color_buffer_dma ANDROID_EMU_hwc_multi_configs GL_OES_vertex_array_object
GL_KHR_texture_compression_astc_ldr ANDROID_EMU_host_side_tracing ANDROID_EMU_gles_max_version_2
W/OpenGLRenderer: Failed to choose config with EGL_SWAP_BEHAVIOR_PRESERVED, retrying without...
W/OpenGLRenderer: Failed to initialize 101010-2 format, error = EGL_SUCCESS
D/EGL_emulation: eglCreateContext: 0x7369f87e6110: maj 2 min 0 rcv 2
D/EGL_emulation: eglMakeCurrent: 0x7369f87e6110: ver 2 0 (tinfo 0x736c10d2c000) (first time)
I/Gralloc4: mapper 4.x is not supported
D/HostConnection: createUnique: call
D/HostConnection: HostConnection::get() New Host Connection established 0x7369f87e7010, tid 5781
D/goldfish-address-space: allocate: Ask for block of size 0x100
D/goldfish-address-space: allocate: ioctl allocate returned offset 0x3f3ffe000 size 0x2000
W/Gralloc4: allocator 4.x is not supported
D/HostConnection: HostComposition ext ANDROID_EMU_CHECKSUM_HELPER_v1 ANDROID_EMU_native_sync_v2 ANDROID_EMU_native_sync_v3 ANDROID_EMU_native_sync_v4 ANDROID_EMU_dma_v1
ANDROID_EMU_direct_mem ANDROID_EMU_host_composition_v1 ANDROID_EMU_host_composition_v2 ANDROID_EMU_vulkan ANDROID_EMU_deferred_vulkan_commands
ANDROID_EMU_vulkan_null_optional_strings ANDROID_EMU_vulkan_create_resources_with_requirements ANDROID_EMU_YUV_Cache ANDROID_EMU_vulkan_ignored_handles
ANDROID_EMU_has_shared_slots_host_memory_allocator ANDROID_EMU_vulkan_free_memory_sync ANDROID_EMU_vulkan_shader_float16_int8 ANDROID_EMU_vulkan_async_queue_submit
ANDROID_EMU_vulkan_queue_submit_with_commands ANDROID_EMU_sync_buffer_data ANDROID_EMU_read_color_buffer_dma ANDROID_EMU_hwc_multi_configs GL_OES_vertex_array_object
GL_KHR_texture_compression_astc_ldr ANDROID_EMU_host_side_tracing ANDROID_EMU_gles_max_version_2
W/Parcel: Extracting hinder but not null!

```

5:14

3G

作业6.3

显示手机状况

发送第一次广播

发送第二次广播

