

第五章:

p150 5.1 实现登录后显示用户名的效果。输入用户名、密码后登录，启动一个新的 Activity 显示用户名。


```
public class MainActivity extends AppCompatActivity {
    private static final int REQUEST_CODE = 101;
    private EditText mResultEditText;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        mResultEditText = findViewById(R.id.edit_text_result);
        //发送数据（没有回传数据）
        findViewById(R.id.button_send).setOnClickListener(new View.OnClickListener()
        {
            @Override
            public void onClick(View v) {
                Intent intent = new Intent(MainActivity.this, ReceiveActivity.class);
                intent.putExtra("用户名", );
                intent.putExtra("密码");
                startActivity(intent);
                mResultEditText.setText("");
            }
        });
        //发送数据（接收回传数据）
        findViewById(R.id.button_send_for_result).setOnClickListener(new
View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Intent intent = new Intent(MainActivity.this, ReceiveActivity.class);
                intent.putExtra("用户名");
                intent.putExtra("密码");
                startActivityForResult(intent, REQUEST_CODE);
                mResultEditText.setText("");
            }
        });
    }
    //处理回调数据
    protected void onActivityResult(int requestCode, int resultCode, Intent data) {
        super.onActivityResult(requestCode, resultCode, data);
        mResultEditText.setText("*****");
        //判断请求码
        if (requestCode == REQUEST_CODE) {
            //判断结果码
```

```

        if (resultCode == ReceiveActivity.RESULT_CODE) {
            String result = data.getStringExtra("data");
            mResultEditText.setText(result);
        }else{
            mResultEditText.setText("用户名无效");
        }
    }
}
}
}

```



3:10

LTE

作业5.1

用户名

2497346494

返回登录

