

PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUANKU AZIZAH

YEAR: 2020

HOSTNAME: WI101C10003A

LOCATION

Level: 1 Department: Emergency Dept

Room Name: L1-ED-118 Room ID: L1-ED-118

UPS (for computer only)

Brand: APC

Model: BX1100LI-MS Serial No: 3B1608X11946 **CPU**

Brand: i5

Model: HP ProDesk 400 G4

Serial Number: HP ProDesk 400 G4

Processor Type: i5

RAM: 8GB **NETWORK**

Network Port: A.1.4.070

Type Port:

MONITOR (for computer only)

Brand: HP Model: HP P203

Serial No: CNC70505LZ

TAGGING

Device In Tag: Yes Need Replacement : No Date Replaced :

CHECKLIST

	Computer
1 \	Empty rocycle

.) Empty recycle bin & delete *.tmp/*.dmp Yes 2) Change local admin password Yes

3) Check and Perform :-

a) Window updates(latest version) Yes 1912

b) Microsoft Office 2016 (Make sure actiivated) Yes Yes

c) Software Chrome, PDF Reader, 7 zip & Java JDK v6u45 4) Antivirus SEP V14

a) Check and review pattern. State last update Yes 22/03/2021 b) Perform full scanning Yes 16/03/2021

5) Run GP update & reboot

Yes 6) Check UPS functionality (Siwtch off wall plug power) Yes

7) Antivirus SEP V14

a) CPU and FAN (Vacuum and brush the CPU and check the CPU's cooling fan is Yes workina) b) RAM (Take out, brush and plug in) Yes

c) Mouse and keyboard (Make sure is free of dust and grime. Test the functionality) Yes

d) Monitor / Screen (Clean the monitor / screen by using spray cleaner and cloths) Yes e) CD-ROM/DVD Drive(Clean the laser and tray by using CD cleaner disk) Yes

f) Check Cable Tidiness (Make sure the tidiness of cable) g) Check connection (Make sure all datat cables and power cables are sug in the their $_{
m Yes}$

connection)

h) Check Signal(Check LED signal of hard-disk, CPU and monitor) Yes Drive: C

8) Check Harddisk Storage Used Space: 55 Free Space: 22 Drive: D Used Space: 55 Free Space: 55

Analysis Result (%): 34 Type: Do not need to defrag Defragmentation

REMARKS

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Technical 04/03/2021	testuser 04/03/2021	Not Yet

NOTE: This PPM Form is computer generated and no signature is required