

Update and verify inventory by checking and ticking

## PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUANKU AZIZAH

YEAR: 2020

Hostname: WI101B10003A

**DEVICE** 

[ ] Level : 1 [ ] Department : Symbol LS2208 [ ] Room Name : L1-ED-027 [ ] Room ID : Symbol LS2208	[ ] Model : Symbol LS2208 [ ] Serial No : Z11BJF	
NETWORK (for printers only) [ ] Local : [ ] Network IP : [ ] Port :	TAGGING [ ] Device ID Tag :     Need Replacement : [ ] Yes [/] No     Date Replace : PPM Tag :	
CCANNED CHECKLIST		

## SCANNER CHECKLIST

- [ ] Barcode Scanner [ ] Flatbed Scanner [/] Card Reader
- Cleaning (Clean the dust and dirt by using spray cleaner and cloths)
   a. Wipe Glass

boxes below

LOCATION

- b. Scanning Trip
- c. Automatic Document Feeder (ADF) Duplex
- 2. Check Cable Tidiness (Make sure the tidiness of cables)
- 3. Check LED Signal Functioning
- 4. Perform Device Test

Yes Yes

Yes Yes

## E. REMARK

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Admin 04/03/2021 09:36:30	testuser 04/03/2021 09:36:30	Not Yet

NOTE: This PPM Form is computer generated and no signature is required