

PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUNKU AZIZAH

YEAR: 2021

Hostname: WI652B10193A

DEVICE

LOCATION [] Level : 6 [] Department : LS2208 [] Room Name : L6-MR-002A [] Room ID : LS2208	DEVICE [] Brand : Symbol [] Model : LS2208 [] Serial No : Z11BK6		
NETWORK (for printers only) [] Local : Yes [] Network IP : [] Port :	TAGGING [] Device ID Tag : Need Replacement :	[] Yes [/] No	

SCANNER CHECKLIST

[/] Barcode Scanner [] Flatbed Scanner [] Card Reader

- Cleaning (Clean the dust and dirt by using spray cleaner and cloths)
 a. Wipe Glass

boxes below

- b. Scanning Trip
- c. Automatic Document Feeder (ADF) Duplex
- 2. Check Cable Tidiness (Make sure the tidiness of cables)
- 3. Check LED Signal Functioning
- 4. Perform Device Test

Yes N/A N/A

Yes

Yes

E. REMARK

Muhammad Amir Hakim: - Scanner in good condition

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Muhammad Amir Hakim	Kamaliana	Khairulnizam Mat Kasa
04/05/2021 10:	06/05/2021	23/06/2021

NOTE: This PPM Form is computer generated and no signature is required