

YEAR: 2020

HOSPITAL TUANKU AZIZAH

Update and verify inventory by checking and ticking boxes below

Hostname: WI101B10005A

DEVICE

PLANNED PREVENTIVE MAINTENANCE

[] Level : L1 [] Department : LS2208 [] Room Name : L1-ED-033 [] Room ID : LS2208	[] Brand : Symbol [] Model : LS2208 [] Serial No : Z11AG9
NETWORK (for printers only) [] Local : Yes [] Network IP : [] Port :	TAGGING [] Device ID Tag : Yes Need Replacement : [] Yes [/] Date Replace : PPM Tag :

SCANNER CHECKLIST

[/] Barcode Scanner [] Flatbed Scanner [] Card Reader

- Cleaning (Clean the dust and dirt by using spray cleaner and cloths)
 Wipe Glass

LOCATION

- b. Scanning Trip
- c. Automatic Document Feeder (ADF) Duplex
- 2. Check Cable Tidiness (Make sure the tidiness of cables)
- 3. Check LED Signal Functioning
- 4. Perform Device Test

Yes Yes

Yes Yes

No

E. REMARK

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Technical 08/03/2021 15:30:09	testuser 08/03/2021 15:30:09	Not Yet

NOTE: This PPM Form is computer generated and no signature is required