

Update and verify inventory by checking and ticking boxes below

## PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUNKU AZIZAH

**DEVICE** 

YEAR: 2021

Hostname: WI652B10198A

[ ] Level : 6 [ ] Department : LS2208 [ ] Room Name : L6-MR-018 [ ] Room ID : LS2208	[ ] Brand : Symbol [ ] Model : LS2208 [ ] Serial No : Z12HA3	
NETWORK (for printers only) [ ] Local : Yes [ ] Network IP : [ ] Port :	TAGGING [ ] Device ID Tag : Need Replacement :	[/] Yes [ ] No

## **SCANNER CHECKLIST**

[/] Barcode Scanner [] Flatbed Scanner [] Card Reader

- 1. Cleaning (Clean the dust and dirt by using spray cleaner and cloths)
  - a. Wipe Glass

LOCATION

- b. Scanning Trip
- c. Automatic Document Feeder (ADF) Duplex
- 2. Check Cable Tidiness (Make sure the tidiness of cables)
- 3. Check LED Signal Functioning
- 4. Perform Device Test

Yes Yes

Yes Yes

## E. REMARK

Muhammad Syukri : Device ok

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Muhammad Syukri	Kamaliana	Khairulnizam Mat Kasa
27/04/2021 12:	30/04/2021	23/06/2021

NOTE: This PPM Form is computer generated and no signature is required