



## PRINTER & SCANNER

Update and verify inventory by checking and ticking boxes below

## PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUNKU AZIZAH

YEAR : 2021

Hostname : WI101B10009A

### LOCATION

- ☐ Level : 1
- ☐ Department : Symbol LS2208
- ☐ Room Name : L1-ED-058
- ☐ Room ID : Symbol LS2208

### DEVICE

- ☐ Brand :
- ☐ Model : Symbol LS2208
- ☐ Serial No : Z11BFP

### NETWORK (for printers only)

- ☐ Local :
- ☐ Network IP :
- ☐ Port :

### TAGGING

- ☐ Device ID Tag :
- Need Replacement : ☐ Yes ☐ No

## SCANNER CHECKLIST

☐ Barcode Scanner ☐ Flatbed Scanner ☐ Card Reader

1. Cleaning (Clean the dust and dirt by using spray cleaner and cloths)
  - a. Wipe Glass
  - b. Scanning Trip
  - c. Automatic Document Feeder (ADF) Duplex
2. Check Cable Tidiness (Make sure the tidiness of cables)
3. Check LED Signal Functioning
4. Perform Device Test

Yes  
Yes  
Yes  
Yes  
Yes

## E. REMARK

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Admin 03/07/2021 21:	test 06/07/2021	verifier_workstation workstation 06/07/2021

NOTE: This PPM Form is computer generated and no signature is required