

PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUNKU AZIZAH

YEAR: 2021

HOSTNAME: WI652C11040A

LOCATION

[/] Level : 6

[/] Department : Medical Record Dept

[/] Room Name : L6-MR-013 [/] Room ID: L6-MR-013

UPS (for computer only)

[/] Brand: APC

[/] Model: BX1100LI-MS

[/] Serial No : 3B1634X07069

CPU

[/] Brand : Dell

[/] Model: Optiplex 3046 [/] Serial Number: 42F51H2

[/] Processor Type : i5 [/] RAM: 8GB

NETWORK

[/] Network Port : A.6.1.023

Type Port : DHCP

MONITOR (for computer only)

[/] Brand : Dell [/] Model: E2016H [/] Serial No : 6FMPD2

TAGGING

[/] Device In Tag: Need Replacement : No Date Replaced :

CHECKLIST

C -			L
((m	nu	ter
\sim	111	νu	CCI

Computer		
1) Empty recycle bin & delete *.tmp/*.dmp 2) Change local admin password	Yes Yes	
3) Check and Perform :-	103	
a) Window updates(latest version)	Voc	1607
	Yes	1007
b) Microsoft Office 2016 (Make sure actilivated)	Yes	
c) Software Chrome, PDF Reader, 7 zip & Java JDK v6u45	Yes	
4) Antivirus SEP V14		
a) Check and review pattern. State last update	Yes	26/04/2021
b) Perform full scanning	No	
5) Run GP update & reboot		
6) Check UPS functionality (Siwtch off wall plug power)	Yes	
7) Antivirus SEP V14		
a) CPU and FAN (Vacuum and brush the CPU and check the CPU's cooling fan is working)	Yes	
b) RAM (Take out, brush and plug in)	Yes	
c) Mouse and keyboard (Make sure is free of dust and grime. Test the functionality)	Yes	
d) Monitor / Screen (Clean the monitor / screen by using spray cleaner and cloths)		
e) CD-ROM/DVD Drive(Clean the laser and tray by using CD cleaner disk)	Yes Yes	
f) Check Cable Tidiness (Make sure the tidiness of cable)		
1) Check Cable Tidiness (Make sure the tidiness of Cable)	Yes	
g) Check connection (Make sure all datat cables and power cables are sug in the their connection)	^r Yes	
h) Check Signal(Check LED signal of hard-disk, CPU and monitor)	Yes	

8) Check Harddisk Storage

Drive: C

Used Space:

Free Space: 177gb

50.2gb Used Space :

Free Space: 227

Drive: D

172mb

Type: Do not need to defrag

REMARKS

Defragmentation

Mohamad Haziq Fitri: -Device ok. -AV never scan.

Analysis Result (%): 0

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Mohamad Haziq Fitri	Kamaliana	Khairulnizam Mat Kasa
27/04/2021	30/04/2021	01/07/2021

NOTE: This PPM Form is computer generated and no signature is required