

PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUNKU AZIZAH

YEAR: 2021

HOSTNAME: WI652C11022A

LOCATION

[/] Level : 6

[/] Department : Medical Record Dept

[/] Room Name : L6-MR-005 [/] Room ID: L6-MR-005

UPS (for computer only)

[/] Brand: APC

[/] Model: BX1100LI-MS

[/] Serial No : 3B1609X10854

CPU

[/] Brand: Hp

[/] Model: HP ProDesk 400 G4

[/] Serial Number: SGH712PD23

[/] Processor Type : i5 [/] RAM: 8GB

NETWORK

[/] Network Port : A.6.1.028

Type Port: DHCP

MONITOR (for computer only)

[/] Brand: HP

[/] Model: HP P203

[/] Serial No : CNC7050614

TAGGING

[/] Device In Tag:

Need Replacement : Yes

Date Replaced :

CHECKLIST

			L
((٦m	nu	ter
\sim		PU	

1) Empty recycle bin & delete *.tmp/*.dmp 2) Change local admin password	Yes Yes		
3) Check and Perform :-	. 00		
a) Window updates(latest version)	Yes	2004	
b) Microsoft Office 2016 (Make sure actiivated)	Yes		
c) Software Chrome, PDF Reader, 7 zip & Java JDK v6u45	Yes		
4) Antivirus SEP V14			
a) Check and review pattern. State last update	Yes	26/04/2021	
b) Perform full scanning	Yes	26/04/2021	
5) Run GP update & reboot	Yes		
6) Check UPS functionality (Siwtch off wall plug power)	Yes		
7) Antivirus SEP V14			
 a) CPU and FAN (Vacuum and brush the CPU and check the CPU's cooling fan is working) 	Yes		
b) RAM (Take out, brush and plug in)	Yes		
c) Mouse and keyboard (Make sure is free of dust and grime. Test the functionality)	Yes		
d) Monitor / Screen (Clean the monitor / screen by using spray cleaner and cloths)	Yes		
e) CD-ROM/DVD Drive(Clean the laser and tray by using CD cleaner disk)	Yes		
f) Check Cable Tidiness (Make sure the tidiness of cable)	Yes		
g) Check connection (Make sure all datat cables and power cables are sug in the their	r _{Yes}		

h) Check Signal(Check LED signal of hard-disk, CPU and monitor) 8) Check Harddisk Storage

Drive: C

Drive : D

Used Space: 61gb Free Space: 163gb Used Space : Free Space: 224gb

Yes

149mb

Defragmentation Type: Do not need to defrag Analysis Result (%): 1

REMARKS

connection)

Muhammad Syukri: Ups no sound

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Muhammad Syukri	Kamaliana	Khairulnizam Mat Kasa
26/04/2021	04/05/2021	01/07/2021

NOTE: This PPM Form is computer generated and no signature is required