

Update and verify inventory by checking and ticking

PLANNED PREVENTIVE MAINTENANCE HOSPITAL TUANKU AZIZAH

YEAR: 2020

Hostname: WI101B10004A

LOCATION [] Level : [] Department : [] Room Name : [] Room ID :	DEVICE [] Brand : [] Model : [] Serial No :	
NETWORK (for printers only) [] Local : [] Network IP : [] Port :	TAGGING [] Device ID Tag : Need Replacement :	[] Yes [/] No

SCANNER CHECKLIST

[/] Barcode Scanner [] Flatbed Scanner [] Card Reader

- Cleaning (Clean the dust and dirt by using spray cleaner and cloths)
 a. Wipe Glass

boxes below

- b. Scanning Trip
- c. Automatic Document Feeder (ADF) Duplex
- 2. Check Cable Tidiness (Make sure the tidiness of cables)
- 3. Check LED Signal Functioning
- 4. Perform Device Test

Yes Yes

Yes

Yes

E. REMARK

Admin: scanner ok verifier_workstation :opkay

SERVICED BY	ACKNOWLEDGED BY	VERIFIED BY
Admin 12/03/2021 10:39:19	testuser 12/03/2021 10:39:19	Not Yet

NOTE: This PPM Form is computer generated and no signature is required